J2
401:B61
1985
c.2

BASIC AUTOMATED BIRTH YEARBOOK

N.C. DOCUMENTS
SEP 24 1986
N.C. STATE LIBRARY
RALEIGH

NORTH CAROLINA RESIDENTS '85

BASIC AUTOMATED BIRTH YEARBOOK

State Center For Health Statistics
N.C. Department of Human Resources
Division of Health Services

NORTH CAROLINA RESIDENTS '85

Digitized by the Internet Archive
in 2016

https://archive.org/details/basicautomatedbi1985nort

BASIC AUTOMATED BIRTH YEARBOOK

This report, referred to as *The Baby Book*, contains computerized tables showing statewide counts and percentages for 1985 resident live births classified according to selected infant and maternal characteristics. This volume and corresponding county microfiche are prepared and distributed for the use of family planning programs and other users of baseline birth data.

This year's cover features Elizabeth Ann Stafford, born March 30, 1986 as photographed by Bill Ellington. Her mother is Jean Stafford, phototypesetter for the State Center for Health Statistics.

North Carolina Residents

1985

DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
STATE CENTER FOR HEALTH STATISTICS
POST OFFICE BOX 2091
RALEIGH, NORTH CAROLINA 27602

BASIC AUTOMATED BIRTH YEARBOOK
NORTH CAROLINA RESIDENTS
1985

DEFINITIONS

A ***'live birth'*** is the complete expulsion or extraction from its mother of a product of conception irrespective of the duration of pregnancy, which, after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or any definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. (Definition adopted by the World Health Organization in 1950.)

A ***'not married'*** mother is one who has never been legally married or who has been widowed or legally divorced from her husband in excess of 280 days.

'Fetal death' is death prior to complete expulsion or extraction from its mother of the product of conception. A ***'previous fetal death'*** is delivery of a fetal death prior to the present delivery.

A ***'previous live born now dead'*** is a live born child who died prior to the present delivery.

'Birth order' is the sum of all previous deliveries (live births and fetal deaths) plus the present delivery.

'Birth weight' is expressed in grams. A premature birth is defined as a live born infant weighing 2500 grams (5 pounds, 8 ounces) or less at birth, regardless of the period of gestation. (Birth Weight Index recommended by the expert group on prematurity of the World Health Organization, 1950.)

'Age of mother' is reported age in completed years at last birthday.

'Education of mother' is the number of years of schooling completed at time of the birth.

The ***'Apgar score'*** is a system for rating the physical condition of newborns. Scores range 0-10 and are a summation of scores 0-2 assigned to each of 5 items: heart rate, respiratory effect, muscle tone, reflex irritability and color. Apgar scores of 0-2 represent severe asphyxia; 3-6, mild to moderate asphyxia; 7-10, rare need for resuscitation. Scores at 5 minutes, as tabulated here, are reportedly more highly associated with mortality and neurologic defects than are scores at 1 minute.

For State tables only, a ***'congenital malformation'*** is one of two possible malformations reported by the certifier. It is the first-mentioned condition except where the two conditions 'link' as per ICD linkage rules. In such cases, one or the other condition is 'preferred' or the two combined are represented by a third code.

The following categories are tabulated in State tables:

NOMENCLATURE	9TH ICD CODE
No malformation listed	None
Spina bifida	741
Cong. anom. of heart	745, 746
Cleft palate and cleft lip	749
Hypospadias and epispadias	752.6
Deformities of feet (includes clubfoot)	754.5-754.7
Polydactyly	755.0
Down's Syndrome	758.0
All other 740-759	All other

RESIDENCE ALLOCATION

Births are allocated to the usual residence of the mother regardless of the place of occurrence.

RACE ALLOCATION

Two broad categories, 'white' and 'nonwhite' are used. Where one parent is classified as white and the other nonwhite, the birth is classified as nonwhite.

COMPLETENESS OF BIRTH REGISTRATION

Counts and percentages in this report are based on live births filed with the local registrar prior to April and processed in the State office prior to May of the year following the birth. The number filed subsequently is considered negligible for statistical purposes.

INSTRUCTIONS FOR READING THE TABLES

The following page provides an example and instructions for reading the tables of this printout.

CROSSTABULATION OF

AGE AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
MS MARITAL STATUS VALUE.. 1 LEGITIMATE
RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	WT 2500 GMS OR LESS (1)	WT OVER 2500 GMS (2)	ROW TOTAL
20		355	2150	2505
		14.2	85.8	9.5
		10.4	9.4	
21		275	1855	2130
		12.9	87.1	8.1
		8.0	8.1	
22		209	1615	1824
		11.5	88.5	6.9
		6.1	7.0	
23		175	1420	1595
		11.0	89.0	6.1
		5.1	6.2	
24		177	1190	1367
		12.9	87.1	5.2
		5.2	5.2	
25 - 29	25	503	3990	4493
		11.2	88.8	17.1
		14.7	17.4	
30 - 34	26	216	1678	1894
		11.4	88.6	7.2
		6.3	7.3	
35 - 39	27	97	685	782
		12.4	87.6	3.0
		2.8	3.0	
40 - 44	28	35	199	234
		15.0	85.0	0.9
		1.0	0.9	
	COLUMN TOTAL	3425	22925	26350
		13.0	87.0	100.0

(CONTINUED)

INSTRUCTIONS FOR READING THE TABLES

TABLES PRODUCED BY THE STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES (SPSS) HAVE THREE PARTITIONS WHICH ARE SEPARATED BY ROWS OF DASHES. THE FIRST PARTITION, ABOVE THE DASHES, INCLUDES A TITLE AND/OR OTHER INFORMATION. IN THIS EXAMPLE, WE HAVE RESIDENT BIRTHS FOR THE YEAR 0001.

THE SECOND PARTITION, BETWEEN THE TWO ROWS OF DASHES, SHOWS THE VARIABLES ASSOCIATED WITH THE TABLE. IN THIS EXAMPLE, THE TABLE CROSSTABULATES 'AGE OF MOTHER' AND 'BIRTH WEIGHT IN GRAMS' FOR LEGITIMATE WHITE BIRTHS. THIS TABLE WILL BE PRINTED ON 3 PAGES OF WHICH THIS IS THE SECOND (PAGE 2 OF 3).

THE THIRD PARTITION IS THE TABLE ITSELF. THE LOWER RIGHT HAND NUMBER IS THE TOTAL NUMBER OF EVENTS SHOWN IN THE ENTIRE TABLE. IN THIS EXAMPLE, A TOTAL OF 26350 BIRTHS ARE TABULATED IN THE 3-PAGE TABLE.

AT THE LEFT OF THE TABLE IS THE ROW VARIABLE 'AGE' (AGE OF MOTHER) AND ITS VALUES. AT THE RIGHT ARE THE ROW COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 2505 LEGITIMATE WHITE BIRTHS TO WOMEN AGE 20 AND THESE CONSTITUTED 9.5 PERCENT OF 26350 LEGITIMATE WHITE BIRTHS.

AT THE TOP OF THE TABLE IS THE COLUMN VARIABLE 'WT' (BIRTH WEIGHT IN GRAMS) AND ITS VALUES. AT THE BOTTOM ARE THE COLUMN COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 3425 LEGITIMATE WHITE BIRTHS THAT WEIGHED 2500 GMS OR LESS AND THESE CONSTITUTED 13.0 PERCENT OF THE 26350 LEGITIMATE WHITE BIRTHS.

THE BODY OF THE TABLE IS DIVIDED INTO CELLS, EACH CONTAINING THREE NUMBERS. THE FIRST NUMBER IS THE COUNT (E.G., THE NUMBER OF BIRTHS FOR THE SPECIFIED AGE AND BIRTH WEIGHT). THE SECOND NUMBER IS THE ROW PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED AGE GROUP THAT WERE OF A PARTICULAR BIRTH WEIGHT). THE THIRD NUMBER IS THE COLUMN PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED BIRTH WEIGHT GROUP THAT WERE BORN TO WOMEN OF A PARTICULAR AGE). TO ILLUSTRATE, IN THE UPPER LEFT CELL ARE THE NUMBERS 355, 14.2 AND 10.4. THIS MEANS THAT

- 355 LEGITIMATE WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GMS OR LESS.
- 14.2 PERCENT OF 2505 LEGITIMATE WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GMS OR LESS.
- 10.4 PERCENT OF 3425 LEGITIMATE WHITE BIRTHS WEIGHING 2500 GMS OR LESS WERE TO WOMEN AGE 20.

TABLE OF CONTENTS

L I S T I N G O F C R O S S T A B U L A T I O N S O F R E S I D E N T L I V E B I R T H S

TABLE

1. AGE OF MOTHER BY BIRTH ORDER BY MARITAL STATUS BY RACE (AGE/BTH ORDR/MS/RACE) 1

2. AGE OF MOTHER BY BIRTH ORDER BY RACE (AGE/BTH ORDR/RACE) 11

3. AGE OF MOTHER BY BIRTH WEIGHT BY RACE (AGE/BTH WT/RACE) 20

4. EDUCATION OF MOTHER BY BIRTH ORDER BY RACE (ED/BTH ORDR/RACE) 29

5. MONTH PRENATAL CARE BEGAN BY EDUCATION OF MOTHER BY RACE (MPCB/ED/RACE) 32

6. MONTH PRENATAL CARE BEGAN BY AGE OF MOTHER BY RACE (MPCB/AGE/RACE) 38

7. MONTH PRENATAL CARE BEGAN BY MARITAL STATUS BY RACE (MPCB/MS/RACE) 50

8. MONTH PRENATAL CARE BEGAN BY BIRTH ORDER BY RACE (MPCB/BTH ORDR/RACE) 56

9. MONTH PRENATAL CARE BEGAN BY BIRTH WEIGHT BY RACE (MPCB/BTH WT/RACE) 62

10. NUMBER OF PRENATAL VISITS BY EDUCATION OF MOTHER BY RACE (PRENTL VSTS/ED/RACE) 68

11. NUMBER OF PRENATAL VISITS BY AGE OF MOTHER BY RACE (PRENTL VSTS/AGE/RACE) 74

12. NUMBER OF PRENATAL VISITS BY MARITAL STATUS BY RACE (PRENTL VSTS/MS/RACE) 86

13. NUMBER OF PRENATAL VISITS BY BIRTH ORDER BY RACE (PRENTL VSTS/BTH ORDR/RACE) 92

14. NUMBER OF PRENATAL VISITS BY BIRTH WEIGHT BY RACE (PRENTL VSTS/BTH WT/RACE) 98

15. MONTH PRENATAL CARE BEGAN BY NUMBER OF PRENATAL VISITS BY RACE (MPCB/PRENTL VSTS/RACE) 104

16. PREVIOUS LIVE BORN NOW DEAD BY RACE
(PREV LB NOW DEAD/RACE) 116

17. PREVIOUS FETAL DEATHS BY RACE
(PREV FTL DTHS/RACE) 117

18. APGAR SCORE (5 MIN) BY AGE OF MOTHER BY RACE
(APGAR5/AGE/RACE) 119

19. APGAR SCORE (5 MIN) BY EDUCATION OF MOTHER BY RACE
(APGAR5/EDUC/RACE) 131

20. CONGENITAL MALFORMATION BY AGE OF MOTHER BY RACE *** IN STATE BABYBOOK ONLY ***
(MAL/AGE/RACE) 137

21. CONGENITAL MALFORMATION BY EDUCATION OF MOTHER BY RACE *** IN STATE BABYBOOK ONLY ***
(MAL/EDUC/RACE) 143

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED
RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
13		3										3
		100.0										.0
		.0										
14		18										18
		100.0										.0
		.1										
15		123	9									132
		93.2	6.8									.2
		.5	.0									
16		351	46	4								401
		87.5	11.5	1.0								.7
		1.5	.2	.0								
17		786	157	18	4		1				1	967
		81.3	16.2	1.9	.4		.1				.1	1.7
		3.5	.8	.2	.1		.2				7.1	
18		1209	364	41	5	1					1	1621
		74.6	22.5	2.5	.3	.1					.1	2.9
		5.3	1.9	.5	.2	.1					7.1	
19		1670	633	123	22	6	1				1	2456
		68.0	25.8	5.0	.9	.2	.0				.0	4.4
		7.3	3.3	1.4	.7	.5	.2				7.1	
20		1811	887	238	44	15	1				1	2997
		60.4	29.6	7.9	1.5	.5	.0				.0	5.3
		8.0	4.6	2.6	1.4	1.3	.2				7.1	
21		1895	1215	350	90	22	4				1	3577
		53.0	34.0	9.8	2.5	.6	.1				.0	6.4
		8.3	6.3	3.9	2.8	1.9	.8				7.1	
(CONTINUED)	COLUMN	22774	19310	8999	3254	1176	487	175	63	69	14	56321
	TOTAL	40.4	34.3	16.0	5.8	2.1	.9	.3	.1	.1	.0	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED

RACE VALUE.. 1 WHITE

AGE	BO COUNT / ROW PCT / COL PCT	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
22		1703	1320	441	127	25	10	3	1			3630
		46.9	36.4	12.1	3.5	.7	.3	.1	.0			6.4
		7.5	6.8	4.9	3.9	2.1	2.1	1.7	1.6			
23		1685	1422	531	152	33	20	3	1	1	1	3849
		43.8	36.9	13.8	3.9	.9	.5	.1	.0	.0	.0	6.8
		7.4	7.4	5.9	4.7	2.8	4.1	1.7	1.6	1.4	7.1	
24		1696	1382	582	167	55	15	9	2		1	3909
		43.4	35.4	14.9	4.3	1.4	.4	.2	.1		.0	6.9
		7.4	7.2	6.5	5.1	4.7	3.1	5.1	3.2		7.1	
25		6878	7120	3329	1127	366	133	42	13	16	4	19028
25 - 29		36.1	37.4	17.5	5.9	1.9	.7	.2	.1	.1	.0	33.8
		30.2	36.9	37.0	34.6	31.1	27.3	24.0	20.6	23.2	28.6	
26		2456	3935	2554	1058	396	186	66	21	13	2	10687
30 - 34		23.0	36.8	23.9	9.9	3.7	1.7	.6	.2	.1	.0	19.0
		10.8	20.4	28.4	32.5	33.7	38.2	37.7	33.3	18.8	14.3	
27		457	771	731	399	222	101	44	19	25	1	2770
35 - 39		16.5	27.8	26.4	14.4	8.0	3.6	1.6	.7	.9	.0	4.9
		2.0	4.0	8.1	12.3	18.9	20.7	25.1	30.2	36.2	7.1	
28		31	48	55	59	35	13	8	6	11		266
40 - 44		11.7	18.0	20.7	22.2	13.2	4.9	3.0	2.3	4.1		.5
		.1	.2	.6	1.8	3.0	2.7	4.6	9.5	15.9		
29		2	1	1			2			3		9
45 AND OVER		22.2	11.1	11.1			22.2			33.3		.0
		.0	.0	.0			.4			4.3		
30				1								1
NOT STATED				100.0								.0
				.0								
COLUMN TOTAL		22774	19310	8999	3254	1176	487	175	63	69	14	56321
		40.4	34.3	16.0	5.8	2.1	.9	.3	.1	.1	.0	100.0

CROSSTABULATION OF
AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED
RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
12		1										1
		100.0										.0
		.0										
13		9										9
		100.0										.2
		.3										
14		59	3									62
		95.2	4.8									1.1
		1.7	.3									
15		164	5	1								170
		96.5	2.9	.6								3.1
		4.7	.5	.2								
16		337	22	2								361
		93.4	6.1	.6								6.6
		9.6	2.0	.4								
17		511	46	6								563
		90.8	8.2	1.1								10.3
		14.6	4.2	1.2								
18		505	82	17	1							605
		83.5	13.6	2.8	.2							11.1
		14.4	7.5	3.4	.5							
19		437	101	21	7	1					1	568
		76.9	17.8	3.7	1.2	.2					.2	10.4
		12.5	9.2	4.2	3.5	1.1					25.0	
20		378	113	38	6	3	1					539
		70.1	21.0	7.1	1.1	.6	.2					9.9
		10.8	10.3	7.6	3.0	3.2	3.1					
(CONTINUED)	COLUMN TOTAL	3497	1097	503	200	93	32	9	5	5	4	5445
		64.2	20.1	9.2	3.7	1.7	.6	.2	.1	.1	.1	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED

RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
	21	263	109	36	9	7						424
		62.0	25.7	8.5	2.1	1.7						7.8
		7.5	9.9	7.2	4.5	7.5						
	22	212	116	42	12	3	2					387
		54.8	30.0	10.9	3.1	.8	.5					7.1
		6.1	10.6	8.3	6.0	3.2	6.3					
	23	148	98	51	26	7	3				1	334
		44.3	29.3	15.3	7.8	2.1	.9				.3	6.1
		4.2	8.9	10.1	13.0	7.5	9.4				25.0	
	24	104	74	42	16	9	2	1				248
		41.9	29.8	16.9	6.5	3.6	.8	.4				4.6
		3.0	6.7	8.3	8.0	9.7	6.3	11.1				
25 - 29	25	264	213	170	61	35	8	3	1	1	1	757
		34.9	28.1	22.5	8.1	4.6	1.1	.4	.1	.1	.1	13.9
		7.5	19.4	33.8	30.5	37.6	25.0	33.3	20.0	20.0	25.0	
30 - 34	26	73	85	54	42	18	6	2		2	1	283
		25.8	30.0	19.1	14.8	6.4	2.1	.7		.7	.4	5.2
		2.1	7.7	10.7	21.0	19.4	18.8	22.2		40.0	25.0	
35 - 39	27	26	28	19	15	7	8	2	2	1		108
		24.1	25.9	17.6	13.9	6.5	7.4	1.9	1.9	.9		2.0
		.7	2.6	3.8	7.5	7.5	25.0	22.2	40.0	20.0		
40 - 44	28	5	2	4	5	3	2	1	1	1		24
		20.8	8.3	16.7	20.8	12.5	8.3	4.2	4.2	4.2		.4
		.1	.2	.8	2.5	3.2	6.3	11.1	20.0	20.0		
45 AND OVER	29	1							1			2
		50.0							50.0			.0
		.0							20.0			
	COLUMN TOTAL	3497	1097	503	200	93	32	9	5	5	4	5445
		64.2	20.1	9.2	3.7	1.7	.6	.2	.1	.1	.1	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED
RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
14		1										1
		100.0										.0
		.0										
15		5										5
		100.0										.0
		.1										
16		23	8									31
		74.2	25.8									.2
		.7	.2									
17		49	22	7	1							79
		62.0	27.8	8.9	1.3							.6
		1.4	.5	.3	.1							
18		144	77	24	2	2	1					250
		57.6	30.8	9.6	.8	.8	.4					1.9
		4.2	1.8	.9	.1	.3	.3					
19		241	154	50	15	1						461
		52.3	33.4	10.8	3.3	.2						3.5
		7.1	3.6	1.8	1.0	.1						
20		346	283	97	18	3		1				748
		46.3	37.8	13.0	2.4	.4		.1				5.6
		10.1	6.5	3.5	1.3	.4		.7				
21		349	330	154	46	15	2	1	1		1	899
		38.8	36.7	17.1	5.1	1.7	.2	.1	.1		.1	6.8
		10.2	7.6	5.5	3.2	2.1	.6	.7	1.5		33.3	
22		311	345	198	60	27	9	1	1			952
		32.7	36.2	20.8	6.3	2.8	.9	.1	.1			7.2
		9.1	8.0	7.1	4.2	3.7	2.8	.7	1.5			
COLUMN TOTAL		3409	4329	2792	1438	722	317	148	68	78	3	13304
		25.6	32.5	21.0	10.8	5.4	2.4	1.1	.5	.6	.0	100.0

(CONTINUED)

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED
RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
	23	298	331	197	76	29	7	5				943
		31.6	35.1	20.9	8.1	3.1	.7	.5				7.1
		8.7	7.6	7.1	5.3	4.0	2.2	3.4				
	24	265	365	198	106	32	14	5	2			987
		26.8	37.0	20.1	10.7	3.2	1.4	.5	.2			7.4
		7.8	8.4	7.1	7.4	4.4	4.4	3.4	2.9			
	25	985	1518	1049	580	257	114	40	18	8	1	4570
25 - 29		21.6	33.2	23.0	12.7	5.6	2.5	.9	.4	.2	.0	34.4
		28.9	35.1	37.6	40.3	35.6	36.0	27.0	26.5	10.3	33.3	
	26	314	722	624	402	241	100	56	24	25	1	2509
30 - 34		12.5	28.8	24.9	16.0	9.6	4.0	2.2	1.0	1.0	.0	18.9
		9.2	16.7	22.3	28.0	33.4	31.5	37.8	35.3	32.1	33.3	
	27	69	157	177	110	101	58	28	21	29		750
35 - 39		9.2	20.9	23.6	14.7	13.5	7.7	3.7	2.8	3.9		5.6
		2.0	3.6	6.3	7.6	14.0	18.3	18.9	30.9	37.2		
	28	9	16	17	21	13	12	11	1	15		115
40 - 44		7.8	13.9	14.8	18.3	11.3	10.4	9.6	.9	13.0		.9
		.3	.4	.6	1.5	1.8	3.8	7.4	1.5	19.2		
	29		1		1	1				1		4
45 AND OVER			25.0		25.0	25.0				25.0		.0
			.0		.1	.1				1.3		
	COLUMN	3409	4329	2792	1438	722	317	148	68	78	3	13304
	TOTAL	25.6	32.5	21.0	10.8	5.4	2.4	1.1	.5	.6	.0	100.0

TABLE 1

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED
RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
11		2										2
		100.0										.0
		.0										
12		2										2
		100.0										.0
		.0										
13		51	1									52
		98.1	1.9									.4
		.7	.0									
14		174	8	1								183
		95.1	4.4	.5								1.3
		2.5	.2	.1								
15		441	24	4								469
		94.0	5.1	.9								3.3
		6.3	.6	.2								
16		672	111	12			1					796
		84.4	13.9	1.5			.1					5.6
		9.7	2.9	.6			.5					
17		900	229	43	4						1	1177
		76.5	19.5	3.7	.3						.1	8.2
		12.9	6.1	2.2	.5						50.0	
18		939	334	73	10	2						1358
		69.1	24.6	5.4	.7	.1						9.5
		13.5	8.9	3.7	1.1	.5						
19		927	423	134	26	6						1516
		61.1	27.9	8.8	1.7	.4						10.6
		13.3	11.2	6.8	2.9	1.6						
(CONTINUED)	COLUMN TOTAL	6950	3770	1974	887	385	202	87	34	29	2	14320
		48.5	26.3	13.8	6.2	2.7	1.4	.6	.2	.2	.0	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED

RACE VALUE.. 2 NONWHITE

AGE	BO / COUNT / ROW PCT / COL PCT	1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	ROW TOTAL
	20	735	467	215	69	13	3					1502
		48.9	31.1	14.3	4.6	.9	.2					10.5
		10.6	12.4	10.9	7.8	3.4	1.5					
	21	585	404	216	79	15	8	2				1309
		44.7	30.9	16.5	6.0	1.1	.6	.2				9.1
		8.4	10.7	10.9	8.9	3.9	4.0	2.3				
	22	414	352	196	89	37	11	3				1102
		37.6	31.9	17.8	8.1	3.4	1.0	.3				7.7
		6.0	9.3	9.9	10.0	9.6	5.4	3.4				
	23	303	293	184	79	25	13	3				900
		33.7	32.6	20.4	8.8	2.8	1.4	.3				6.3
		4.4	7.8	9.3	8.9	6.5	6.4	3.4				
	24	212	233	151	56	33	10	5	2	1		703
		30.2	33.1	21.5	8.0	4.7	1.4	.3	.1			4.9
		3.1	6.2	7.6	6.3	8.6	5.0	5.7	5.9	3.4		
	25	457	654	503	301	148	68	34	10	6	1	2182
25 - 29		20.9	30.0	23.1	13.8	6.8	3.1	1.6	.5	.3	.0	15.2
		6.6	17.3	25.5	33.9	38.4	33.7	39.1	29.4	20.7	50.0	
	26	110	200	198	127	73	59	22	12	12		813
30 - 34		13.5	24.6	24.4	15.6	9.0	7.3	2.7	1.5	1.5		5.7
		1.6	5.3	10.0	14.3	19.0	29.2	25.3	35.3	41.4		
	27	24	33	39	39	27	24	14	9	7		216
35 - 39		11.1	15.3	18.1	18.1	12.5	11.1	6.5	4.2	3.2		1.5
		.3	.9	2.0	4.4	7.0	11.9	16.1	26.5	24.1		
	28	2	4	4	8	6	5	3	1	3		36
40 - 44		5.6	11.1	11.1	22.2	16.7	13.9	8.3	2.8	8.3		.3
		.0	.1	.2	.9	1.6	2.5	3.4	2.9	10.3		
	COLUMN TOTAL	6950	3770	1974	887	385	202	87	34	29	2	14320
		48.5	26.3	13.8	6.2	2.7	1.4	.6	.2	.2	.0	100.0

(CONTINUED)

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED

RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
45 AND OVER	29							1				1
								100.0				.0
								1.1				
NOT STATED	30			1								1
				100.0								.0
				.1								
	COLUMN TOTAL	6950	3770	1974	887	385	202	87	34	29	2	14320
		48.5	26.3	13.8	6.2	2.7	1.4	.6	.2	.2	.0	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 3 NOT STATED

RACE VALUE.. 2 NONWHITE

AGE		BO NOT STATED	ROW TOTAL
		10	
NOT STATED	30	1	1
		100.0	100.0
		100.0	
	COLUMN TOTAL	1	1
		100.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF
AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
RACE. VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
11		2										2
		100.0										.0
		.0										
12		3										3
		100.0										.0
		.0										
13		63	1									64
		98.4	1.6									.1
		.2	.0									
14		252	11	1								264
		95.5	4.2	.4								.3
		.7	.0	.0								
15		733	38	5								776
		94.5	4.9	.6								.9
		2.0	.1	.0								
16		1383	187	18			1					1589
		87.0	11.8	1.1			.1					1.8
		3.8	.7	.1			.1					
17		2246	454	74	9		1				2	2786
		80.6	16.3	2.7	.3		.0				.1	3.1
		6.1	1.6	.5	.2		.1				8.3	
18		2797	857	155	18	5	1				1	3834
		73.0	22.4	4.0	.5	.1	.0				.0	4.3
		7.6	3.0	1.1	.3	.2	.1				4.2	
19		3275	1311	328	70	14	1				2	5001
		65.5	26.2	6.6	1.4	.3	.0				.0	5.6
		8.9	4.6	2.3	1.2	.6	.1				8.3	
(CONTINUED)	COLUMN TOTAL	36630	28506	14268	5779	2376	1038	419	170	181	24	89391
		41.0	31.9	16.0	6.5	2.7	1.2	.5	.2	.2	.0	100.0

CROSSTABULATION OF AGE BY BO
CONTROLLING FOR.. AGE OF MOTHER
RACE. BIRTH ORDER
VALUE = TOTAL

AGE	BO / COUNT / ROW PCT / COL PCT	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
20	COUNT	3270	1750	588	137	34	5	1			1	5786
	ROW PCT	56.5	30.2	10.2	2.4	.6	.1	.0			.0	6.5
	COL PCT	8.9	6.1	4.1	2.4	1.4	.5	.2			4.2	
21	COUNT	3092	2058	756	224	59	14	3	1		2	6209
	ROW PCT	49.8	33.1	12.2	3.6	1.0	.2	.0	.0		.0	6.9
	COL PCT	8.4	7.2	5.3	3.9	2.5	1.3	.7	.6		8.3	
22	COUNT	2640	2133	877	288	92	32	7	2			6071
	ROW PCT	43.5	35.1	14.4	4.7	1.5	.5	.1	.0			6.8
	COL PCT	7.2	7.5	6.1	5.0	3.9	3.1	1.7	1.2			
23	COUNT	2434	2144	963	333	94	43	11	1	1	2	6026
	ROW PCT	40.4	35.6	16.0	5.5	1.6	.7	.2	.0	.0	.0	6.7
	COL PCT	6.6	7.5	6.7	5.8	4.0	4.1	2.6	.6	.6	8.3	
24	COUNT	2277	2054	973	345	129	41	20	6	1	1	5847
	ROW PCT	38.9	35.1	16.6	5.9	2.2	.7	.3	.1	.0	.0	6.5
	COL PCT	6.2	7.2	6.8	6.0	5.4	3.9	4.8	3.5	.6	4.2	
25	COUNT	8584	9505	5051	2069	806	323	119	42	31	7	26537
25 - 29	ROW PCT	32.3	35.8	19.0	7.8	3.0	1.2	.4	.2	.1	.0	29.7
	COL PCT	23.4	33.3	35.4	35.8	33.9	31.1	28.4	24.7	17.1	29.2	
26	COUNT	2953	4942	3430	1629	728	351	146	57	52	4	14292
30 - 34	ROW PCT	20.7	34.6	24.0	11.4	5.1	2.5	1.0	.4	.4	.0	16.0
	COL PCT	8.1	17.3	24.0	28.2	30.6	33.8	34.8	33.5	28.7	16.7	
27	COUNT	576	989	966	563	357	191	88	51	62	1	3844
35 - 39	ROW PCT	15.0	25.7	25.1	14.6	9.3	5.0	2.3	1.3	1.6	.0	4.3
	COL PCT	1.6	3.5	6.8	9.7	15.0	18.4	21.0	30.0	34.3	4.2	
28	COUNT	47	70	80	93	57	32	23	9	30		441
40 - 44	ROW PCT	10.7	15.9	18.1	21.1	12.9	7.3	5.2	2.0	6.8		.5
	COL PCT	.1	.2	.6	1.6	2.4	3.1	5.5	5.3	16.6		
COLUMN TOTAL	COUNT	36630	28506	14268	5779	2376	1038	419	170	181	24	89391
	PCT	41.0	31.9	16.0	6.5	2.7	1.2	.5	.2	.2	.0	100.0

(CONTINUED)

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

RACE. VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
45 AND OVER	29	3	2	1	1	1	2	1	1	4		16
		18.8	12.5	6.3	6.3	6.3	12.5	6.3	6.3	25.0		.0
		.0	.0	.0	.0	.0	.2	.2	.6	2.2		
NOT STATED	30			2							1	3
				66.7							33.3	.0
				.0							4.2	
	COLUMN TOTAL	36630	28506	14268	5779	2376	1038	419	170	181	24	89391
		41.0	31.9	16.0	6.5	2.7	1.2	.5	.2	.2	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 2

CROSSTABULATION OF AGE BY BO BIRTH ORDER

CONTROLLING FOR.. RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
12		1										1
		100.0										.0
		.0										
13		12										12
		100.0										.0
		.0										
14		77	3									80
		96.3	3.8									.1
		.3	.0									
15		287	14	1								302
		95.0	4.6	.3								.5
		1.1	.1	.0								
16		688	68	6								762
		90.3	8.9	.8								1.2
		2.6	.3	.1								
17		1297	203	24	4		1				1	1530
		84.8	13.3	1.6	.3		.1				.1	2.5
		4.9	1.0	.3	.1		.2				5.6	
18		1714	446	58	6	1					1	2226
		77.0	20.0	2.6	.3	.0					.0	3.6
		6.5	2.2	.6	.2	.1					5.6	
19		2107	734	144	29	7	1				2	3024
		69.7	24.3	4.8	1.0	.2	.0				.1	4.9
		8.0	3.6	1.5	.8	.6	.2				11.1	
20		2189	1000	276	50	18	2				1	3536
		61.9	28.3	7.8	1.4	.5	.1				.0	5.7
		8.3	4.9	2.9	1.4	1.4	.4				5.6	
(CONTINUED)	COLUMN TOTAL	26271	20407	9502	3454	1269	519	184	68	74	18	61766
		42.5	33.0	15.4	5.6	2.1	.8	.3	.1	.1	.0	100.0

CROSSTABULATION OF

AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER	NOT STATED (9)	(10)	ROW TOTAL
	21	2158	1324	386	99	29	4					1	4001
		53.9	33.1	9.6	2.5	.7	.1					.0	6.5
		8.2	6.5	4.1	2.9	2.3	.8					5.6	
	22	1915	1436	483	139	28	12	3	1				4017
		47.7	35.7	12.0	3.5	.7	.3	.1	.0				6.5
		7.3	7.0	5.1	4.0	2.2	2.3	1.6	1.5				
	23	1833	1520	582	178	40	23	3	1	1	2		4183
		43.8	36.3	13.9	4.3	1.0	.5	.1	.0	.0	.0		6.8
		7.0	7.4	6.1	5.2	3.2	4.4	1.6	1.5	1.4	11.1		
	24	1800	1456	624	183	64	17	10	2		1		4157
		43.3	35.0	15.0	4.4	1.5	.4	.2	.0		.0		6.7
		6.9	7.1	6.6	5.3	5.0	3.3	5.4	2.9		5.6		
	25	7142	7333	3499	1188	401	141	45	14	17	5		19785
25 - 29		36.1	37.1	17.7	6.0	2.0	.7	.2	.1	.1	.0		32.0
		27.2	35.9	36.8	34.4	31.6	27.2	24.5	20.6	23.0	27.8		
	26	2529	4020	2608	1100	414	192	68	21	15	3		10970
30 - 34		23.1	36.6	23.8	10.0	3.8	1.8	.6	.2	.1	.0		17.8
		9.6	19.7	27.4	31.8	32.6	37.0	37.0	30.9	20.3	16.7		
	27	483	799	750	414	229	109	46	21	26	1		2878
35 - 39		16.8	27.8	26.1	14.4	8.0	3.8	1.6	.7	.9	.0		4.7
		1.8	3.9	7.9	12.0	18.0	21.0	25.0	30.9	35.1	5.6		
	28	36	50	59	64	38	15	9	7	12			290
40 - 44		12.4	17.2	20.3	22.1	13.1	5.2	3.1	2.4	4.1			.5
		.1	.2	.6	1.9	3.0	2.9	4.9	10.3	16.2			
	29	3	1	1			2		1	3			11
45 AND OVER		27.3	9.1	9.1			18.2		9.1	27.3			.0
		.0	.0	.0			.4		1.5	4.1			
	COLUMN TOTAL	26271	20407	9502	3454	1269	519	184	68	74	18		61766
		42.5	33.0	15.4	5.6	2.1	.8	.3	.1	.1	.0		100.0

(CONTINUED)

TABLE 2

CROSSTABULATION OF AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
NOT STATED	30			1								1
				100.0								.0
				.0								
	COLUMN TOTAL	26271	20407	9502	3454	1269	519	184	68	74	18	61766
		42.5	33.0	15.4	5.6	2.1	.8	.3	.1	.1	.0	100.0

TABLE 2

CROSSTABULATION OF AGE BY BO BIRTH ORDER

CONTROLLING FOR.. AGE OF MOTHER
RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
11		2										2
		100.0										.0
		.0										
12		2										2
		100.0										.0
		.0										
13		51	1									52
		98.1	1.9									.2
		.5	.0									
14		175	8	1								184
		95.1	4.3	.5								.7
		1.7	.1	.0								
15		446	24	4								474
		94.1	5.1	.8								1.7
		4.3	.3	.1								
16		695	119	12			1					827
		84.0	14.4	1.5			.1					3.0
		6.7	1.5	.3			.2					
17		949	251	50	5						1	1256
		75.6	20.0	4.0	.4						.1	4.5
		9.2	3.1	1.0	.2						16.7	
18		1083	411	97	12	4	1					1608
		67.4	25.6	6.0	.7	.2	.1					5.8
		10.5	5.1	2.0	.5	.4	.2					
19		1168	577	184	41	7						1977
		59.1	29.2	9.3	2.1	.4						7.2
		11.3	7.1	3.9	1.8	.6						
(CONTINUED)	COLUMN TOTAL	10359	8099	4766	2325	1107	519	235	102	107	6	27625
		37.5	29.3	17.3	8.4	4.0	1.9	.9	.4	.4	.0	100.0

TABLE 2

CROSSTABULATION OF AGE BY BO

CONTROLLING FOR.. AGE OF MOTHER

BIRTH ORDER

RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1I)	2ND (2I)	3RD (3I)	4TH (4I)	5TH (5I)	6TH (6I)	7TH (7I)	8TH (8I)	9TH AND OVER (9I)	NOT STATED (10I)	ROW TOTAL
20		1081	750	312	87	16	3	1				2250
		48.0	33.3	13.9	3.9	.7	.1	.0				8.1
		10.4	9.3	6.5	3.7	1.4	.6	.4				
21		934	734	370	125	30	10	3	1		1	2208
		42.3	33.2	16.8	5.7	1.4	.5	.1	.0		.0	8.0
		9.0	9.1	7.8	5.4	2.7	1.9	1.3	1.0		16.7	
22		725	697	394	149	64	20	4	1			2054
		35.3	33.9	19.2	7.3	3.1	1.0	.2	.0			7.4
		7.0	8.6	8.3	6.4	5.8	3.9	1.7	1.0			
23		601	624	381	155	54	20	8				1843
		32.6	33.9	20.7	8.4	2.9	1.1	.4				6.7
		5.8	7.7	8.0	6.7	4.9	3.9	3.4				
24		477	598	349	162	65	24	10	4	1		1690
		28.2	35.4	20.7	9.6	3.8	1.4	.6	.2	.1		6.1
		4.6	7.4	7.3	7.0	5.9	4.6	4.3	3.9	.9		
25		1442	2172	1552	881	405	182	74	28	14	2	6752
25 - 29		21.4	32.2	23.0	13.0	6.0	2.7	1.1	.4	.2	.0	24.4
		13.9	26.8	32.6	37.9	36.6	35.1	31.5	27.5	13.1	33.3	
26		424	922	822	529	314	159	78	36	37	1	3322
30 - 34		12.8	27.8	24.7	15.9	9.5	4.8	2.3	1.1	1.1	.0	12.0
		4.1	11.4	17.2	22.8	28.4	30.6	33.2	35.3	34.6	16.7	
27		93	190	216	149	128	82	42	30	36		966
35 - 39		9.6	19.7	22.4	15.4	13.3	8.5	4.3	3.1	3.7		3.5
		.9	2.3	4.5	6.4	11.6	15.8	17.9	29.4	33.6		
28		11	20	21	29	19	17	14	2	18		151
40 - 44		7.3	13.2	13.9	19.2	12.6	11.3	9.3	1.3	11.9		.5
		.1	.2	.4	1.2	1.7	3.3	6.0	2.0	16.8		
(CONTINUED)	COLUMN TOTAL	10359	8099	4766	2325	1107	519	235	102	107	6	27625
		37.5	29.3	17.3	8.4	4.0	1.9	.9	.4	.4	.0	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

AGE	BO / COUNT / ROW PCT / COL PCT	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
45 AND OVER	29		1		1	1		1		1		5
			20.0		20.0	20.0		20.0		20.0		.0
			.0		.0	.1		.4		.9		
NOT STATED	30			1							1	2
				50.0							50.0	.0
				.0							16.7	
	COLUMN TOTAL	10359	8099	4766	2325	1107	519	235	102	107	6	27625
		37.5	29.3	17.3	8.4	4.0	1.9	.9	.4	.4	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF AGE BY WT BIRTH WEIGHT IN GRAMS
AGE OF MOTHER
CONTROLLING FOR.. RACE.
VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
11						2						2
						100.0						.0
						.0						
12							2	1				3
							66.7	33.3				.0
							.0	.0				
13					2	7	20	24	9	2		64
					3.1	10.9	31.3	37.5	14.1	3.1		.1
					.1	.2	.1	.1	.0	.0		
14		1	4	4	4	23	67	97	57	7		264
		.4	1.5	1.5	1.5	8.7	25.4	36.7	21.6	2.7		.3
		.6	.7	.6	.3	.5	.5	.3	.2	.1		
15		1	12	14	25	59	179	317	146	23		776
		.1	1.5	1.8	3.2	7.6	23.1	40.9	18.8	3.0		.9
		.6	2.1	2.2	1.9	1.4	1.2	1.0	.6	.2		
16		8	19	22	39	97	370	612	345	75	2	1589
		.5	1.2	1.4	2.5	6.1	23.3	38.5	21.7	4.7	.1	1.8
		5.0	3.3	3.5	2.9	2.2	2.5	1.9	1.4	.8	5.3	
17		7	26	17	55	184	595	1089	647	163	3	2786
		.3	.9	.6	2.0	6.6	21.4	39.1	23.2	5.9	.1	3.1
		4.3	4.6	2.7	4.1	4.2	4.0	3.3	2.5	1.8	7.9	
18		1	28	29	86	264	775	1514	878	256	3	3834
		.0	.7	.8	2.2	6.9	20.2	39.5	22.9	6.7	.1	4.3
		.6	4.9	4.6	6.4	6.1	5.2	4.6	3.5	2.8	7.9	
19		8	43	31	91	272	996	1990	1211	355	4	5001
		.2	.9	.6	1.8	5.4	19.9	39.8	24.2	7.1	.1	5.6
		5.0	7.6	4.9	6.8	6.3	6.7	6.1	4.8	3.8	10.5	
COLUMN TOTAL		161	568	632	1348	4339	14803	32771	25427	9304	38	89391
		.2	.6	.7	1.5	4.9	16.6	36.7	28.4	10.4	.0	100.0

(CONTINUED)

CROSSTABULATION OF AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE. VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
	20	8	36	59	100	318	1075	2202	1517	469	2	5786
		.1	.6	1.0	1.7	5.5	18.6	38.1	26.2	8.1	.0	6.5
		5.0	6.3	9.3	7.4	7.3	7.3	6.7	6.0	5.0	5.3	
	21	21	38	42	93	321	1148	2351	1643	552		6209
		.3	.6	.7	1.5	5.2	18.5	37.9	26.5	8.9		6.9
		13.0	6.7	6.6	6.9	7.4	7.8	7.2	6.5	5.9		
	22	14	38	36	105	320	1061	2360	1553	582	2	6071
		.2	.6	.6	1.7	5.3	17.5	38.9	25.6	9.6	.0	6.8
		8.7	6.7	5.7	7.8	7.4	7.2	7.2	6.1	6.3	5.3	
	23	11	32	39	91	302	1060	2174	1731	582	4	6026
		.2	.5	.6	1.5	5.0	17.6	36.1	28.7	9.7	.1	6.7
		6.8	5.6	6.2	6.8	7.0	7.2	6.6	6.8	6.3	10.5	
	24	10	36	47	72	273	976	2188	1651	593	1	5847
		.2	.6	.8	1.2	4.7	16.7	37.4	28.2	10.1	.0	6.5
		6.2	6.3	7.4	5.3	6.3	6.6	6.7	6.5	6.4	2.6	
	25	43	135	153	318	1098	3937	9544	8215	3083	11	26537
25 - 29		.2	.5	.6	1.2	4.1	14.8	36.0	31.0	11.6	.0	29.7
		26.7	23.8	24.2	23.6	25.3	26.6	29.1	32.3	33.1	28.9	
	26	19	97	104	186	581	1922	4920	4497	1962	4	14292
30 - 34		.1	.7	.7	1.3	4.1	13.4	34.4	31.5	13.7	.0	16.0
		11.8	17.1	16.5	13.8	13.4	13.0	15.0	17.7	21.1	10.5	
	27	7	22	29	66	190	547	1239	1196	547	1	3844
35 - 39		.2	.6	.8	1.7	4.9	14.2	32.2	31.1	14.2	.0	4.3
		4.3	3.9	4.6	4.9	4.4	3.7	3.8	4.7	5.9	2.6	
	28	1	2	6	15	26	65	144	129	53		441
40 - 44		.2	.5	1.4	3.4	5.9	14.7	32.7	29.3	12.0		.5
		.6	.4	.9	1.1	.6	.4	.4	.5	.6		
	COLUMN TOTAL	161	568	632	1348	4339	14803	32771	25427	9304	36	89391
(CONTINUED)		.2	.6	.7	1.5	4.9	16.6	36.7	28.4	10.4	.0	100.0

TABLE 3

CROSSTABULATION OF AGE AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE. VALUE = TOTAL

AGE	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
45 AND OVER	29					2	8	4	2			16
						12.5	50.0	25.0	12.5			.0
						.0	.1	.0	.0			
NOT STATED	30	1						1			1	3
		33.3						33.3			33.3	.0
		.6						.0			2.6	
	COLUMN TOTAL	161	568	632	1348	4339	14803	32771	25427	9304	38	89391
		.2	.6	.7	1.5	4.9	16.6	36.7	28.4	10.4	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 3

CROSSTABULATION OF AGE BY WT

CONTROLLING FOR.. AGE OF MOTHER BIRTH WEIGHT IN GRAMS
RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
12							1					1
							100.0					.0
							.0					
13							4	6	1	1		12
							33.3	50.0	8.3	8.3		.0
							.0	.0	.0	.0		
14		1	1	1		4	13	29	27	4		80
		1.3	1.3	1.3		5.0	16.3	36.3	33.8	5.0		.1
		1.4	.4	.3		.2	.2	.1	.1	.1		
15			5	6	9	18	48	121	81	14		302
			1.7	2.0	3.0	6.0	15.9	40.1	26.8	4.6		.5
			1.9	1.9	1.2	.8	.6	.6	.4	.2		
16		4	8	8	16	33	140	279	220	53	1	762
		.5	1.0	1.0	2.1	4.3	18.4	36.6	28.9	7.0	.1	1.2
		5.7	3.1	2.5	2.2	1.4	1.6	1.3	1.1	.7	4.2	
17		6	9	8	24	87	256	592	417	130	1	1530
		.4	.6	.5	1.6	5.7	16.7	38.7	27.3	8.5	.1	2.5
		8.6	3.5	2.5	3.3	3.8	3.0	2.7	2.1	1.7	4.2	
18		1	14	15	45	117	375	844	609	203	3	2226
		.0	.6	.7	2.0	5.3	16.8	37.9	27.4	9.1	.1	3.6
		1.4	5.4	4.6	6.2	5.1	4.3	3.8	3.1	2.6	12.5	
19		3	16	12	39	121	534	1146	857	293	3	3024
		.1	.5	.4	1.3	4.0	17.7	37.9	28.3	9.7	.1	4.9
		4.3	6.2	3.7	5.3	5.3	6.2	5.2	4.4	3.8	12.5	
20		3	14	30	46	149	574	1266	1086	366	2	3536
		.1	.4	.8	1.3	4.2	16.2	35.8	30.7	10.4	.1	5.7
		4.3	5.4	9.3	6.3	6.5	6.7	5.8	5.5	4.7	8.3	
(CONTINUED)	COLUMN TOTAL	70	258	324	730	2297	8626	21972	19679	7786	24	61766
		.1	.4	.5	1.2	3.7	14.0	35.6	31.9	12.6	.0	100.0

CROSSTABULATION OF AGE BY WT

AGE CONTROLLING FOR.. AGE OF MOTHER

BIRTH WEIGHT IN GRAMS

RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
	21	7	20	19	45	154	646	1478	1183	449		4001
		.2	.5	.5	1.1	3.8	16.1	36.9	29.6	11.2		6.5
		10.0	7.8	5.9	6.2	6.7	7.5	6.7	6.0	5.8		
	22	3	15	17	62	166	578	1511	1178	485	2	4017
		.1	.4	.4	1.5	4.1	14.4	37.6	29.3	12.1	.0	6.5
		4.3	5.8	5.2	8.5	7.2	6.7	6.9	6.0	6.2	8.3	
	23	4	16	25	54	149	635	1480	1342	476	2	4183
		.1	.4	.6	1.3	3.6	15.2	35.4	32.1	11.4	.0	6.8
		5.7	6.2	7.7	7.4	6.5	7.4	6.7	6.8	6.1	8.3	
	24	5	17	25	39	139	628	1499	1312	493		4157
		.1	.4	.6	.9	3.3	15.1	36.1	31.6	11.9		6.7
		7.1	6.6	7.7	5.3	6.1	7.3	6.8	6.7	6.3		
	25	20	59	80	193	652	2530	6979	6626	2641	5	19785
25 - 29		.1	.3	.4	1.0	3.3	12.8	35.3	33.5	13.3	.0	32.0
		28.6	22.9	24.7	26.4	28.4	29.3	31.8	33.7	33.9	20.8	
	26	7	52	55	110	360	1267	3747	3684	1684	4	10970
30 - 34		.1	.5	.5	1.0	3.3	11.5	34.2	33.6	15.4	.0	17.8
		10.0	20.2	17.0	15.1	15.7	14.7	17.1	18.7	21.6	16.7	
	27	5	12	19	40	131	356	899	962	453	1	2878
35 - 39		.2	.4	.7	1.4	4.6	12.4	31.2	33.4	15.7	.0	4.7
		7.1	4.7	5.9	5.5	5.7	4.1	4.1	4.9	5.8	4.2	
	28			4	8	16	35	93	93	41		290
40 - 44				1.4	2.8	5.5	12.1	32.1	32.1	14.1		.5
				1.2	1.1	.7	.4	.4	.5	.5		
	29					1	6	3	1			11
45 AND OVER						9.1	54.5	27.3	9.1			.0
						.0	.1	.0	.0			
	COLUMN TOTAL	70	258	324	730	2297	8626	21972	19679	7786	24	61766
(CONTINUED)		.1	.4	.5	1.2	3.7	14.0	35.6	31.9	12.6	.0	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

AGE	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
NOT STATED	30	1										1
	STATED	100.0										.0
		1.4										
	COLUMN TOTAL	70	258	324	730	2297	8626	21972	19679	7786	24	61766
		.1	.4	.5	1.2	3.7	14.0	35.6	31.9	12.6	.0	100.0

CROSSTABULATION OF AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
11						2						2
						100.0						.0
						.1						
12							1	1				2
							50.0	50.0				.0
							.0	.0				
13					2	7	16	18	8	1		52
					3.8	13.5	30.8	34.6	15.4	1.9		.2
					.3	.3	.3	.2	.1	.1		
14			3	3	4	19	54	68	30	3		184
			1.6	1.6	2.2	10.3	29.3	37.0	16.3	1.6		.7
			1.0	1.0	.6	.9	.9	.6	.5	.2		
15		1	7	8	16	41	131	196	65	9		474
		.2	1.5	1.7	3.4	8.6	27.6	41.4	13.7	1.9		1.7
		1.1	2.3	2.6	2.6	2.0	2.1	1.8	1.1	.6		
16		4	11	14	23	64	230	333	125	22	1	827
		.5	1.3	1.7	2.8	7.7	27.8	40.3	15.1	2.7	.1	3.0
		4.4	3.5	4.5	3.7	3.1	3.7	3.1	2.2	1.4	7.1	
17		1	17	9	31	97	339	497	230	33	2	1256
		.1	1.4	.7	2.5	7.7	27.0	39.6	18.3	2.6	.2	4.5
		1.1	5.5	2.9	5.0	4.8	5.5	4.6	4.0	2.2	14.3	
18			14	14	41	147	400	670	269	53		1608
			.9	.9	2.5	9.1	24.9	41.7	16.7	3.3		5.8
			4.5	4.5	6.6	7.2	6.5	6.2	4.7	3.5		
19		5	27	19	52	151	462	844	354	62	1	1977
		.3	1.4	1.0	2.6	7.6	23.4	42.7	17.9	3.1	.1	7.2
		5.5	8.7	6.2	8.4	7.4	7.5	7.8	6.2	4.1	7.1	
COLUMN TOTAL		91	310	308	618	2042	6177	10799	5748	1518	14	27625
		.3	1.1	1.1	2.2	7.4	22.4	39.1	20.8	5.5	.1	100.0

(CONTINUED)

CROSSTABULATION OF AGE BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR.. AGE OF MOTHER
RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
	20	5	22	29	54	169	501	936	431	103		2250
		.2	1.0	1.3	2.4	7.5	22.3	41.6	19.2	4.6		8.1
		5.5	7.1	9.4	8.7	8.3	8.1	8.7	7.5	6.8		
	21	14	18	23	48	167	502	873	460	103		2208
		.6	.8	1.0	2.2	7.6	22.7	39.5	20.8	4.7		8.0
		15.4	5.8	7.5	7.8	8.2	8.1	8.1	8.0	6.8		
	22	11	23	19	43	154	483	849	375	97		2054
		.5	1.1	.9	2.1	7.5	23.5	41.3	18.3	4.7		7.4
		12.1	7.4	6.2	7.0	7.5	7.8	7.9	6.5	6.4		
	23	7	16	14	37	153	425	694	389	106	2	1843
		.4	.9	.8	2.0	8.3	23.1	37.7	21.1	5.8	.1	6.7
		7.7	5.2	4.5	6.0	7.5	6.9	6.4	6.8	7.0	14.3	
	24	5	19	22	33	134	348	689	339	100	1	1690
		.3	1.1	1.3	2.0	7.9	20.6	40.8	20.1	5.9	.1	6.1
		5.5	6.1	7.1	5.3	6.6	5.6	6.4	5.9	6.6	7.1	
	25	23	76	73	125	446	1407	2565	1589	442	6	6752
25 - 29		.3	1.1	1.1	1.9	6.6	20.8	38.0	23.5	6.5	.1	24.4
		25.3	24.5	23.7	20.2	21.8	22.8	23.8	27.6	29.1	42.9	
	26	12	45	49	76	221	655	1173	813	278		3322
30 - 34		.4	1.4	1.5	2.3	6.7	19.7	35.3	24.5	8.4		12.0
		13.2	14.5	15.9	12.3	10.8	10.6	10.9	14.1	18.3		
	27	2	10	10	26	59	191	340	234	94		966
35 - 39		.2	1.0	1.0	2.7	6.1	19.8	35.2	24.2	9.7		3.5
		2.2	3.2	3.2	4.2	2.9	3.1	3.1	4.1	6.2		
	28	1	2	2	7	10	30	51	36	12		151
40 - 44		.7	1.3	1.3	4.6	6.6	19.9	33.8	23.8	7.9		.5
		1.1	.6	.6	1.1	.5	.5	.5	.6	.8		
(CONTINUED)	COLUMN TOTAL	91	310	308	618	2042	6177	10799	5748	1518	14	27625
		.3	1.1	1.1	2.2	7.4	22.4	39.1	20.8	5.5	.1	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

AGE	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
29	COUNT					1	2	1	1			5
45 AND OVER	ROW PCT					20.0	40.0	20.0	20.0			.0
	COL PCT					.0	.0	.0	.0			
30	COUNT							1			1	2
NOT STATED	ROW PCT							50.0			50.0	.0
	COL PCT							.0			7.1	
COLUMN TOTAL		91	310	308	618	2042	6177	10799	5748	1518	14	27625
		.3	1.1	1.1	2.2	7.4	22.4	39.1	20.8	5.5	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 4

CROSSTABULATION OF

EDUC EDUCATION OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

RACE. VALUE = TOTAL

EDUC	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
1 NONE OR ELEM.		1230	648	432	266	138	79	39	17	23		2872
		42.8	22.6	15.0	9.3	4.8	2.8	1.4	.6	.8		3.2
		3.4	2.3	3.0	4.6	5.8	7.6	9.3	10.0	12.7		
2 H.S. 1-3 YEARS		7531	5198	3005	1417	620	333	135	58	78	3	18378
		41.0	28.3	16.4	7.7	3.4	1.8	.7	.3	.4	.0	20.6
		20.6	18.2	21.1	24.5	26.1	32.1	32.2	34.1	43.1	12.5	
3 H.S. 4 YEARS		14876	12406	6116	2407	966	370	179	59	51	7	37437
		39.7	33.1	16.3	6.4	2.6	1.0	.5	.2	.1	.0	41.9
		40.6	43.5	42.9	41.7	40.7	35.6	42.7	34.7	28.2	29.2	
4 COL.1-3 YEARS		7078	5648	2631	1020	396	166	46	24	17	2	17028
		41.6	33.2	15.5	6.0	2.3	1.0	.3	.1	.1	.0	19.0
		19.3	19.8	18.4	17.7	16.7	16.0	11.0	14.1	9.4	8.3	
5 COL. 4+ YEARS		5873	4584	2067	662	252	88	20	11	10	1	13568
		43.3	33.8	15.2	4.9	1.9	.6	.1	.1	.1	.0	15.2
		16.0	16.1	14.5	11.5	10.6	8.5	4.8	6.5	5.5	4.2	
6 NOT STATED		42	22	17	7	4	2		1	2	11	108
		38.9	20.4	15.7	6.5	3.7	1.9		.9	1.9	10.2	.1
		.1	.1	.1	.1	.2	.2		.6	1.1	45.8	
COLUMN TOTAL		36630	28506	14268	5779	2376	1038	419	170	181	24	89391
		41.0	31.9	16.0	6.5	2.7	1.2	.5	.2	.2	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 4

CROSSTABULATION OF

EDUC EDUCATION OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

EDUC	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
1 NONE OR ELEM.		718	477	303	183	77	42	19	7	11		1837
		39.1	26.0	16.5	10.0	4.2	2.3	1.0	.4	.6		3.0
		2.7	2.3	3.2	5.3	6.1	8.1	10.3	10.3	14.9		
2 H.S. 1-3 YEARS		4666	3419	1764	718	261	124	43	16	24	2	11037
		42.3	31.0	16.0	6.5	2.4	1.1	.4	.1	.2	.0	17.9
		17.8	16.8	18.6	20.8	20.6	23.9	23.4	23.5	32.4	11.1	
3 H.S. 4 YEARS		10480	8355	3810	1329	464	175	74	26	18	5	24736
		42.4	33.8	15.4	5.4	1.9	.7	.3	.1	.1	.0	40.0
		39.9	40.9	40.1	38.5	36.6	33.7	40.2	38.2	24.3	27.8	
4 COL.1-3 YEARS		5350	4256	1891	666	263	104	32	10	13	2	12587
		42.5	33.8	15.0	5.3	2.1	.8	.3	.1	.1	.0	20.4
		20.4	20.9	19.9	19.3	20.7	20.0	17.4	14.7	17.6	11.1	
5 COL. 4+ YEARS		5038	3890	1728	555	202	73	16	9	8	1	11520
		43.7	33.8	15.0	4.8	1.8	.6	.1	.1	.1	.0	18.7
		19.2	19.1	18.2	16.1	15.9	14.1	8.7	13.2	10.8	5.6	
6 NOT STATED		19	10	6	3	2	1				8	49
		38.8	20.4	12.2	6.1	4.1	2.0				16.3	.1
		.1	.0	.1	.1	.2	.2				44.4	
COLUMN TOTAL		26271	20407	9502	3454	1269	519	184	68	74	18	61766
		42.5	33.0	15.4	5.6	2.1	.8	.3	.1	.1	.0	100.0

CROSSTABULATION OF

EDUC EDUCATION OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

EDUC	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
1 NONE OR ELEM.		512	171	129	83	61	37	20	10	12		1035
		49.5	16.5	12.5	8.0	5.9	3.6	1.9	1.0	1.2		3.7
		4.9	2.1	2.7	3.6	5.5	7.1	8.5	9.8	11.2		
2 H.S. 1-3 YEARS		2865	1779	1241	699	359	209	92	42	54	1	7341
		39.0	24.2	16.9	9.5	4.9	2.8	1.3	.6	.7	.0	26.6
		27.7	22.0	26.0	30.1	32.4	40.3	39.1	41.2	50.5	16.7	
3 H.S. 4 YEARS		4396	4051	2306	1078	502	195	105	33	33	2	12701
		34.6	31.9	18.2	8.5	4.0	1.5	.8	.3	.3	.0	46.0
		42.4	50.0	48.4	46.4	45.3	37.6	44.7	32.4	30.8	33.3	
4 COL.1-3 YEARS		1728	1392	740	354	133	62	14	14	4		4441
		38.9	31.3	16.7	8.0	3.0	1.4	.3	.3	.1		16.1
		16.7	17.2	15.5	15.2	12.0	11.9	6.0	13.7	3.7		
5 COL. 4+ YEARS		835	694	339	107	50	15	4	2	2		2048
		40.8	33.9	16.6	5.2	2.4	.7	.2	.1	.1		7.4
		8.1	8.6	7.1	4.6	4.5	2.9	1.7	2.0	1.9		
6 NOT STATED		23	12	11	4	2	1		1	2	3	59
		39.0	20.3	18.6	6.8	3.4	1.7		1.7	3.4	5.1	.2
		.2	.1	.2	.2	.2	.2		1.0	1.9	50.0	
COLUMN TOTAL		10359	8099	4766	2325	1107	519	235	102	107	6	27625
		37.5	29.3	17.3	8.4	4.0	1.9	.9	.4	.4	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE		96	443	408	94	26	11	1078
		8.9	41.1	37.8	8.7	2.4	1.0	1.2
		3.3	2.4	1.1	.6	.2	10.2	
1 FIRST MONTH		169	1296	4437	2884	3029	13	11828
		1.4	11.0	37.5	24.4	25.6	.1	13.2
		5.9	7.1	11.9	16.9	22.3	12.0	
2 SECOND MONTH		811	5609	15557	8329	7661	21	37988
		2.1	14.8	41.0	21.9	20.2	.1	42.5
		28.2	30.5	41.6	48.9	56.5	19.4	
3 THIRD MONTH		634	4467	9036	3506	2117	17	19777
		3.2	22.6	45.7	17.7	10.7	.1	22.1
		22.1	24.3	24.1	20.6	15.6	15.7	
4 FOURTH MONTH		422	2633	3765	1174	455	10	8459
		5.0	31.1	44.5	13.9	5.4	.1	9.5
		14.7	14.3	10.1	6.9	3.4	9.3	
5 FIFTH MONTH		289	1728	2090	525	152	8	4792
		6.0	36.1	43.6	11.0	3.2	.2	5.4
		10.1	9.4	5.6	3.1	1.1	7.4	
6 SIXTH MONTH		209	1065	1089	259	55	7	2684
		7.8	39.7	40.6	9.6	2.0	.3	3.0
		7.3	5.8	2.9	1.5	.4	6.5	
7 SEVENTH MONTH		131	695	619	149	37	2	1633
		8.0	42.6	37.9	9.1	2.3	.1	1.8
		4.6	3.8	1.7	.9	.3	1.9	
8 EIGHTH MONTH		83	325	286	74	20	1	789
		10.5	41.2	36.2	9.4	2.5	.1	.9
		2.9	1.8	.8	.4	.1	.9	
(CONTINUED)	COLUMN TOTAL	2872	18378	37437	17028	13568	108	89391
		3.2	20.6	41.9	19.0	15.2	.1	100.0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINTH MONTH		24	90	104	24	5	5	252
		9.5	35.7	41.3	9.5	2.0	2.0	.3
		.8	.5	.3	.1	.0	4.6	
10 NOT STATED		4	27	46	10	11	13	111
		3.6	24.3	41.4	9.0	9.9	11.7	.1
		.1	.1	.1	.1	.1	12.0	
COLUMN TOTAL		2872	18378	37437	17028	13568	108	89391
		3.2	20.6	41.9	19.0	15.2	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE		40	172	141	46	10	6	415
		9.6	41.4	34.0	11.1	2.4	1.4	.7
		2.2	1.6	.6	.4	.1	12.2	
1 FIRST MONTH		109	817	3301	2322	2671	7	9227
		1.2	8.9	35.8	25.2	28.9	.1	14.9
		5.9	7.4	13.3	18.4	23.2	14.3	
2 SECOND MONTH		584	3856	11536	6598	6662	9	29245
		2.0	13.2	39.4	22.6	22.8	.0	47.3
		31.8	34.9	46.6	52.4	57.8	18.4	
3 THIRD MONTH		421	2793	5778	2424	1692	9	13117
		3.2	21.3	44.0	18.5	12.9	.1	21.2
		22.9	25.3	23.4	19.3	14.7	18.4	
4 FOURTH MONTH		260	1465	2029	676	315	2	4747
		5.5	30.9	42.7	14.2	6.6	.0	7.7
		14.2	13.3	8.2	5.4	2.7	4.1	
5 FIFTH MONTH		157	867	990	280	96	1	2391
		6.6	36.3	41.4	11.7	4.0	.0	3.9
		8.5	7.9	4.0	2.2	.8	2.0	
6 SIXTH MONTH		124	503	503	122	29	3	1284
		9.7	39.2	39.2	9.5	2.3	.2	2.1
		6.8	4.6	2.0	1.0	.3	6.1	
7 SEVENTH MONTH		74	337	264	68	24		767
		9.6	43.9	34.4	8.9	3.1		1.2
		4.0	3.1	1.1	.5	.2		
8 EIGHTH MONTH		50	168	112	36	11	1	378
		13.2	44.4	29.6	9.5	2.9	.3	.6
		2.7	1.5	.5	.3	.1	2.0	
COLUMN TOTAL		1837	11037	24736	12587	11520	49	61766
		3.0	17.9	40.0	20.4	18.7	.1	100.0

(CONTINUED)

TABLE 5

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINTH MONTH	14	41	50	10	2	2	119
	11.8	34.5	42.0	8.4	1.7	1.7	.2
	.8	.4	.2	.1	.0	4.1	
10 NOT STATED	4	18	32	5	8	9	76
	5.3	23.7	42.1	6.6	10.5	11.8	.1
	.2	.2	.1	.0	.1	18.4	
COLUMN TOTAL	1837	11037	24736	12587	11520	49	61766
	3.0	17.9	40.0	20.4	18.7	.1	100.0

TABLE 5

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE		56	271	267	48	16	5	663
		8.4	40.9	40.3	7.2	2.4	.8	2.4
		5.4	3.7	2.1	1.1	.8	8.5	
1 FIRST MONTH		60	479	1136	562	358	6	2601
		2.3	18.4	43.7	21.6	13.8	.2	9.4
		5.8	6.5	8.9	12.7	17.5	10.2	
2 SECOND MONTH		227	1753	4021	1731	999	12	8743
		2.6	20.1	46.0	19.8	11.4	.1	31.6
		21.9	23.9	31.7	39.0	48.8	20.3	
3 THIRD MONTH		213	1674	3258	1082	425	8	6660
		3.2	25.1	48.9	16.2	6.4	.1	24.1
		20.6	22.8	25.7	24.4	20.8	13.6	
4 FOURTH MONTH		162	1168	1736	498	140	8	3712
		4.4	31.5	46.8	13.4	3.8	.2	13.4
		15.7	15.9	13.7	11.2	6.8	13.6	
5 FIFTH MONTH		132	861	1100	245	56	7	2401
		5.5	35.9	45.8	10.2	2.3	.3	8.7
		12.8	11.7	8.7	5.5	2.7	11.9	
6 SIXTH MONTH		85	562	586	137	26	4	1400
		6.1	40.1	41.9	9.8	1.9	.3	5.1
		8.2	7.7	4.6	3.1	1.3	6.8	
7 SEVENTH MONTH		57	358	355	81	13	2	866
		6.6	41.3	41.0	9.4	1.5	.2	3.1
		5.5	4.9	2.8	1.8	.6	3.4	
8 EIGHTH MONTH		33	157	174	38	9		411
		8.0	38.2	42.3	9.2	2.2		1.5
		3.2	2.1	1.4	.9	.4		
COLUMN TOTAL		1035	7341	12701	4441	2048	59	27625
		3.7	26.6	46.0	16.1	7.4	.2	100.0

(CONTINUED)

TABLE 5

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINTH MONTH		10	49	54	14	3	3	133
		7.5	36.8	40.6	10.5	2.3	2.3	.5
		1.0	.7	.4	.3	.1	5.1	
10 NOT STATED			9	14	5	3	4	35
			25.7	40.0	14.3	8.6	11.4	.1
			.1	.1	.1	.1	6.8	
COLUMN TOTAL		1035	7341	12701	4441	2048	59	27625
		3.7	26.6	46.0	16.1	7.4	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE.
VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
0 NONE		1		5	15	26	52	90	93	107	110	1078
		.1		.5	1.4	2.4	4.8	8.3	8.6	9.9	10.2	1.2
		50.0		7.8	5.7	3.4	3.3	3.2	2.4	2.1	1.9	
1 FIRST MONTH				1	8	29	60	133	217	342	497	11828
				.0	.1	.2	.5	1.1	1.8	2.9	4.2	13.2
				1.6	3.0	3.7	3.8	4.8	5.7	6.8	8.6	
2 SECOND MONTH				9	39	160	361	616	1006	1475	1922	37988
				.0	.1	.4	1.0	1.6	2.6	3.9	5.1	42.5
				14.1	14.8	20.6	22.7	22.1	26.2	29.5	33.2	
3 THIRD MONTH				13	47	148	371	696	1011	1312	1462	19777
				.1	.2	.7	1.9	3.5	5.1	6.6	7.4	22.1
				20.3	17.8	19.1	23.3	25.0	26.4	26.2	25.3	
4 FOURTH MONTH				9	57	140	271	474	583	734	786	8459
				.1	.7	1.7	3.2	5.6	6.9	8.7	9.3	9.5
				14.1	21.6	18.0	17.1	17.0	15.2	14.7	13.6	
5 FIFTH MONTH				12	41	119	208	320	441	484	444	4792
				.3	.9	2.5	4.3	6.7	9.2	10.1	9.3	5.4
				18.8	15.5	15.3	13.1	11.5	11.5	9.7	7.7	
6 SIXTH MONTH		1		7	31	72	135	227	227	273	272	2684
		.0		.3	1.2	2.7	5.0	8.5	8.5	10.2	10.1	3.0
		50.0		10.9	11.7	9.3	8.5	8.1	5.9	5.5	4.7	
7 SEVENTH MONTH			2	4	16	60	79	126	149	163	170	1633
			.1	.2	1.0	3.7	4.8	7.7	9.1	10.0	10.4	1.8
			66.7	6.3	6.1	7.7	5.0	4.5	3.9	3.3	2.9	
8 EIGHTH MONTH				3	8	16	41	79	71	81	84	789
				.4	1.0	2.0	5.2	10.0	9.0	10.3	10.6	.9
				4.7	3.0	2.1	2.6	2.8	1.9	1.6	1.5	
(CONTINUED) COLUMN TOTAL		2	3	64	264	776	1589	2786	3834	5001	5786	89391
		.0	.0	.1	.3	.9	1.8	3.1	4.3	5.6	6.5	100.0

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	AGE 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0		92	82	61	57	170	76	29	11		1	1078
NONE		8.5	7.6	5.7	5.3	15.8	7.1	2.7	1.0		.1	1.2
		1.5	1.4	1.0	1.0	.6	.5	.8	2.5		33.3	
1		589	653	714	739	4410	2717	651	68			11828
FIRST MONTH		5.0	5.5	6.0	6.2	37.3	23.0	5.5	.6			13.2
		9.5	10.8	11.8	12.6	16.6	19.0	16.9	15.4			
2		2273	2396	2568	2626	13103	7352	1909	167	5	1	37988
SECOND MONTH		6.0	6.3	6.8	6.9	34.5	19.4	5.0	.4	.0	.0	42.5
		36.6	39.5	42.6	44.9	49.4	51.4	49.7	37.9	31.3	33.3	
3		1531	1480	1430	1389	5364	2654	750	111	8		19777
THIRD MONTH		7.7	7.5	7.2	7.0	27.1	13.4	3.8	.6	.0		22.1
		24.7	24.4	23.7	23.8	20.2	18.6	19.5	25.2	50.0		
4		785	691	601	513	1730	796	258	30	1		8459
FOURTH MONTH		9.3	8.2	7.1	6.1	20.5	9.4	3.1	.4	.0		9.5
		12.6	11.4	10.0	8.8	6.5	5.6	6.7	6.8	6.3		
5		443	344	316	265	838	365	129	22	1		4792
FIFTH MONTH		9.2	7.2	6.6	5.5	17.5	7.6	2.7	.5	.0		5.4
		7.1	5.7	5.2	4.5	3.2	2.6	3.4	5.0	6.3		
6		234	224	171	127	459	164	47	13			2684
SIXTH MONTH		8.7	8.3	6.4	4.7	17.1	6.1	1.8	.5			3.0
		3.8	3.7	2.8	2.2	1.7	1.1	1.2	2.9			
7		157	114	103	72	273	94	39	11	1		1633
SEVENTH MONTH		9.6	7.0	6.3	4.4	16.7	5.8	2.4	.7	.1		1.8
		2.5	1.9	1.7	1.2	1.0	.7	1.0	2.5	6.3		
8		72	65	42	42	114	42	23	6			789
EIGHTH MONTH		9.1	8.2	5.3	5.3	14.4	5.3	2.9	.8			.9
		1.2	1.1	.7	.7	.4	.3	.6	1.4			
COLUMN TOTAL		6209	6071	6026	5847	26537	14292	3844	441	16	3	89391
		6.9	6.8	6.7	6.5	29.7	16.0	4.3	.5	.0	.0	100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	AGE	11	12	13	14	15	16	17	18	19	20	ROW TOTAL
NINTH MONTH	9 COUNT		1	1	2	5	9	21	24	17	33	252
	ROW PCT		.4	.4	.8	2.0	3.6	8.3	9.5	6.7	13.1	.3
	COL PCT		33.3	1.6	.8	.6	.6	.8	.6	.3	.6	
NOT STATED	10 COUNT					1	2	4	12	13	6	111
	ROW PCT					.9	1.8	3.6	10.8	11.7	5.4	.1
	COL PCT					.1	.1	.1	.3	.3	.1	
(CONTINUED)	COLUMN TOTAL	2	3	64	264	776	1589	2786	3834	5001	5786	89391
		.0	.0	.1	.3	.9	1.8	3.1	4.3	5.6	6.5	100.0

TABLE 6

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	AGE	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
NINTH MONTH	COUNT	21	18	13	10	49	20	6	2			252
	ROW PCT	8.3	7.1	5.2	4.0	19.4	7.9	2.4	.8			.3
	COL PCT	.3	.3	.2	.2	.2	.1	.2	.5			
NOT STATED	COUNT	12	4	7	7	27	12	3			1	111
	ROW PCT	10.8	3.6	6.3	6.3	24.3	10.8	2.7			.9	.1
	COL PCT	.2	.1	.1	.1	.1	.1	.1			33.3	
COLUMN TOTAL		6209	6071	6026	5847	26537	14292	3844	441	16	3	89391
		6.9	6.8	6.7	6.5	29.7	16.0	4.3	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0 NONE		1	2	7	27	31	40	40	43	38	415	
		.2	.5	1.7	6.5	7.5	9.6	9.6	10.4	9.2	.7	
		8.3	2.5	2.3	3.5	2.0	1.8	1.3	1.2	.9		
1 FIRST MONTH			2	13	35	70	133	228	310	417	9227	
			.0	.1	.4	.8	1.4	2.5	3.4	4.5	14.9	
			2.5	4.3	4.6	4.6	6.0	7.5	8.8	10.4		
2 SECOND MONTH		2	8	71	183	386	656	1021	1342	1613	29245	
		.0	.0	.2	.6	1.3	2.2	3.5	4.6	5.5	47.3	
		16.7	10.0	23.5	24.0	25.2	29.5	33.8	38.0	40.3		
3 THIRD MONTH		3	21	64	192	411	618	837	903	1016	13117	
		.0	.2	.5	1.5	3.1	4.7	6.4	6.9	7.7	21.2	
		25.0	26.3	21.2	25.2	26.9	27.8	27.7	25.5	25.4		
4 FOURTH MONTH			17	58	120	269	305	412	430	457	4747	
			.4	1.2	2.5	5.7	6.4	8.7	9.1	9.6	7.7	
			21.3	19.2	15.7	17.6	13.7	13.6	12.2	11.4		
5 FIFTH MONTH			10	37	89	146	232	223	231	227	2391	
			.4	1.5	3.7	6.1	9.7	9.3	9.7	9.5	3.9	
			12.5	12.3	11.7	9.5	10.4	7.4	6.5	5.7		
6 SIXTH MONTH		3	10	25	62	106	104	134	134	113	1284	
		.2	.8	1.9	4.8	8.3	8.1	10.4	10.4	8.8	2.1	
		25.0	12.5	8.3	8.1	6.9	4.7	4.4	3.8	2.8		
7 SEVENTH MONTH			6	19	36	52	78	76	87	71	767	
			.8	2.5	4.7	6.8	10.2	9.9	11.3	9.3	1.2	
			7.5	6.3	4.7	3.4	3.5	2.5	2.5	1.8		
8 EIGHTH MONTH		2	3	5	14	49	41	31	36	30	378	
		.5	.8	1.3	3.7	13.0	10.8	8.2	9.5	7.9	.6	
		16.7	3.8	1.7	1.8	3.2	1.8	1.0	1.0	.7		
COLUMN TOTAL		1	12	80	302	762	1530	2226	3024	3536	4001	61766
		.0	.0	.1	.5	1.2	2.5	3.6	4.9	5.7	6.5	100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	22	23	24	25	26	27	28	29	30	ROW TOTAL
	AGE				25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	
0		27	30	26	60	29	10	3		1	415
NONE		6.5	7.2	6.3	14.5	7.0	2.4	.7		.2	.7
		.7	.7	.6	.3	.3	.3	1.0		100.0	
1		470	535	560	3590	2270	545	49			9227
FIRST MONTH		5.1	5.8	6.1	38.9	24.6	5.9	.5			14.9
		11.7	12.8	13.5	18.1	20.7	18.9	16.9			
2		1752	1941	2052	10562	5995	1531	125	5		29245
SECOND MONTH		6.0	6.6	7.0	36.1	20.5	5.2	.4	.0		47.3
		43.6	46.4	49.4	53.4	54.6	53.2	43.1	45.5		
3		980	978	944	3705	1872	505	65	3		13117
THIRD MONTH		7.5	7.5	7.2	28.2	14.3	3.8	.5	.0		21.2
		24.4	23.4	22.7	18.7	17.1	17.5	22.4	27.3		
4		389	365	292	1022	450	142	18	1		4747
FOURTH MONTH		8.2	7.7	6.2	21.5	9.5	3.0	.4	.0		7.7
		9.7	8.7	7.0	5.2	4.1	4.9	6.2	9.1		
5		187	170	148	418	193	68	11	1		2391
FIFTH MONTH		7.8	7.1	6.2	17.5	8.1	2.8	.5	.0		3.9
		4.7	4.1	3.6	2.1	1.8	2.4	3.8	9.1		
6		115	79	69	211	80	30	9			1284
SIXTH MONTH		9.0	6.2	5.4	16.4	6.2	2.3	.7			2.1
		2.9	1.9	1.7	1.1	.7	1.0	3.1			
7		55	56	35	113	45	30	7	1		767
SEVENTH MONTH		7.2	7.3	4.6	14.7	5.9	3.9	.9	.1		1.2
		1.4	1.3	.8	.6	.4	1.0	2.4	9.1		
8		27	20	21	64	21	12	2			378
EIGHTH MONTH		7.1	5.3	5.6	16.9	5.6	3.2	.5			.6
		.7	.5	.5	.3	.2	.4	.7			
COLUMN TOTAL		4017	4183	4157	19785	10970	2878	290	11	1	61766
		6.5	6.8	6.7	32.0	17.8	4.7	.5	.0	.0	100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	AGE / COUNT / ROW PCT / COL PCT	12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9 NINTH MONTH	COUNT	1	1	1	2	3	9	11	11	17	9	119
	ROW PCT	.8	.8	.8	1.7	2.5	7.6	9.2	9.2	14.3	7.6	.2
	COL PCT	100.0	8.3	1.3	.7	.4	.6	.5	.4	.5	.2	
10 NOT STATED	COUNT				1	1	1	8	11	3	10	76
	ROW PCT				1.3	1.3	1.3	10.5	14.5	3.9	13.2	.1
	COL PCT				.3	.1	.1	.4	.4	.1	.2	
COLUMN TOTAL		1	12	80	302	762	1530	2226	3024	3536	4001	61766
		.0	.0	.1	.5	1.2	2.5	3.6	4.9	5.7	6.5	100.0

(CONTINUED)

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MPCB	AGE	22	23	24	25	26	27	28	29	30	ROW TOTAL
9 NINTH MONTH	COUNT	11	7	5	21	7	2	1			119
	ROW PCT	9.2	5.9	4.2	17.6	5.9	1.7	.8			.2
	COL PCT	.3	.2	.1	.1	.1	.1	.3			
10 NOT STATED	COUNT	4	2	5	19	8	3				76
	ROW PCT	5.3	2.6	6.6	25.0	10.5	3.9				.1
	COL PCT	.1	.0	.1	.1	.1	.1				
COLUMN TOTAL		4017	4183	4157	19785	10970	2878	290	11	1	61766
		6.5	6.8	6.7	32.0	17.8	4.7	.5	.0	.0	100.0

MPCB	AGE	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
9 NINTH MONTH	COUNT							
	ROW PCT							
	COL PCT							
10 NOT STATED	COUNT							
	ROW PCT							
	COL PCT							
COLUMN TOTAL								

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
0 NONE		1		4	13	19	25	59	53	67	67	663
		.2		.6	2.0	2.9	3.8	8.9	8.0	10.1	10.1	2.4
		50.0		7.7	7.1	4.0	3.0	4.7	3.3	3.4	3.0	
1 FIRST MONTH				1	6	16	25	63	84	114	187	2601
				.0	.2	.6	1.0	2.4	3.2	4.4	7.2	9.4
				1.9	3.3	3.4	3.0	5.0	5.2	5.8	8.3	
2 SECOND MONTH				7	31	89	178	230	350	454	580	8743
				.1	.4	1.0	2.0	2.6	4.0	5.2	6.6	31.6
				13.5	16.8	18.8	21.5	18.3	21.8	23.0	25.8	
3 THIRD MONTH				10	26	84	179	285	393	475	559	6660
				.2	.4	1.3	2.7	4.3	5.9	7.1	8.4	24.1
				19.2	14.1	17.7	21.6	22.7	24.4	24.0	24.8	
4 FOURTH MONTH				9	40	82	151	205	278	322	356	3712
				.2	1.1	2.2	4.1	5.5	7.5	8.7	9.6	13.4
				17.3	21.7	17.3	18.3	16.3	17.3	16.3	15.8	
5 FIFTH MONTH				12	31	82	119	174	209	261	213	2401
				.5	1.3	3.4	5.0	7.2	8.7	10.9	8.9	8.7
				23.1	16.8	17.3	14.4	13.9	13.0	13.2	9.5	
6 SIXTH MONTH		1		4	21	47	73	121	123	139	138	1400
		.1		.3	1.5	3.4	5.2	8.6	8.8	9.9	9.9	5.1
		50.0		7.7	11.4	9.9	8.8	9.6	7.6	7.0	6.1	
7 SEVENTH MONTH			2	4	10	41	43	74	71	87	83	866
			.2	.5	1.2	4.7	5.0	8.5	8.2	10.0	9.6	3.1
			100.0	7.7	5.4	8.6	5.2	5.9	4.4	4.4	3.7	
8 EIGHTH MONTH				1	5	11	27	30	30	50	48	411
				.2	1.2	2.7	6.6	7.3	7.3	12.2	11.7	1.5
				1.9	2.7	2.3	3.3	2.4	1.9	2.5	2.1	
COLUMN TOTAL		2	2	52	184	474	827	1256	1608	1977	2250	27625
		.0	.0	.2	.7	1.7	3.0	4.5	5.8	7.2	8.1	100.0

(CONTINUED)

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE
PAGE 2 OF 4

MPCB	COUNT / ROW PCT / COL PCT	21	22	23	24	25	26	27	28	29	30	ROW TOTAL
	AGE					25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	
0 NONE		54	55	31	31	110	47	19	8			663
		8.1	8.3	4.7	4.7	16.6	7.1	2.9	1.2			2.4
		2.4	2.7	1.7	1.8	1.6	1.4	2.0	5.3			
1 FIRST MONTH		172	183	179	179	820	447	106	19			2601
		6.6	7.0	6.9	6.9	31.5	17.2	4.1	.7			9.4
		7.8	8.9	9.7	10.6	12.1	13.5	11.0	12.6			
2 SECOND MONTH		660	644	627	574	2541	1357	378	42		1	8743
		7.5	7.4	7.2	6.6	29.1	15.5	4.3	.5		.0	31.6
		29.9	31.4	34.0	34.0	37.6	40.8	39.1	27.8		50.0	
3 THIRD MONTH		515	500	452	445	1659	782	245	46	5		6660
		7.7	7.5	6.8	6.7	24.9	11.7	3.7	.7	.1		24.1
		23.3	24.3	24.5	26.3	24.6	23.5	25.4	30.5	100.0		
4 FOURTH MONTH		328	302	236	221	708	346	116	12			3712
		8.8	8.1	6.4	6.0	19.1	9.3	3.1	.3			13.4
		14.9	14.7	12.8	13.1	10.5	10.4	12.0	7.9			
5 FIFTH MONTH		216	157	146	117	420	172	61	11			2401
		9.0	6.5	6.1	4.9	17.5	7.2	2.5	.5			8.7
		9.8	7.6	7.9	6.9	6.2	5.2	6.3	7.3			
6 SIXTH MONTH		121	109	92	58	248	84	17	4			1400
		8.6	7.8	6.6	4.1	17.7	6.0	1.2	.3			5.1
		5.5	5.3	5.0	3.4	3.7	2.5	1.8	2.6			
7 SEVENTH MONTH		86	59	47	37	160	49	9	4			866
		9.9	6.8	5.4	4.3	18.5	5.7	1.0	.5			3.1
		3.9	2.9	2.6	2.2	2.4	1.5	.9	2.6			
8 EIGHTH MONTH		42	38	22	21	50	21	11	4			411
		10.2	9.2	5.4	5.1	12.2	5.1	2.7	1.0			1.5
		1.9	1.9	1.2	1.2	.7	.6	1.1	2.6			
COLUMN TOTAL		2208	2054	1843	1690	6752	3322	966	151	5	2	27625
		8.0	7.4	6.7	6.1	24.4	12.0	3.5	.5	.0	.0	100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	AGE / COUNT / ROW PCT / COL PCT	11	12	13	14	15	16	17	18	19	20	ROW TOTAL
9 NINTH MONTH					1	3	6	12	13	6	16	133
					.8	2.3	4.5	9.0	9.8	4.5	12.0	.5
					.5	.6	.7	1.0	.8	.3	.7	
10 NOT STATED							1	3	4	2	3	35
							2.9	8.6	11.4	5.7	8.6	.1
							.1	.2	.2	.1	.1	
(CONTINUED)	COLUMN TOTAL	2	2	52	184	474	827	1256	1608	1977	2250	27625
		.0	.0	.2	.7	1.7	3.0	4.5	5.8	7.2	8.1	100.0

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE
PAGE 4 OF 4

MPCB	AGE COUNT ROW PCT COL PCT	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	29	30	ROW TOTAL
9		12	7	6	5	28	13	4	1					133
NINTH MONTH		9.0	5.3	4.5	3.8	21.1	9.8	3.0	.8					.5
		.5	.3	.3	.3	.4	.4	.4	.7					
10		2		5	2	8	4					1		35
NOT STATED		5.7		14.3	5.7	22.9	11.4					2.9		.1
		.1		.3	.1	.1	.1					50.0		
COLUMN TOTAL		2208	2054	1843	1690	6752	3322	966	151	5	2			27625
		8.0	7.4	6.7	6.1	24.4	12.0	3.5	.5	.0	.0			100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
0 NONE		331	747		1078
		30.7	69.3		1.2
		.5	3.8		
1 FIRST MONTH		10565	1263		11828
		89.3	10.7		13.2
		15.2	6.4		
2 SECOND MONTH		32958	5030		37988
		86.8	13.2		42.5
		47.3	25.4		
3 THIRD MONTH		15080	4697		19777
		76.3	23.7		22.1
		21.7	23.8		
4 FOURTH MONTH		5427	3032		8459
		64.2	35.8		9.5
		7.8	15.3		
5 FIFTH MONTH		2660	2132		4792
		55.5	44.5		5.4
		3.8	10.8		
6 SIXTH MONTH		1322	1362		2684
		49.3	50.7		3.0
		1.9	6.9		
7 SEVENTH MONTH		762	871		1633
		46.7	53.3		1.8
		1.1	4.4		
8 EIGHTH MONTH		349	440		789
		44.2	55.8		.9
		.5	2.2		
(CONTINUED)	COLUMN TOTAL	69625	19765	1	89391
		77.9	22.1	.0	100.0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	STATUS	MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	ROW TOTAL
9 NINTH MONTH	COUNT	101	151		252
	ROW PCT	40.1	59.9		.3
	COL PCT	.1	.8		
10 NOT STATED	COUNT	70	40	1	111
	ROW PCT	63.1	36.0	.9	.1
	COL PCT	.1	.2	100.0	
COLUMN TOTAL		69625	19765	1	89391
		77.9	22.1	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	STATUS 2 NOT MARRIED	ROW TOTAL
0 NONE		199	216	415
		48.0	52.0	.7
		.4	4.0	
1 FIRST MONTH		8934	293	9227
		96.8	3.2	14.9
		15.9	5.4	
2 SECOND MONTH		27807	1438	29245
		95.1	4.9	47.3
		49.4	26.4	
3 THIRD MONTH		11817	1300	13117
		90.1	9.9	21.2
		21.0	23.9	
4 FOURTH MONTH		3948	799	4747
		83.2	16.8	7.7
		7.0	14.7	
5 FIFTH MONTH		1835	556	2391
		76.7	23.3	3.9
		3.3	10.2	
6 SIXTH MONTH		912	372	1284
		71.0	29.0	2.1
		1.6	6.8	
7 SEVENTH MONTH		512	255	767
		66.8	33.2	1.2
		.9	4.7	
8 EIGHTH MONTH		233	145	378
		61.6	38.4	.6
		.4	2.7	
COLUMN TOTAL		56321	5445	61766
		91.2	8.8	100.0

(CONTINUED)

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	STATUS 2 NOT MARRIED	ROW TOTAL
9 NINTH MONTH		66	53	119
		55.5	44.5	.2
		.1	1.0	
10 NOT STATED		58	18	76
		76.3	23.7	.1
		.1	.3	
COLUMN TOTAL		56321	5445	61766
		91.2	8.8	100.0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	1 NOT MARRIED	2 NOT STATED	3	ROW TOTAL
0 NONE		132	531			663
		19.9	80.1			2.4
		1.0	3.7			
1 FIRST MONTH		1631	970			2601
		62.7	37.3			9.4
		12.3	6.8			
2 SECOND MONTH		5151	3592			8743
		58.9	41.1			31.6
		38.7	25.1			
3 THIRD MONTH		3263	3397			6660
		49.0	51.0			24.1
		24.5	23.7			
4 FOURTH MONTH		1479	2233			3712
		39.8	60.2			13.4
		11.1	15.6			
5 FIFTH MONTH		825	1576			2401
		34.4	65.6			8.7
		6.2	11.0			
6 SIXTH MONTH		410	990			1400
		29.3	70.7			5.1
		3.1	6.9			
7 SEVENTH MONTH		250	616			866
		28.9	71.1			3.1
		1.9	4.3			
8 EIGHTH MONTH		116	295			411
		28.2	71.8			1.5
		.9	2.1			
COLUMN TOTAL		13304	14320		1	27625
		48.2	51.8		.0	100.0

(CONTINUED)

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
9 NINTH MONTH	35	98		133
ROW PCT	26.3	73.7		.5
COL PCT	.3	.7		
10 NOT STATED	12	22	1	35
ROW PCT	34.3	62.9	2.9	.1
COL PCT	.1	.2	100.0	
COLUMN TOTAL	13304	14320	1	27625
	48.2	51.8	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 8

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
0 NONE		348	293	204	103	56	32	25	6	11		1078
		32.3	27.2	18.9	9.6	5.2	3.0	2.3	.6	1.0		1.2
		1.0	1.0	1.4	1.8	2.4	3.1	6.0	3.5	6.1		
1 FIRST MONTH		4830	4029	1791	719	286	102	36	13	22		11828
		40.8	34.1	15.1	6.1	2.4	.9	.3	.1	.2		13.2
		13.2	14.1	12.6	12.4	12.0	9.8	8.6	7.6	12.2		
2 SECOND MONTH		15625	12740	6026	2260	803	344	107	44	35	4	37988
		41.1	33.5	15.9	5.9	2.1	.9	.3	.1	.1	.0	42.5
		42.7	44.7	42.2	39.1	33.8	33.1	25.5	25.9	19.3	16.7	
3 THIRD MONTH		8341	6047	3185	1239	547	247	92	42	33	4	19777
		42.2	30.6	16.1	6.3	2.8	1.2	.5	.2	.2	.0	22.1
		22.8	21.2	22.3	21.4	23.0	23.8	22.0	24.7	18.2	16.7	
4 FOURTH MONTH		3421	2556	1375	596	281	119	63	22	25	1	8459
		40.4	30.2	16.3	7.0	3.3	1.4	.7	.3	.3	.0	9.5
		9.3	9.0	9.6	10.3	11.8	11.5	15.0	12.9	13.8	4.2	
5 FIFTH MONTH		1979	1316	769	377	171	86	52	19	22	1	4792
		41.3	27.5	16.0	7.9	3.6	1.8	1.1	.4	.5	.0	5.4
		5.4	4.6	5.4	6.5	7.2	8.3	12.4	11.2	12.2	4.2	
6 SIXTH MONTH		1034	750	482	235	104	43	15	9	12		2684
		38.5	27.9	18.0	8.8	3.9	1.6	.6	.3	.4		3.0
		2.8	2.6	3.4	4.1	4.4	4.1	3.6	5.3	6.6		
7 SEVENTH MONTH		635	430	265	150	74	45	17	8	9		1633
		38.9	26.3	16.2	9.2	4.5	2.8	1.0	.5	.6		1.8
		1.7	1.5	1.9	2.6	3.1	4.3	4.1	4.7	5.0		
8 EIGHTH MONTH		294	238	109	71	39	15	9	3	11		789
		37.3	30.2	13.8	9.0	4.9	1.9	1.1	.4	1.4		.9
		.8	.8	.8	1.2	1.6	1.4	2.1	1.8	6.1		
COLUMN TOTAL		36630	28506	14268	5779	2376	1038	419	170	181	24	89391
		41.0	31.9	16.0	6.5	2.7	1.2	.5	.2	.2	.0	100.0

(CONTINUED)

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER

CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	BO	1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
9 NINTH MONTH	COUNT	81	75	51	15	13	4	3	4	1	5	252
	ROW PCT	32.1	29.8	20.2	6.0	5.2	1.6	1.2	1.6	.4	2.0	.3
	COL PCT	.2	.3	.4	.3	.5	.4	.7	2.4	.6	20.8	
10 NOT STATED	COUNT	42	32	11	14	2	1				9	111
	ROW PCT	37.8	28.8	9.9	12.6	1.8	.9				8.1	.1
	COL PCT	.1	.1	.1	.2	.1	.1				37.5	
COLUMN TOTAL		36630	28506	14268	5779	2376	1038	419	170	181	24	89391
		41.0	31.9	16.0	6.5	2.7	1.2	.5	.2	.2	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 8

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
0 NONE		173	106	70	28	15	13	3	4	3		415
		41.7	25.5	16.9	6.7	3.6	3.1	.7	1.0	.7		.7
		.7	.5	.7	.8	1.2	2.5	1.6	5.9	4.1		
1 FIRST MONTH		3856	3221	1379	498	167	72	18	5	11		9227
		41.8	34.9	14.9	5.4	1.8	.8	.2	.1	.1		14.9
		14.7	15.8	14.5	14.4	13.2	13.9	9.8	7.4	14.9		
2 SECOND MONTH		12384	10026	4484	1551	502	196	58	25	16	3	29245
		42.3	34.3	15.3	5.3	1.7	.7	.2	.1	.1	.0	47.3
		47.1	49.1	47.2	44.9	39.6	37.8	31.5	36.8	21.6	16.7	
3 THIRD MONTH		5734	4144	2037	707	292	127	45	17	11	3	13117
		43.7	31.6	15.5	5.4	2.2	1.0	.3	.1	.1	.0	21.2
		21.8	20.3	21.4	20.5	23.0	24.5	24.5	25.0	14.9	16.7	
4 FOURTH MONTH		2006	1486	744	299	132	41	23	7	8	1	4747
		42.3	31.3	15.7	6.3	2.8	.9	.5	.1	.2	.0	7.7
		7.6	7.3	7.8	8.7	10.4	7.9	12.5	10.3	10.8	5.6	
5 FIFTH MONTH		1028	691	370	170	65	33	20	4	10		2391
		43.0	28.9	15.5	7.1	2.7	1.4	.8	.2	.4		3.9
		3.9	3.4	3.9	4.9	5.1	6.4	10.9	5.9	13.5		
6 SIXTH MONTH		527	371	213	95	47	17	6	3	5		1284
		41.0	28.9	16.6	7.4	3.7	1.3	.5	.2	.4		2.1
		2.0	1.8	2.2	2.8	3.7	3.3	3.3	4.4	6.8		
7 SEVENTH MONTH		331	202	121	63	24	13	8	1	4		767
		43.2	26.3	15.8	8.2	3.1	1.7	1.0	.1	.5		1.2
		1.3	1.0	1.3	1.8	1.9	2.5	4.3	1.5	5.4		
8 EIGHTH MONTH		158	109	51	25	21	4	3	1	6		378
		41.8	28.8	13.5	6.6	5.6	1.1	.8	.3	1.6		.6
		.6	.5	.5	.7	1.7	.8	1.6	1.5	8.1		
COLUMN TOTAL		26271	20407	9502	3454	1269	519	184	68	74	18	61766
		42.5	33.0	15.4	5.6	2.1	.8	.3	.1	.1	.0	100.0

(CONTINUED)

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
9 NINTH MONTH	47	30	26	7	3	2		1		3	119
	39.5	25.2	21.8	5.9	2.5	1.7		.8		2.5	.2
	.2	.1	.3	.2	.2	.4		1.5		16.7	
10 NOT STATED	27	21	7	11	1	1				8	76
	35.5	27.6	9.2	14.5	1.3	1.3				10.5	.1
	.1	.1	.1	.3	.1	.2				44.4	
COLUMN TOTAL	26271	20407	9502	3454	1269	519	184	68	74	18	61766
	42.5	33.0	15.4	5.6	2.1	.8	.3	.1	.1	.0	100.0

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
0 NONE		175	187	134	75	41	19	22	2	8		663
		26.4	28.2	20.2	11.3	6.2	2.9	3.3	.3	1.2		2.4
		1.7	2.3	2.8	3.2	3.7	3.7	9.4	2.0	7.5		
1 FIRST MONTH		974	808	412	221	119	30	18	8	11		2601
		37.4	31.1	15.8	8.5	4.6	1.2	.7	.3	.4		9.4
		9.4	10.0	8.6	9.5	10.7	5.8	7.7	7.8	10.3		
2 SECOND MONTH		3241	2714	1542	709	301	148	49	19	19	1	8743
		37.1	31.0	17.6	8.1	3.4	1.7	.6	.2	.2	.0	31.6
		31.3	33.5	32.4	30.5	27.2	28.5	20.9	18.6	17.8	16.7	
3 THIRD MONTH		2607	1903	1148	532	255	120	47	25	22	1	6660
		39.1	28.6	17.2	8.0	3.8	1.8	.7	.4	.3	.0	24.1
		25.2	23.5	24.1	22.9	23.0	23.1	20.0	24.5	20.6	16.7	
4 FOURTH MONTH		1415	1070	631	297	149	78	40	15	17		3712
		38.1	28.8	17.0	8.0	4.0	2.1	1.1	.4	.5		13.4
		13.7	13.2	13.2	12.8	13.5	15.0	17.0	14.7	15.9		
5 FIFTH MONTH		951	625	399	207	106	53	32	15	12	1	2401
		39.6	26.0	16.6	8.6	4.4	2.2	1.3	.6	.5	.0	8.7
		9.2	7.7	8.4	8.9	9.6	10.2	13.6	14.7	11.2	16.7	
6 SIXTH MONTH		507	379	269	140	57	26	9	6	7		1400
		36.2	27.1	19.2	10.0	4.1	1.9	.6	.4	.5		5.1
		4.9	4.7	5.6	6.0	5.1	5.0	3.8	5.9	6.5		
7 SEVENTH MONTH		304	228	144	87	50	32	9	7	5		866
		35.1	26.3	16.6	10.0	5.8	3.7	1.0	.8	.6		3.1
		2.9	2.8	3.0	3.7	4.5	6.2	3.8	6.9	4.7		
8 EIGHTH MONTH		136	129	58	46	18	11	6	2	5		411
		33.1	31.4	14.1	11.2	4.4	2.7	1.5	.5	1.2		1.5
		1.3	1.6	1.2	2.0	1.6	2.1	2.6	2.0	4.7		
COLUMN TOTAL		10359	8099	4766	2325	1107	519	235	102	107	6	27625
		37.5	29.3	17.3	8.4	4.0	1.9	.9	.4	.4	.0	100.0

(CONTINUED)

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

MPCB	BO COUNT / ROW PCT / COL PCT	1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
9 NINTH MONTH		34	45	25	8	10	2	3	3	1	2	133
		25.6	33.8	18.8	6.0	7.5	1.5	2.3	2.3	.8	1.5	.5
		.3	.6	.5	.3	.9	.4	1.3	2.9	.9	33.3	
10 NOT STATED		15	11	4	3	1					1	35
		42.9	31.4	11.4	8.6	2.9					2.9	.1
		.1	.1	.1	.1	.1					16.7	
COLUMN TOTAL		10359	8099	4766	2325	1107	519	235	102	107	6	27625
		37.5	29.3	17.3	8.4	4.0	1.9	.9	.4	.4	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
0 NONE		22	56	42	63	141	256	322	142	34		1078
		2.0	5.2	3.9	5.8	13.1	23.7	29.9	13.2	3.2		1.2
		13.7	9.9	6.6	4.7	3.2	1.7	1.0	.6	.4		
1 FIRST MONTH		27	95	114	187	478	1691	4218	3575	1440	3	11828
		.2	.8	1.0	1.6	4.0	14.3	35.7	30.2	12.2	.0	13.2
		16.8	16.7	18.0	13.9	11.0	11.4	12.9	14.1	15.5	7.9	
2 SECOND MONTH		63	210	222	468	1625	5640	13719	11590	4438	13	37988
		.2	.6	.6	1.2	4.3	14.8	36.1	30.5	11.7	.0	42.5
		39.1	37.0	35.1	34.7	37.5	38.1	41.9	45.6	47.7	34.2	
3 THIRD MONTH		33	110	136	270	952	3412	7357	5505	1996	6	19777
		.2	.6	.7	1.4	4.8	17.3	37.2	27.8	10.1	.0	22.1
		20.5	19.4	21.5	20.0	21.9	23.0	22.4	21.7	21.5	15.8	
4 FOURTH MONTH		10	40	63	176	464	1669	3182	2174	680	1	8459
		.1	.5	.7	2.1	5.5	19.7	37.6	25.7	8.0	.0	9.5
		6.2	7.0	10.0	13.1	10.7	11.3	9.7	8.5	7.3	2.6	
5 FIFTH MONTH		5	39	34	88	313	972	1850	1139	352		4792
		.1	.8	.7	1.8	6.5	20.3	38.6	23.8	7.3		5.4
		3.1	6.9	5.4	6.5	7.2	6.6	5.6	4.5	3.8		
6 SIXTH MONTH			10	12	44	182	560	1012	669	193	2	2684
			.4	.4	1.6	6.8	20.9	37.7	24.9	7.2	.1	3.0
			1.8	1.9	3.3	4.2	3.8	3.1	2.6	2.1	5.3	
7 SEVENTH MONTH			1	7	41	122	359	638	368	97		1633
			.1	.4	2.5	7.5	22.0	39.1	22.5	5.9		1.8
			.2	1.1	3.0	2.8	2.4	1.9	1.4	1.0		
8 EIGHTH MONTH			1	1	9	45	176	334	181	42		789
			.1	.1	1.1	5.7	22.3	42.3	22.9	5.3		.9
			.2	.2	.7	1.0	1.2	1.0	.7	.5		
COLUMN TOTAL		161	568	632	1348	4339	14803	32771	25427	9304	38	89391
		.2	.6	.7	1.5	4.9	16.6	36.7	28.4	10.4	.0	100.0

(CONTINUED)

TABLE 9

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	WT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
9 NINTH MONTH	COUNT				1	10	51	110	58	20	2	252
	ROW PCT				.4	4.0	20.2	43.7	23.0	7.9	.8	.3
	COL PCT				.1	.2	.3	.3	.2	.2	5.3	
10 NOT STATED	COUNT	1	6	1	1	7	17	29	26	12	11	111
	ROW PCT	.9	5.4	.9	.9	6.3	15.3	26.1	23.4	10.8	9.9	.1
	COL PCT	.6	1.1	.2	.1	.2	.1	.1	.1	.1	28.9	
COLUMN TOTAL		161	568	632	1348	4339	14803	32771	25427	9304	38	89391
		.2	.6	.7	1.5	4.9	16.6	36.7	28.4	10.4	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 9

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	WT 0 UNDER 500 GMS	1 500 TO 999 GMS	2 1000 TO 1499 GMS	3 1500 TO 1999 GMS	4 2000 TO 2499 GMS	5 2500 TO 2999 GMS	6 3000 TO 3499 GMS	7 3500 TO 3999 GMS	8 4000 GMS AND OVER	9 NOT STATED	ROW TOTAL
0 NONE		6	19	9	23	43	88	132	75	20		415
		1.4	4.6	2.2	5.5	10.4	21.2	31.8	18.1	4.8		.7
		8.6	7.4	2.8	3.2	1.9	1.0	.6	.4	.3		
1 FIRST MONTH		10	56	79	119	323	1150	3220	2989	1281		9227
		.1	.6	.9	1.3	3.5	12.5	34.9	32.4	13.9		14.9
		14.3	21.7	24.4	16.3	14.1	13.3	14.7	15.2	16.5		
2 SECOND MONTH		33	115	121	303	1042	3792	10312	9645	3873	9	29245
		.1	.4	.4	1.0	3.6	13.0	35.3	33.0	13.2	.0	47.3
		47.1	44.6	37.3	41.5	45.4	44.0	46.9	49.0	49.7	37.5	
3 THIRD MONTH		15	42	60	142	462	1944	4673	4139	1635	5	13117
		.1	.3	.5	1.1	3.5	14.8	35.6	31.6	12.5	.0	21.2
		21.4	16.3	18.5	19.5	20.1	22.5	21.3	21.0	21.0	20.8	
4 FOURTH MONTH		4	12	31	73	191	818	1732	1386	500		4747
		.1	.3	.7	1.5	4.0	17.2	36.5	29.2	10.5		7.7
		5.7	4.7	9.6	10.0	8.3	9.5	7.9	7.0	6.4		
5 FIFTH MONTH		2	10	14	34	111	390	894	697	239		2391
		.1	.4	.6	1.4	4.6	16.3	37.4	29.2	10.0		3.9
		2.9	3.9	4.3	4.7	4.8	4.5	4.1	3.5	3.1		
6 SIXTH MONTH			1	5	12	63	219	473	387	124		1284
			.1	.4	.9	4.9	17.1	36.8	30.1	9.7		2.1
			.4	1.5	1.6	2.7	2.5	2.2	2.0	1.6		
7 SEVENTH MONTH				3	19	42	138	309	197	59		767
				.4	2.5	5.5	18.0	40.3	25.7	7.7		1.2
				.9	2.6	1.8	1.6	1.4	1.0	.8		
8 EIGHTH MONTH				1	3	13	60	167	104	30		378
				.3	.8	3.4	15.9	44.2	27.5	7.9		.6
				.3	.4	.6	.7	.8	.5	.4		
COLUMN TOTAL		70	258	324	730	2297	8626	21972	19679	7786	24	61766
		.1	.4	.5	1.2	3.7	14.0	35.6	31.9	12.6	.0	100.0

(CONTINUED)

TABLE 9

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
9 NINTH MONTH					1	4	18	42	39	15		119
					.8	3.4	15.1	35.3	32.8	12.6		.2
					.1	.2	.2	.2	.2	.2		
10 NOT STATED			3	1	1	3	9	18	21	10	10	76
			3.9	1.3	1.3	3.9	11.8	23.7	27.6	13.2	13.2	.1
			1.2	.3	.1	.1	.1	.1	.1	.1	41.7	
COLUMN TOTAL		70	258	324	730	2297	8626	21972	19679	7786	24	61766
		.1	.4	.5	1.2	3.7	14.0	35.6	31.9	12.6	.0	100.0

TABLE 9

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB		WT UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
0 NONE	COUNT	16	37	33	40	98	168	190	67	14		663
	ROW PCT	2.4	5.6	5.0	6.0	14.8	25.3	28.7	10.1	2.1		2.4
	COL PCT	17.6	11.9	10.7	6.5	4.8	2.7	1.8	1.2	.9		
1 FIRST MONTH	COUNT	17	39	35	68	155	541	998	586	159	3	2601
	ROW PCT	.7	1.5	1.3	2.6	6.0	20.8	38.4	22.5	6.1	.1	9.4
	COL PCT	18.7	12.6	11.4	11.0	7.6	8.8	9.2	10.2	10.5	21.4	
2 SECOND MONTH	COUNT	30	95	101	165	583	1848	3407	1945	565	4	8743
	ROW PCT	.3	1.1	1.2	1.9	6.7	21.1	39.0	22.2	6.5	.0	31.6
	COL PCT	33.0	30.6	32.8	26.7	28.6	29.9	31.5	33.8	37.2	28.6	
3 THIRD MONTH	COUNT	18	68	76	128	490	1468	2684	1366	361	1	6660
	ROW PCT	.3	1.0	1.1	1.9	7.4	22.0	40.3	20.5	5.4	.0	24.1
	COL PCT	19.8	21.9	24.7	20.7	24.0	23.8	24.9	23.8	23.8	7.1	
4 FOURTH MONTH	COUNT	6	28	32	103	273	851	1450	788	180	1	3712
	ROW PCT	.2	.8	.9	2.8	7.4	22.9	39.1	21.2	4.8	.0	13.4
	COL PCT	6.6	9.0	10.4	16.7	13.4	13.8	13.4	13.7	11.9	7.1	
5 FIFTH MONTH	COUNT	3	29	20	54	202	582	956	442	113		2401
	ROW PCT	.1	1.2	.8	2.2	8.4	24.2	39.8	18.4	4.7		8.7
	COL PCT	3.3	9.4	6.5	8.7	9.9	9.4	8.9	7.7	7.4		
6 SIXTH MONTH	COUNT		9	7	32	119	341	539	282	69	2	1400
	ROW PCT		.6	.5	2.3	8.5	24.4	38.5	20.1	4.9	.1	5.1
	COL PCT		2.9	2.3	5.2	5.8	5.5	5.0	4.9	4.5	14.3	
7 SEVENTH MONTH	COUNT		1	4	22	80	221	329	171	38		866
	ROW PCT		.1	.5	2.5	9.2	25.5	38.0	19.7	4.4		3.1
	COL PCT		.3	1.3	3.6	3.9	3.6	3.0	3.0	2.5		
8 EIGHTH MONTH	COUNT		1		6	32	116	167	77	12		411
	ROW PCT		.2		1.5	7.8	28.2	40.6	18.7	2.9		1.5
	COL PCT		.3		1.0	1.6	1.9	1.5	1.3	.8		
(CONTINUED)	COLUMN TOTAL	91	310	308	618	2042	6177	10799	5748	1518	14	27625
		.3	1.1	1.1	2.2	7.4	22.4	39.1	20.8	5.5	.1	100.0

TABLE 9

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	WT / COUNT / ROW PCT / COL PCT	0 UNDER 500 GMS	1 500 TO 999 GMS	2 1000 TO 1499 GMS	3 1500 TO 1999 GMS	4 2000 TO 2499 GMS	5 2500 TO 2999 GMS	6 3000 TO 3499 GMS	7 3500 TO 3999 GMS	8 4000 GMS AND OVER	9 NOT STATED	ROW TOTAL
9 NINTH MONTH						6	33	68	19	5	2	133
						4.5	24.8	51.1	14.3	3.8	1.5	.5
						.3	.5	.6	.3	.3	14.3	
10 NOT STATED		1	3			4	8	11	5	2	1	35
		2.9	8.6			11.4	22.9	31.4	14.3	5.7	2.9	.1
		1.1	1.0			.2	.1	.1	.1	.1	7.1	
COLUMN TOTAL		91	310	308	618	2042	6177	10799	5748	1518	14	27625
		.3	1.1	1.1	2.2	7.4	22.4	39.1	20.8	5.5	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 10

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0		96	443	408	94	26	11	1078
NONE		8.9	41.1	37.8	8.7	2.4	1.0	1.2
		3.3	2.4	1.1	.6	.2	10.2	
1		38	208	146	41	7	1	441
ONE		8.6	47.2	33.1	9.3	1.6	.2	.5
		1.3	1.1	.4	.2	.1	.9	
2		67	274	219	45	16		621
TWO		10.8	44.1	35.3	7.2	2.6		.7
		2.3	1.5	.6	.3	.1		
3		78	368	320	88	25		879
THREE		8.9	41.9	36.4	10.0	2.8		1.0
		2.7	2.0	.9	.5	.2		
4		96	486	500	114	39	2	1237
FOUR		7.8	39.3	40.4	9.2	3.2	.2	1.4
		3.3	2.6	1.3	.7	.3	1.9	
5		119	667	735	172	65	5	1763
FIVE		6.7	37.8	41.7	9.8	3.7	.3	2.0
		4.1	3.6	2.0	1.0	.5	4.6	
6		135	877	1007	299	111	6	2435
SIX		5.5	36.0	41.4	12.3	4.6	.2	2.7
		4.7	4.8	2.7	1.8	.8	5.6	
7		124	787	1116	362	191	4	2584
SEVEN		4.8	30.5	43.2	14.0	7.4	.2	2.9
		4.3	4.3	3.0	2.1	1.4	3.7	
8		218	1278	1921	673	377	5	4472
EIGHT		4.9	28.6	43.0	15.0	8.4	.1	5.0
		7.6	7.0	5.1	4.0	2.8	4.6	
(CONTINUED)	COLUMN TOTAL	2872	18378	37437	17028	13568	108	89391
		3.2	20.6	41.9	19.0	15.2	.1	100.0

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9		167	1062	1877	720	454	8	4288
NINE		3.9	24.8	43.8	16.8	10.6	.2	4.8
		5.8	5.8	5.0	4.2	3.3	7.4	
10		337	2051	3912	1634	1089	9	9032
TEN		3.7	22.7	43.3	18.1	12.1	.1	10.1
		11.7	11.2	10.4	9.6	8.0	8.3	
11		196	1331	2822	1304	962	3	6618
ELEVEN		3.0	20.1	42.6	19.7	14.5	.0	7.4
		6.8	7.2	7.5	7.7	7.1	2.8	
12		450	3183	7535	3547	2869	7	17591
TWELVE		2.6	18.1	42.8	20.2	16.3	.0	19.7
		15.7	17.3	20.1	20.8	21.1	6.5	
13		152	1115	2918	1386	1236	4	6811
THIRTEEN		2.2	16.4	42.8	20.3	18.1	.1	7.6
		5.3	6.1	7.8	8.1	9.1	3.7	
14		195	1382	4148	2263	2213	5	10206
FOURTEEN		1.9	13.5	40.6	22.2	21.7	.0	11.4
		6.8	7.5	11.1	13.3	16.3	4.6	
15		158	1167	3366	1948	1909	9	8557
FIFTEEN		1.8	13.6	39.3	22.8	22.3	.1	9.6
		5.5	6.3	9.0	11.4	14.1	8.3	
16		241	1669	4435	2321	1970	4	10640
SIXTEEN OR MORE		2.3	15.7	41.7	21.8	18.5	.0	11.9
		8.4	9.1	11.8	13.6	14.5	3.7	
17		5	30	52	17	9	25	138
NOT STATED		3.6	21.7	37.7	12.3	6.5	18.1	.2
		.2	.2	.1	.1	.1	23.1	
COLUMN TOTAL		2872	18378	37437	17028	13568	108	89391
		3.2	20.6	41.9	19.0	15.2	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT		EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0	COUNT	40	172	141	46	10	6	415
NONE	ROW PCT	9.6	41.4	34.0	11.1	2.4	1.4	.7
	COL PCT	2.2	1.6	.6	.4	.1	12.2	
1	COUNT	20	76	37	13	3	1	150
ONE	ROW PCT	13.3	50.7	24.7	8.7	2.0	.7	.2
	COL PCT	1.1	.7	.1	.1	.0	2.0	
2	COUNT	27	104	69	18	4		222
TWO	ROW PCT	12.2	46.8	31.1	8.1	1.8		.4
	COL PCT	1.5	.9	.3	.1	.0		
3	COUNT	38	147	130	38	17		370
THREE	ROW PCT	10.3	39.7	35.1	10.3	4.6		.6
	COL PCT	2.1	1.3	.5	.3	.1		
4	COUNT	49	177	187	49	19		481
FOUR	ROW PCT	10.2	36.8	38.9	10.2	4.0		.8
	COL PCT	2.7	1.6	.8	.4	.2		
5	COUNT	74	266	283	84	40		747
FIVE	ROW PCT	9.9	35.6	37.9	11.2	5.4		1.2
	COL PCT	4.0	2.4	1.1	.7	.3		
6	COUNT	77	418	438	156	67	4	1160
SIX	ROW PCT	6.6	36.0	37.8	13.4	5.8	.3	1.9
	COL PCT	4.2	3.8	1.8	1.2	.6	8.2	
7	COUNT	76	387	515	224	138	1	1341
SEVEN	ROW PCT	5.7	28.9	38.4	16.7	10.3	.1	2.2
	COL PCT	4.1	3.5	2.1	1.8	1.2	2.0	
8	COUNT	120	662	974	388	292		2436
EIGHT	ROW PCT	4.9	27.2	40.0	15.9	12.0		3.9
	COL PCT	6.5	6.0	3.9	3.1	2.5		
(CONTINUED)	COLUMN TOTAL	1837	11037	24736	12587	11520	49	61766
		3.0	17.9	40.0	20.4	18.7	.1	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9		105	623	1094	459	360	3	2644
NINE		4.0	23.6	41.4	17.4	13.6	.1	4.3
		5.7	5.6	4.4	3.6	3.1	6.1	
10		201	1211	2474	1137	901	2	5926
TEN		3.4	20.4	41.7	19.2	15.2	.0	9.6
		10.9	11.0	10.0	9.0	7.8	4.1	
11		120	793	1793	933	808		4447
ELEVEN		2.7	17.8	40.3	21.0	18.2		7.2
		6.5	7.2	7.2	7.4	7.0		
12		318	2088	5271	2697	2502	3	12879
TWELVE		2.5	16.2	40.9	20.9	19.4	.0	20.9
		17.3	18.9	21.3	21.4	21.7	6.1	
13		111	783	2128	1061	1071	3	5157
THIRTEEN		2.2	15.2	41.3	20.6	20.8	.1	8.3
		6.0	7.1	8.6	8.4	9.3	6.1	
14		149	1026	3200	1855	1912	2	8144
FOURTEEN		1.8	12.6	39.3	22.8	23.5	.0	13.2
		8.1	9.3	12.9	14.7	16.6	4.1	
15		127	866	2566	1558	1662	5	6784
FIFTEEN		1.9	12.8	37.8	23.0	24.5	.1	11.0
		6.9	7.8	10.4	12.4	14.4	10.2	
16		180	1216	3400	1860	1708	1	8365
SIXTEEN OR MORE		2.2	14.5	40.6	22.2	20.4	.0	13.5
		9.8	11.0	13.7	14.8	14.8	2.0	
17		5	22	36	11	6	18	98
NOT STATED		5.1	22.4	36.7	11.2	6.1	18.4	.2
		.3	.2	.1	.1	.1	36.7	
COLUMN TOTAL		1837	11037	24736	12587	11520	49	61766
		3.0	17.9	40.0	20.4	18.7	.1	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE		56	271	267	48	16	5	663
		8.4	40.9	40.3	7.2	2.4	.8	2.4
		5.4	3.7	2.1	1.1	.8	8.5	
1 ONE		18	132	109	28	4		291
		6.2	45.4	37.5	9.6	1.4		1.1
		1.7	1.8	.9	.6	.2		
2 TWO		40	170	150	27	12		399
		10.0	42.6	37.6	6.8	3.0		1.4
		3.9	2.3	1.2	.6	.6		
3 THREE		40	221	190	50	8		509
		7.9	43.4	37.3	9.8	1.6		1.8
		3.9	3.0	1.5	1.1	.4		
4 FOUR		47	309	313	65	20	2	756
		6.2	40.9	41.4	8.6	2.6	.3	2.7
		4.5	4.2	2.5	1.5	1.0	3.4	
5 FIVE		45	401	452	88	25	5	1016
		4.4	39.5	44.5	8.7	2.5	.5	3.7
		4.3	5.5	3.6	2.0	1.2	8.5	
6 SIX		58	459	569	143	44	2	1275
		4.5	36.0	44.6	11.2	3.5	.2	4.6
		5.6	6.3	4.5	3.2	2.1	3.4	
7 SEVEN		48	400	601	138	53	3	1243
		3.9	32.2	48.4	11.1	4.3	.2	4.5
		4.6	5.4	4.7	3.1	2.6	5.1	
8 EIGHT		98	616	947	285	85	5	2036
		4.8	30.3	46.5	14.0	4.2	.2	7.4
		9.5	8.4	7.5	6.4	4.2	8.5	
COLUMN TOTAL		1035	7341	12701	4441	2048	59	27625
		3.7	26.6	46.0	16.1	7.4	.2	100.0

(CONTINUED)

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9		62	439	783	261	94	5	1644
NINE		3.8	26.7	47.6	15.9	5.7	.3	6.0
		6.0	6.0	6.2	5.9	4.6	8.5	
10		136	840	1438	497	188	7	3106
TEN		4.4	27.0	46.3	16.0	6.1	.2	11.2
		13.1	11.4	11.3	11.2	9.2	11.9	
11		76	538	1029	371	154	3	2171
ELEVEN		3.5	24.8	47.4	17.1	7.1	.1	7.9
		7.3	7.3	8.1	8.4	7.5	5.1	
12		132	1095	2264	850	367	4	4712
TWELVE		2.8	23.2	48.0	18.0	7.8	.1	17.1
		12.8	14.9	17.8	19.1	17.9	6.8	
13		41	332	790	325	165	1	1654
THIRTEEN		2.5	20.1	47.8	19.6	10.0	.1	6.0
		4.0	4.5	6.2	7.3	8.1	1.7	
14		46	356	948	408	301	3	2062
FOURTEEN		2.2	17.3	46.0	19.8	14.6	.1	7.5
		4.4	4.8	7.5	9.2	14.7	5.1	
15		31	301	800	390	247	4	1773
FIFTEEN		1.7	17.0	45.1	22.0	13.9	.2	6.4
		3.0	4.1	6.3	8.8	12.1	6.8	
16		61	453	1035	461	262	3	2275
SIXTEEN OR MORE		2.7	19.9	45.5	20.3	11.5	.1	8.2
		5.9	6.2	8.1	10.4	12.8	5.1	
17			8	16	6	3	7	40
NOT STATED			20.0	40.0	15.0	7.5	17.5	.1
			.1	.1	.1	.1	11.9	
COLUMN TOTAL		1035	7341	12701	4441	2048	59	27625
		3.7	26.6	46.0	16.1	7.4	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 11

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
0		1		5	15	26	52	90	93	107	110	1078
NONE		.1		.5	1.4	2.4	4.8	8.3	8.6	9.9	10.2	1.2
		50.0		7.8	5.7	3.4	3.3	3.2	2.4	2.1	1.9	
1				1	3	13	16	36	43	49	55	441
ONE				.2	.7	2.9	3.6	8.2	9.8	11.1	12.5	.5
				1.6	1.1	1.7	1.0	1.3	1.1	1.0	1.0	
2				2	2	17	33	40	46	69	69	621
TWO				.3	.3	2.7	5.3	6.4	7.4	11.1	11.1	.7
				3.1	.8	2.2	2.1	1.4	1.2	1.4	1.2	
3				2	5	12	34	72	90	86	89	879
THREE				.2	.6	1.4	3.9	8.2	10.2	9.8	10.1	1.0
				3.1	1.9	1.5	2.1	2.6	2.3	1.7	1.5	
4				2	12	33	50	83	116	115	129	1237
FOUR				.2	1.0	2.7	4.0	6.7	9.4	9.3	10.4	1.4
				3.1	4.5	4.3	3.1	3.0	3.0	2.3	2.2	
5			1	2	16	39	83	120	143	160	148	1763
FIVE			.1	.1	.9	2.2	4.7	6.8	8.1	9.1	8.4	2.0
			33.3	3.1	6.1	5.0	5.2	4.3	3.7	3.2	2.6	
6		1		6	15	42	96	151	178	218	254	2435
SIX		.0		.2	.6	1.7	3.9	6.2	7.3	9.0	10.4	2.7
		50.0		9.4	5.7	5.4	6.0	5.4	4.6	4.4	4.4	
7			1	2	18	43	73	131	176	213	224	2584
SEVEN			.0	.1	.7	1.7	2.8	5.1	6.8	8.2	8.7	2.9
			33.3	3.1	6.8	5.5	4.6	4.7	4.6	4.3	3.9	
8				8	33	72	126	243	285	363	368	4472
EIGHT				.2	.7	1.6	2.8	5.4	6.4	8.1	8.2	5.0
				12.5	12.5	9.3	7.9	8.7	7.4	7.3	6.4	
COLUMN TOTAL		2	3	64	264	776	1589	2786	3834	5001	5786	89391
		.0	.0	.1	.3	.9	1.8	3.1	4.3	5.6	6.5	100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	21	22	23	24	25	26	27	28	29	30	ROW TOTAL
	AGE					25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	
0		92	82	61	57	170	76	29	11		1	1078
NONE		8.5	7.6	5.7	5.3	15.8	7.1	2.7	1.0		.1	1.2
		1.5	1.4	1.0	1.0	.6	.5	.8	2.5		33.3	
1		33	48	23	19	66	26	10				441
ONE		7.5	10.9	5.2	4.3	15.0	5.9	2.3				.5
		.5	.8	.4	.3	.2	.2	.3				
2		57	63	34	33	94	40	19	3			621
TWO		9.2	10.1	5.5	5.3	15.1	6.4	3.1	.5			.7
		.9	1.0	.6	.6	.4	.3	.5	.7			
3		81	66	48	45	163	51	30	5			879
THREE		9.2	7.5	5.5	5.1	18.5	5.8	3.4	.6			1.0
		1.3	1.1	.8	.8	.6	.4	.8	1.1			
4		103	95	87	67	212	102	25	6			1237
FOUR		8.3	7.7	7.0	5.4	17.1	8.2	2.0	.5			1.4
		1.7	1.6	1.4	1.1	.8	.7	.7	1.4			
5		157	150	116	93	332	146	52	5			1763
FIVE		8.9	8.5	6.6	5.3	18.8	8.3	2.9	.3			2.0
		2.5	2.5	1.9	1.6	1.3	1.0	1.4	1.1			
6		227	204	170	125	454	225	60	9			2435
SIX		9.3	8.4	7.0	5.1	18.6	9.2	2.5	.4			2.7
		3.7	3.4	2.8	2.1	1.7	1.6	1.6	2.0			
7		234	205	187	119	621	239	85	13			2584
SEVEN		9.1	7.9	7.2	4.6	24.0	9.2	3.3	.5			2.9
		3.8	3.4	3.1	2.0	2.3	1.7	2.2	2.9			
8		359	288	304	276	1035	554	135	22	1		4472
EIGHT		8.0	6.4	6.8	6.2	23.1	12.4	3.0	.5	.0		5.0
		5.8	4.7	5.0	4.7	3.9	3.9	3.5	5.0	6.3		
COLUMN TOTAL		6209	6071	6026	5847	26537	14292	3844	441	16	3	89391
		6.9	6.8	6.7	6.5	29.7	16.0	4.3	.5	.0	.0	100.0

(CONTINUED)

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
9 NINE				6	20	59	108	178	229	300	340	4288
				.1	.5	1.4	2.5	4.2	5.3	7.0	7.9	4.8
				9.4	7.6	7.6	6.8	6.4	6.0	6.0	5.9	
10 TEN				8	32	103	202	322	462	538	650	9032
				.1	.4	1.1	2.2	3.6	5.1	6.0	7.2	10.1
				12.5	12.1	13.3	12.7	11.6	12.1	10.8	11.2	
11 ELEVEN				4	23	66	102	209	284	408	431	6618
				.1	.3	1.0	1.5	3.2	4.3	6.2	6.5	7.4
				6.3	8.7	8.5	6.4	7.5	7.4	8.2	7.4	
12 TWELVE				5	31	117	257	436	668	892	1081	17591
				.0	.2	.7	1.5	2.5	3.8	5.1	6.1	19.7
				7.8	11.7	15.1	16.2	15.6	17.4	17.8	18.7	
13 THIRTEEN				4	4	40	88	159	227	310	380	6811
				.1	.1	.6	1.3	2.3	3.3	4.6	5.6	7.6
				6.3	1.5	5.2	5.5	5.7	5.9	6.2	6.6	
14 FOURTEEN				3	6	31	80	188	239	390	501	10206
				.0	.1	.3	.8	1.8	2.3	3.8	4.9	11.4
				4.7	2.3	4.0	5.0	6.7	6.2	7.8	8.7	
15 FIFTEEN				2	9	25	80	144	236	297	416	8557
				.0	.1	.3	.9	1.7	2.8	3.5	4.9	9.6
				3.1	3.4	3.2	5.0	5.2	6.2	5.9	7.2	
16 SIXTEEN OR MORE				2	19	37	107	176	311	472	534	10640
				.0	.2	.3	1.0	1.7	2.9	4.4	5.0	11.9
				3.1	7.2	4.8	6.7	6.3	8.1	9.4	9.2	
17 NOT STATED			1		1	1	2	8	8	14	7	138
			.7		.7	.7	1.4	5.8	5.8	10.1	5.1	.2
			33.3		.4	.1	.1	.3	.2	.3	.1	
COLUMN TOTAL		2	3	64	264	776	1589	2786	3834	5001	5786	89391
		.0	.0	.1	.3	.9	1.8	3.1	4.3	5.6	6.5	100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	AGE: COUNT / ROW PCT / COL PCT	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
9		340	306	284	282	1125	532	160	18	1		4288
NINE		7.9	7.1	6.6	6.6	26.2	12.4	3.7	.4	.0		4.8
		5.5	5.0	4.7	4.8	4.2	3.7	4.2	4.1	6.3		
10		660	624	659	619	2483	1288	340	40	2		9032
TEN		7.3	6.9	7.3	6.9	27.5	14.3	3.8	.4	.0		10.1
		10.6	10.3	10.9	10.6	9.4	9.0	8.8	9.1	12.5		
11		511	444	455	453	1930	1005	267	25	1		6618
ELEVEN		7.7	6.7	6.9	6.8	29.2	15.2	4.0	.4	.0		7.4
		8.2	7.3	7.6	7.7	7.3	7.0	6.9	5.7	6.3		
12		1179	1190	1195	1178	5473	3055	747	85	2		17591
TWELVE		6.7	6.8	6.8	6.7	31.1	17.4	4.2	.5	.0		19.7
		19.0	19.6	19.8	20.1	20.6	21.4	19.4	19.3	12.5		
13		465	464	477	476	2247	1146	296	26	1	1	6811
THIRTEEN		6.8	6.8	7.0	7.0	33.0	16.8	4.3	.4	.0	.0	7.6
		7.5	7.6	7.9	8.1	8.5	8.0	7.7	5.9	6.3	33.3	
14		564	612	663	696	3565	2091	522	52	3		10206
FOURTEEN		5.5	6.0	6.5	6.8	34.9	20.5	5.1	.5	.0		11.4
		9.1	10.1	11.0	11.9	13.4	14.6	13.6	11.8	18.8		
15		497	559	523	572	2979	1711	457	48	2		8557
FIFTEEN		5.8	6.5	6.1	6.7	34.8	20.0	5.3	.6	.0		9.6
		8.0	9.2	8.7	9.8	11.2	12.0	11.9	10.9	12.5		
16		638	657	724	730	3556	1995	606	73	3		10640
SIXTEEN OR MORE		6.0	6.2	6.8	6.9	33.4	18.8	5.7	.7	.0		11.9
		10.3	10.8	12.0	12.5	13.4	14.0	15.8	16.6	18.8		
17		12	14	16	7	32	10	4			1	138
NOT STATED		8.7	10.1	11.6	5.1	23.2	7.2	2.9			.7	.2
		.2	.2	.3	.1	.1	.1	.1			33.3	
COLUMN TOTAL		6209	6071	6026	5847	26537	14292	3844	441	16	3	89391
		6.9	6.8	6.7	6.5	29.7	16.0	4.3	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0 NONE			1	2	7	27	31	40	40	43	38	415
			.2	.5	1.7	6.5	7.5	9.6	9.6	10.4	9.2	.7
			8.3	2.5	2.3	3.5	2.0	1.8	1.3	1.2	.9	
1 ONE			1	2	3	3	12	18	15	20	9	150
			.7	1.3	2.0	2.0	8.0	12.0	10.0	13.3	6.0	.2
			8.3	2.5	1.0	.4	.8	.8	.5	.6	.2	
2 TWO					7	11	17	16	21	22	22	222
					3.2	5.0	7.7	7.2	9.5	9.9	9.9	.4
					2.3	1.4	1.1	.7	.7	.6	.5	
3 THREE					3	15	30	41	36	38	35	370
					.8	4.1	8.1	11.1	9.7	10.3	9.5	.6
					1.0	2.0	2.0	1.8	1.2	1.1	.9	
4 FOUR				2	11	14	40	42	42	42	33	481
				.4	2.3	2.9	8.3	8.7	8.7	8.7	6.9	.8
				2.5	3.6	1.8	2.6	1.9	1.4	1.2	.8	
5 FIVE			1	7	6	33	46	52	72	61	68	747
			.1	.9	.8	4.4	6.2	7.0	9.6	8.2	9.1	1.2
			8.3	8.8	2.0	4.3	3.0	2.3	2.4	1.7	1.7	
6 SIX			1	5	9	37	71	92	101	128	101	1160
			.1	.4	.8	3.2	6.1	7.9	8.7	11.0	8.7	1.9
			8.3	6.3	3.0	4.9	4.6	4.1	3.3	3.6	2.5	
7 SEVEN				5	13	31	59	82	118	105	123	1341
				.4	1.0	2.3	4.4	6.1	8.8	7.8	9.2	2.2
				6.3	4.3	4.1	3.9	3.7	3.9	3.0	3.1	
8 EIGHT			1	8	18	51	107	145	177	193	190	2436
			.0	.3	.7	2.1	4.4	6.0	7.3	7.9	7.8	3.9
			8.3	10.0	6.0	6.7	7.0	6.5	5.9	5.5	4.7	
COLUMN TOTAL		1	12	80	302	762	1530	2226	3024	3536	4001	61766
		.0	.0	.1	.5	1.2	2.5	3.6	4.9	5.7	6.5	100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 22	23	24	25	26	27	28	29	30	ROW TOTAL
					25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	
0		27	30	26	60	29	10	3		1	415
NONE		6.5	7.2	6.3	14.5	7.0	2.4	.7		.2	.7
		.7	.7	.6	.3	.3	.3	1.0		100.0	
1		18	8	8	22	8	3				150
ONE		12.0	5.3	5.3	14.7	5.3	2.0				.2
		.4	.2	.2	.1	.1	.1				
2		21	16	12	36	11	9	1			222
TWO		9.5	7.2	5.4	16.2	5.0	4.1	.5			.4
		.5	.4	.3	.2	.1	.3	.3			
3		29	19	17	61	26	17	3			370
THREE		7.8	5.1	4.6	16.5	7.0	4.6	.8			.6
		.7	.5	.4	.3	.2	.6	1.0			
4		41	41	31	83	42	15	2			481
FOUR		8.5	8.5	6.4	17.3	8.7	3.1	.4			.8
		1.0	1.0	.7	.4	.4	.5	.7			
5		72	49	37	147	62	29	5			747
FIVE		9.6	6.6	5.0	19.7	8.3	3.9	.7			1.2
		1.8	1.2	.9	.7	.6	1.0	1.7			
6		96	84	63	214	115	39	4			1160
SIX		8.3	7.2	5.4	18.4	9.9	3.4	.3			1.9
		2.4	2.0	1.5	1.1	1.0	1.4	1.4			
7		110	95	64	331	149	49	7			1341
SEVEN		8.2	7.1	4.8	24.7	11.1	3.7	.5			2.2
		2.7	2.3	1.5	1.7	1.4	1.7	2.4			
8		154	171	167	631	330	80	12	1		2436
EIGHT		6.3	7.0	6.9	25.9	13.5	3.3	.5	.0		3.9
		3.8	4.1	4.0	3.2	3.0	2.8	4.1	9.1		
(CONTINUED)	COLUMN TOTAL	4017	4183	4157	19785	10970	2878	290	11	1	61766
		6.5	6.8	6.7	32.0	17.8	4.7	.5	.0	.0	100.0

TABLE 11

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9			1	10	30	46	104	126	174	190	205	2644
NINE			.0	.4	1.1	1.7	3.9	4.8	6.6	7.2	7.8	4.3
			8.3	12.5	9.9	6.0	6.8	5.7	5.8	5.4	5.1	
10			2	6	37	95	180	259	334	402	403	5926
TEN			.0	.1	.6	1.6	3.0	4.4	5.6	6.8	6.8	9.6
			16.7	7.5	12.3	12.5	11.8	11.6	11.0	11.4	10.1	
11				7	26	45	106	162	246	247	326	4447
ELEVEN				.2	.6	1.0	2.4	3.6	5.5	5.6	7.3	7.2
				8.8	8.6	5.9	6.9	7.3	8.1	7.0	8.1	
12			1	10	56	139	270	422	582	694	806	12879
TWELVE			.0	.1	.4	1.1	2.1	3.3	4.5	5.4	6.3	20.9
			8.3	12.5	18.5	18.2	17.6	19.0	19.2	19.6	20.1	
13			1	2	17	49	101	156	207	267	341	5157
THIRTEEN			.0	.0	.3	1.0	2.0	3.0	4.0	5.2	6.6	8.3
			8.3	2.5	5.6	6.4	6.6	7.0	6.8	7.6	8.5	
14				2	20	42	131	174	277	369	440	8144
FOURTEEN				.0	.2	.5	1.6	2.1	3.4	4.5	5.4	13.2
				2.5	6.6	5.5	8.6	7.8	9.2	10.4	11.0	
15			1	4	12	51	104	167	210	307	375	6784
FIFTEEN			.0	.1	.2	.8	1.5	2.5	3.1	4.5	5.5	11.0
			8.3	5.0	4.0	6.7	6.8	7.5	6.9	8.7	9.4	
16			1	7	26	71	119	226	364	404	476	8365
SIXTEEN OR MORE			.0	.1	.3	.8	1.4	2.7	4.4	4.8	5.7	13.5
			8.3	8.8	8.6	9.3	7.8	10.2	12.0	11.4	11.9	
17	1			1	1	2	2	6	8	4	10	98
NOT STATED	1.0			1.0	1.0	2.0	2.0	6.1	8.2	4.1	10.2	.2
	100.0			1.3	.3	.3	.1	.3	.3	.1	.2	
COLUMN TOTAL	1	12	80	302	762	1530	2226	3024	3536	4001		61766
	.0	.0	.1	.5	1.2	2.5	3.6	4.9	5.7	6.5		100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 22	23	24	25	26	27	28	29	30	ROW TOTAL
		25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED				
9		181	186	170	727	370	114	10			2644
NINE		6.8	7.0	6.4	27.5	14.0	4.3	.4			4.3
		4.5	4.4	4.1	3.7	3.4	4.0	3.4			
10		399	443	415	1771	919	237	22	2		5926
TEN		6.7	7.5	7.0	29.9	15.5	4.0	.4	.0		9.6
		9.9	10.6	10.0	9.0	8.4	8.2	7.6	18.2		
11		291	301	302	1399	781	192	15	1		4447
ELEVEN		6.5	6.8	6.8	31.5	17.6	4.3	.3	.0		7.2
		7.2	7.2	7.3	7.1	7.1	6.7	5.2	9.1		
12		835	873	872	4229	2454	577	58	1		12879
TWELVE		6.5	6.8	6.8	32.8	19.1	4.5	.5	.0		20.9
		20.8	20.9	21.0	21.4	22.4	20.0	20.0	9.1		
13		327	369	368	1780	922	226	23	1		5157
THIRTEEN		6.3	7.2	7.1	34.5	17.9	4.4	.4	.0		8.3
		8.1	8.8	8.9	9.0	8.4	7.9	7.9	9.1		
14		472	530	559	2951	1720	418	37	2		8144
FOURTEEN		5.8	6.5	6.9	36.2	21.1	5.1	.5	.0		13.2
		11.8	12.7	13.4	14.9	15.7	14.5	12.8	18.2		
15		425	396	463	2451	1420	364	33	1		6784
FIFTEEN		6.3	5.8	6.8	36.1	20.9	5.4	.5	.0		11.0
		10.6	9.5	11.1	12.4	12.9	12.6	11.4	9.1		
16		506	562	577	2870	1603	496	55	2		8365
SIXTEEN OR MORE		6.0	6.7	6.9	34.3	19.2	5.9	.7	.0		13.5
		12.6	13.4	13.9	14.5	14.6	17.2	19.0	18.2		
17		13	10	6	22	9	3				98
NOT STATED		13.3	10.2	6.1	22.4	9.2	3.1				.2
		.3	.2	.1	.1	.1	.1				
COLUMN TOTAL		4017	4183	4157	19785	10970	2878	290	11	1	61766
		6.5	6.8	6.7	32.0	17.8	4.7	.5	.0	.0	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
0		1		4	13	19	25	59	53	67	67	663
NONE		.2		.6	2.0	2.9	3.8	8.9	8.0	10.1	10.1	2.4
		50.0		7.7	7.1	4.0	3.0	4.7	3.3	3.4	3.0	
1					1	10	13	24	25	34	35	291
ONE					.3	3.4	4.5	8.2	8.6	11.7	12.0	1.1
					.5	2.1	1.6	1.9	1.6	1.7	1.6	
2				2	2	10	22	23	30	48	47	399
TWO				.5	.5	2.5	5.5	5.8	7.5	12.0	11.8	1.4
				3.8	1.1	2.1	2.7	1.8	1.9	2.4	2.1	
3				2	5	9	19	42	49	50	51	509
THREE				.4	1.0	1.8	3.7	8.3	9.6	9.8	10.0	1.8
				3.8	2.7	1.9	2.3	3.3	3.0	2.5	2.3	
4				2	10	22	36	43	74	73	87	756
FOUR				.3	1.3	2.9	4.8	5.7	9.8	9.7	11.5	2.7
				3.8	5.4	4.6	4.4	3.4	4.6	3.7	3.9	
5			1	1	9	33	50	74	91	88	87	1016
FIVE			.1	.1	.9	3.2	4.9	7.3	9.0	8.7	8.6	3.7
			50.0	1.9	4.9	7.0	6.0	5.9	5.7	4.5	3.9	
6		1		5	10	33	59	80	86	117	126	1275
SIX		.1		.4	.8	2.6	4.6	6.3	6.7	9.2	9.9	4.6
		50.0		9.6	5.4	7.0	7.1	6.4	5.3	5.9	5.6	
7			1	2	13	30	42	72	94	95	119	1243
SEVEN			.1	.2	1.0	2.4	3.4	5.8	7.6	7.6	9.6	4.5
			50.0	3.8	7.1	6.3	5.1	5.7	5.8	4.8	5.3	
8				7	25	54	75	136	140	186	175	2036
EIGHT				.3	1.2	2.7	3.7	6.7	6.9	9.1	8.6	7.4
				13.5	13.6	11.4	9.1	10.8	8.7	9.4	7.8	
(CONTINUED)	COLUMN TOTAL	2	2	52	184	474	827	1256	1608	1977	2250	27625
		.0	.0	.2	.7	1.7	3.0	4.5	5.8	7.2	8.1	100.0

TABLE 11

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0		54	55	31	31	110	47	19	8			663
NONE		8.1	8.3	4.7	4.7	16.6	7.1	2.9	1.2			2.4
		2.4	2.7	1.7	1.8	1.6	1.4	2.0	5.3			
1		24	30	15	11	44	18	7				291
ONE		8.2	10.3	5.2	3.8	15.1	6.2	2.4				1.1
		1.1	1.5	.8	.7	.7	.5	.7				
2		35	42	18	21	58	29	10	2			399
TWO		8.8	10.5	4.5	5.3	14.5	7.3	2.5	.5			1.4
		1.6	2.0	1.0	1.2	.9	.9	1.0	1.3			
3		46	37	29	28	102	25	13	2			509
THREE		9.0	7.3	5.7	5.5	20.0	4.9	2.6	.4			1.8
		2.1	1.8	1.6	1.7	1.5	.8	1.3	1.3			
4		70	54	46	36	129	60	10	4			756
FOUR		9.3	7.1	6.1	4.8	17.1	7.9	1.3	.5			2.7
		3.2	2.6	2.5	2.1	1.9	1.8	1.0	2.6			
5		89	78	67	56	185	84	23				1016
FIVE		8.8	7.7	6.6	5.5	18.2	8.3	2.3				3.7
		4.0	3.8	3.6	3.3	2.7	2.5	2.4				
6		126	108	86	62	240	110	21	5			1275
SIX		9.9	8.5	6.7	4.9	18.8	8.6	1.6	.4			4.6
		5.7	5.3	4.7	3.7	3.6	3.3	2.2	3.3			
7		111	95	92	55	290	90	36	6			1243
SEVEN		8.9	7.6	7.4	4.4	23.3	7.2	2.9	.5			4.5
		5.0	4.6	5.0	3.3	4.3	2.7	3.7	4.0			
8		169	134	133	109	404	224	55	10			2036
EIGHT		8.3	6.6	6.5	5.4	19.8	11.0	2.7	.5			7.4
		7.7	6.5	7.2	6.4	6.0	6.7	5.7	6.6			
COLUMN TOTAL		2208	2054	1843	1690	6752	3322	966	151	5	2	27625
		8.0	7.4	6.7	6.1	24.4	12.0	3.5	.5	.0	.0	100.0

(CONTINUED)

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT / AGE	11	12	13	14	15	16	17	18	19	20	ROW TOTAL
9 NINE			5	10	29	62	74	103	126	150	1644
			.3	.6	1.8	3.8	4.5	6.3	7.7	9.1	6.0
			9.6	5.4	6.1	7.5	5.9	6.4	6.4	6.7	
10 TEN			6	26	66	107	142	203	204	248	3106
			.2	.8	2.1	3.4	4.6	6.5	6.6	8.0	11.2
			11.5	14.1	13.9	12.9	11.3	12.6	10.3	11.0	
11 ELEVEN			4	16	40	57	103	122	162	184	2171
			.2	.7	1.8	2.6	4.7	5.6	7.5	8.5	7.9
			7.7	8.7	8.4	6.9	8.2	7.6	8.2	8.2	
12 TWELVE			4	21	61	118	166	246	310	387	4712
			.1	.4	1.3	2.5	3.5	5.2	6.6	8.2	17.1
			7.7	11.4	12.9	14.3	13.2	15.3	15.7	17.2	
13 THIRTEEN			3	2	23	39	58	71	103	113	1654
			.2	.1	1.4	2.4	3.5	4.3	6.2	6.8	6.0
			5.8	1.1	4.9	4.7	4.6	4.4	5.2	5.0	
14 FOURTEEN			3	4	11	38	57	65	113	132	2062
			.1	.2	.5	1.8	2.8	3.2	5.5	6.4	7.5
			5.8	2.2	2.3	4.6	4.5	4.0	5.7	5.9	
15 FIFTEEN			1	5	13	29	40	69	87	109	1773
			.1	.3	.7	1.6	2.3	3.9	4.9	6.1	6.4
			1.9	2.7	2.7	3.5	3.2	4.3	4.4	4.8	
16 SIXTEEN OR MORE			1	12	11	36	57	85	108	130	2275
			.0	.5	.5	1.6	2.5	3.7	4.7	5.7	8.2
			1.9	6.5	2.3	4.4	4.5	5.3	5.5	5.8	
17 NOT STATED							6	2	6	3	40
							15.0	5.0	15.0	7.5	.1
							.5	.1	.3	.1	
COLUMN TOTAL	2	2	52	184	474	827	1256	1608	1977	2250	27625
	.0	.0	.2	.7	1.7	3.0	4.5	5.8	7.2	8.1	100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	AGE / COUNT / ROW PCT / COL PCT	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
9		135	125	98	112	398	162	46	8	1		1644
NINE		8.2	7.6	6.0	6.8	24.2	9.9	2.8	.5	.1		6.0
		6.1	6.1	5.3	6.6	5.9	4.9	4.8	5.3	20.0		
10		257	225	216	204	712	369	103	18			3106
TEN		8.3	7.2	7.0	6.6	22.9	11.9	3.3	.6			11.2
		11.6	11.0	11.7	12.1	10.5	11.1	10.7	11.9			
11		185	153	154	151	531	224	75	10			2171
ELEVEN		8.5	7.0	7.1	7.0	24.5	10.3	3.5	.5			7.9
		8.4	7.4	8.4	8.9	7.9	6.7	7.8	6.6			
12		373	355	322	306	1244	601	170	27	1		4712
TWELVE		7.9	7.5	6.8	6.5	26.4	12.8	3.6	.6	.0		17.1
		16.9	17.3	17.5	18.1	18.4	18.1	17.6	17.9	20.0		
13		124	137	108	108	467	224	70	3		1	1654
THIRTEEN		7.5	8.3	6.5	6.5	28.2	13.5	4.2	.2		.1	6.0
		5.6	6.7	5.9	6.4	6.9	6.7	7.2	2.0		50.0	
14		124	140	133	137	614	371	104	15	1		2062
FOURTEEN		6.0	6.8	6.5	6.6	29.8	18.0	5.0	.7	.0		7.5
		5.6	6.8	7.2	8.1	9.1	11.2	10.8	9.9	20.0		
15		122	134	127	109	528	291	93	15	1		1773
FIFTEEN		6.9	7.6	7.2	6.1	29.8	16.4	5.2	.8	.1		6.4
		5.5	6.5	6.9	6.4	7.8	8.8	9.6	9.9	20.0		
16		162	151	162	153	686	392	110	18	1		2275
SIXTEEN OR MORE		7.1	6.6	7.1	6.7	30.2	17.2	4.8	.8	.0		8.2
		7.3	7.4	8.8	9.1	10.2	11.8	11.4	11.9	20.0		
17		2	1	6	1	10	1	1			1	40
NOT STATED		5.0	2.5	15.0	2.5	25.0	2.5	2.5			2.5	.1
		.1	.0	.3	.1	.1	.0	.1			50.0	
COLUMN TOTAL		2208	2054	1843	1690	6752	3322	966	151	5	2	27625
		8.0	7.4	6.7	6.1	24.4	12.0	3.5	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	ROW TOTAL
0 NONE		331	747		1078
		30.7	69.3		1.2
		.5	3.8		
1 ONE		180	261		441
		40.8	59.2		.5
		.3	1.3		
2 TWO		250	371		621
		40.3	59.7		.7
		.4	1.9		
3 THREE		404	475		879
		46.0	54.0		1.0
		.6	2.4		
4 FOUR		601	636		1237
		48.6	51.4		1.4
		.9	3.2		
5 FIVE		909	854		1763
		51.6	48.4		2.0
		1.3	4.3		
6 SIX		1365	1070		2435
		56.1	43.9		2.7
		2.0	5.4		
7 SEVEN		1631	953		2584
		63.1	36.9		2.9
		2.3	4.8		
8 EIGHT		2850	1622		4472
		63.7	36.3		5.0
		4.1	8.2		
COLUMN TOTAL		69625	19765	1	89391
		77.9	22.1	.0	100.0

(CONTINUED)

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
9		3111	1177		4288
NINE		72.6	27.4		4.8
		4.5	6.0		
10		6788	2244		9032
TEN		75.2	24.8		10.1
		9.7	11.4		
11		5098	1520		6618
ELEVEN		77.0	23.0		7.4
		7.3	7.7		
12		14491	3100		17591
TWELVE		82.4	17.6		19.7
		20.8	15.7		
13		5755	1056		6811
THIRTEEN		84.5	15.5		7.6
		8.3	5.3		
14		9000	1206		10206
FOURTEEN		88.2	11.8		11.4
		12.9	6.1		
15		7524	1033		8557
FIFTEEN		87.9	12.1		9.6
		10.8	5.2		
16		9244	1396		10640
SIXTEEN OR MORE		86.9	13.1		11.9
		13.3	7.1		
17		93	44	1	138
NOT STATED		67.4	31.9	.7	.2
		.1	.2	100.0	
COLUMN TOTAL		69625	19765	1	89391
		77.9	22.1	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	STATUS 2 NOT MARRIED	ROW TOTAL
0 NONE		199	216	415
		48.0	52.0	.7
		.4	4.0	
1 ONE		96	54	150
		64.0	36.0	.2
		.2	1.0	
2 TWO		142	80	222
		64.0	36.0	.4
		.3	1.5	
3 THREE		239	131	370
		64.6	35.4	.6
		.4	2.4	
4 FOUR		345	136	481
		71.7	28.3	.8
		.6	2.5	
5 FIVE		568	179	747
		76.0	24.0	1.2
		1.0	3.3	
6 SIX		906	254	1160
		78.1	21.9	1.9
		1.6	4.7	
7 SEVEN		1104	237	1341
		82.3	17.7	2.2
		2.0	4.4	
8 EIGHT		2059	377	2436
		84.5	15.5	3.9
		3.7	6.9	
COLUMN TOTAL		56321	5445	61766
		91.2	8.8	100.0

(CONTINUED)

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	STATUS 1 MARRIED	STATUS 2 NOT MARRIED	ROW TOTAL
9 NINE	2346 88.7 4.2	298 11.3 5.5	2644 4.3
10 TEN	5294 89.3 9.4	632 10.7 11.6	5926 9.6
11 ELEVEN	4073 91.6 7.2	374 8.4 6.9	4447 7.2
12 TWELVE	11965 92.9 21.2	914 7.1 16.8	12879 20.9
13 THIRTEEN	4847 94.0 8.6	310 6.0 5.7	5157 8.3
14 FOURTEEN	7740 95.0 13.7	404 5.0 7.4	8144 13.2
15 FIFTEEN	6431 94.8 11.4	353 5.2 6.5	6784 11.0
16 SIXTEEN OR MORE	7888 94.3 14.0	477 5.7 8.8	8365 13.5
17 NOT STATED	79 80.6 .1	19 19.4 .3	98 .2
COLUMN TOTAL	56321 91.2	5445 8.8	61766 100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
0 NONE		132	531		663
		19.9	80.1		2.4
		1.0	3.7		
1 ONE		84	207		291
		28.9	71.1		1.1
		.6	1.4		
2 TWO		108	291		399
		27.1	72.9		1.4
		.8	2.0		
3 THREE		165	344		509
		32.4	67.6		1.8
		1.2	2.4		
4 FOUR		256	500		756
		33.9	66.1		2.7
		1.9	3.5		
5 FIVE		341	675		1016
		33.6	66.4		3.7
		2.6	4.7		
6 SIX		459	816		1275
		36.0	64.0		4.6
		3.5	5.7		
7 SEVEN		527	716		1243
		42.4	57.6		4.5
		4.0	5.0		
8 EIGHT		791	1245		2036
		38.9	61.1		7.4
		5.9	8.7		
COLUMN TOTAL		13304	14320	1	27625
		48.2	51.8	.0	100.0

(CONTINUED)

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
9		765	879		1644
NINE		46.5	53.5		6.0
		5.8	6.1		
10		1494	1612		3106
TEN		48.1	51.9		11.2
		11.2	11.3		
11		1025	1146		2171
ELEVEN		47.2	52.8		7.9
		7.7	8.0		
12		2526	2186		4712
TWELVE		53.6	46.4		17.1
		19.0	15.3		
13		908	746		1654
THIRTEEN		54.9	45.1		6.0
		6.8	5.2		
14		1260	802		2062
FOURTEEN		61.1	38.9		7.5
		9.5	5.6		
15		1093	680		1773
FIFTEEN		61.6	38.4		6.4
		8.2	4.7		
16		1356	919		2275
SIXTEEN OR MORE		59.6	40.4		8.2
		10.2	6.4		
17		14	25	1	40
NOT STATED		35.0	62.5	2.5	.1
		.1	.2	100.0	
COLUMN TOTAL		13304	14320	1	27625
		48.2	51.8	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 13

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER
CONTROLLING FOR..
RACE.
VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
0 NONE		348	293	204	103	56	32	25	6	11		1078
		32.3	27.2	18.9	9.6	5.2	3.0	2.3	.6	1.0		1.2
		1.0	1.0	1.4	1.8	2.4	3.1	6.0	3.5	6.1		
1 ONE		148	126	74	31	30	11	4	8	7	2	441
		33.6	28.6	16.8	7.0	6.8	2.5	.9	1.8	1.6	.5	.5
		.4	.4	.5	.5	1.3	1.1	1.0	4.7	3.9	8.3	
2 TWO		174	191	116	80	28	19	6	3	4		621
		28.0	30.8	18.7	12.9	4.5	3.1	1.0	.5	.6		.7
		.5	.7	.8	1.4	1.2	1.8	1.4	1.8	2.2		
3 THREE		289	272	143	81	53	15	11	8	7		879
		32.9	30.9	16.3	9.2	6.0	1.7	1.3	.9	.8		1.0
		.8	1.0	1.0	1.4	2.2	1.4	2.6	4.7	3.9		
4 FOUR		436	357	226	110	54	28	13	6	7		1237
		35.2	28.9	18.3	8.9	4.4	2.3	1.1	.5	.6		1.4
		1.2	1.3	1.6	1.9	2.3	2.7	3.1	3.5	3.9		
5 FIVE		622	519	326	147	80	37	14	9	9		1763
		35.3	29.4	18.5	8.3	4.5	2.1	.8	.5	.5		2.0
		1.7	1.8	2.3	2.5	3.4	3.6	3.3	5.3	5.0		
6 SIX		933	726	420	196	90	33	22	6	9		2435
		38.3	29.8	17.2	8.0	3.7	1.4	.9	.2	.4		2.7
		2.5	2.5	2.9	3.4	3.8	3.2	5.3	3.5	5.0		
7 SEVEN		1015	814	421	178	84	40	20	5	7		2584
		39.3	31.5	16.3	6.9	3.3	1.5	.8	.2	.3		2.9
		2.8	2.9	3.0	3.1	3.5	3.9	4.8	2.9	3.9		
8 EIGHT		1816	1295	768	348	139	65	27	5	9		4472
		40.6	29.0	17.2	7.8	3.1	1.5	.6	.1	.2		5.0
		5.0	4.5	5.4	6.0	5.9	6.3	6.4	2.9	5.0		
COLUMN TOTAL		36630	28506	14268	5779	2376	1038	419	170	181	24	89391
		41.0	31.9	16.0	6.5	2.7	1.2	.5	.2	.2	.0	100.0

(CONTINUED)

TABLE 13

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER
CONTROLLING FOR.. RACE.
VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
9 NINE		1760	1331	696	282	116	52	28	12	11		4288
		41.0	31.0	16.2	6.6	2.7	1.2	.7	.3	.3		4.8
		4.8	4.7	4.9	4.9	4.9	5.0	6.7	7.1	6.1		
10 TEN		3644	2897	1482	588	236	106	40	16	22	1	9032
		40.3	32.1	16.4	6.5	2.6	1.2	.4	.2	.2	.0	10.1
		9.9	10.2	10.4	10.2	9.9	10.2	9.5	9.4	12.2	4.2	
11 ELEVEN		2809	2078	1051	405	142	87	25	10	8	3	6618
		42.4	31.4	15.9	6.1	2.1	1.3	.4	.2	.1	.0	7.4
		7.7	7.3	7.4	7.0	6.0	8.4	6.0	5.9	4.4	12.5	
12 TWELVE		7198	5836	2814	1047	424	171	59	18	21	3	17591
		40.9	33.2	16.0	6.0	2.4	1.0	.3	.1	.1	.0	19.7
		19.7	20.5	19.7	18.1	17.8	16.5	14.1	10.6	11.6	12.5	
13 THIRTEEN		2975	2251	993	357	141	56	23	9	6		6811
		43.7	33.0	14.6	5.2	2.1	.8	.3	.1	.1		7.6
		8.1	7.9	7.0	6.2	5.9	5.4	5.5	5.3	3.3		
14 FOURTEEN		4256	3452	1593	574	204	80	23	15	8	1	10206
		41.7	33.8	15.6	5.6	2.0	.8	.2	.1	.1	.0	11.4
		11.6	12.1	11.2	9.9	8.6	7.7	5.5	8.8	4.4	4.2	
15 FIFTEEN		3781	2769	1246	469	178	69	21	10	13	1	8557
		44.2	32.4	14.6	5.5	2.1	.8	.2	.1	.2	.0	9.6
		10.3	9.7	8.7	8.1	7.5	6.6	5.0	5.9	7.2	4.2	
16 SIXTEEN OR MORE		4368	3265	1682	771	314	136	58	24	22		10640
		41.1	30.7	15.8	7.2	3.0	1.3	.5	.2	.2		11.9
		11.9	11.5	11.8	13.3	13.2	13.1	13.8	14.1	12.2		
17 NOT STATED		58	34	13	12	7	1				13	138
		42.0	24.6	9.4	8.7	5.1	.7				9.4	.2
		.2	.1	.1	.2	.3	.1				54.2	
COLUMN TOTAL		36630	28506	14268	5779	2376	1038	419	170	181	24	89391
		41.0	31.9	16.0	6.5	2.7	1.2	.5	.2	.2	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
0 NONE		173	106	70	28	15	13	3	4	3		415
		41.7	25.5	16.9	6.7	3.6	3.1	.7	1.0	.7		.7
		.7	.5	.7	.8	1.2	2.5	1.6	5.9	4.1		
1 ONE		60	39	26	9	9	1	1	1	3	1	150
		40.0	26.0	17.3	6.0	6.0	.7	.7	.7	2.0	.7	.2
		.2	.2	.3	.3	.7	.2	.5	1.5	4.1	5.6	
2 TWO		68	73	41	26	8	5		1			222
		30.6	32.9	18.5	11.7	3.6	2.3		.5			.4
		.3	.4	.4	.8	.6	1.0		1.5			
3 THREE		148	121	48	21	20	4	3	2	3		370
		40.0	32.7	13.0	5.7	5.4	1.1	.8	.5	.8		.6
		.6	.6	.5	.6	1.6	.8	1.6	2.9	4.1		
4 FOUR		192	137	80	36	20	8	5	1	2		481
		39.9	28.5	16.6	7.5	4.2	1.7	1.0	.2	.4		.8
		.7	.7	.8	1.0	1.6	1.5	2.7	1.5	2.7		
5 FIVE		287	232	127	47	29	14	4	3	4		747
		38.4	31.1	17.0	6.3	3.9	1.9	.5	.4	.5		1.2
		1.1	1.1	1.3	1.4	2.3	2.7	2.2	4.4	5.4		
6 SIX		457	376	181	89	34	9	8	2	4		1160
		39.4	32.4	15.6	7.7	2.9	.8	.7	.2	.3		1.9
		1.7	1.8	1.9	2.6	2.7	1.7	4.3	2.9	5.4		
7 SEVEN		546	428	227	80	31	16	7	2	4		1341
		40.7	31.9	16.9	6.0	2.3	1.2	.5	.1	.3		2.2
		2.1	2.1	2.4	2.3	2.4	3.1	3.8	2.9	5.4		
8 EIGHT		1016	752	421	160	50	27	4	3	3		2436
		41.7	30.9	17.3	6.6	2.1	1.1	.2	.1	.1		3.9
		3.9	3.7	4.4	4.6	3.9	5.2	2.2	4.4	4.1		
(CONTINUED)	COLUMN TOTAL	26271	20407	9502	3454	1269	519	184	68	74	18	61766
		42.5	33.0	15.4	5.6	2.1	.8	.3	.1	.1	.0	100.0

TABLE 13

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER
CONTROLLING FOR.. RACE
VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
9 NINE		1111	854	432	150	54	23	15	3	2		2644
		42.0	32.3	16.3	5.7	2.0	.9	.6	.1	.1		4.3
		4.2	4.2	4.5	4.3	4.3	4.4	8.2	4.4	2.7		
10 TEN		2432	2011	960	320	120	48	17	6	11	1	5926
		41.0	33.9	16.2	5.4	2.0	.8	.3	.1	.2	.0	9.6
		9.3	9.9	10.1	9.3	9.5	9.2	9.2	8.8	14.9	5.6	
11 ELEVEN		1908	1451	708	234	74	47	15	4	4	2	4447
		42.9	32.6	15.9	5.3	1.7	1.1	.3	.1	.1	.0	7.2
		7.3	7.1	7.5	6.8	5.8	9.1	8.2	5.9	5.4	11.1	
12 TWELVE		5407	4387	1985	700	250	99	31	9	8	3	12879
		42.0	34.1	15.4	5.4	1.9	.8	.2	.1	.1	.0	20.9
		20.6	21.5	20.9	20.3	19.7	19.1	16.8	13.2	10.8	16.7	
13 THIRTEEN		2275	1752	729	256	85	41	12	4	3		5157
		44.1	34.0	14.1	5.0	1.6	.8	.2	.1	.1		8.3
		8.7	8.6	7.7	7.4	6.7	7.9	6.5	5.9	4.1		
14 FOURTEEN		3474	2813	1254	400	138	46	11	4	4		8144
		42.7	34.5	15.4	4.9	1.7	.6	.1	.0	.0		13.2
		13.2	13.8	13.2	11.6	10.9	8.9	6.0	5.9	5.4		
15 FIFTEEN		3082	2234	950	334	121	41	10	6	5	1	6784
		45.4	32.9	14.0	4.9	1.8	.6	.1	.1	.1	.0	11.0
		11.7	10.9	10.0	9.7	9.5	7.9	5.4	8.8	6.8	5.6	
16 SIXTEEN OR MORE		3595	2617	1252	554	208	77	38	13	11		8365
		43.0	31.3	15.0	6.6	2.5	.9	.5	.2	.1		13.5
		13.7	12.8	13.2	16.0	16.4	14.8	20.7	19.1	14.9		
17 NOT STATED		40	24	11	10	3					10	98
		40.8	24.5	11.2	10.2	3.1					10.2	.2
		.2	.1	.1	.3	.2					55.6	
COLUMN TOTAL		26271	20407	9502	3454	1269	519	184	68	74	18	61766
		42.5	33.0	15.4	5.6	2.1	.8	.3	.1	.1	.0	100.0

TABLE 13

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
0 NONE		175	187	134	75	41	19	22	2	8		663
		26.4	28.2	20.2	11.3	6.2	2.9	3.3	.3	1.2		2.4
		1.7	2.3	2.8	3.2	3.7	3.7	9.4	2.0	7.5		
1 ONE		88	87	48	22	21	10	3	7	4	1	291
		30.2	29.9	16.5	7.6	7.2	3.4	1.0	2.4	1.4	.3	1.1
		.8	1.1	1.0	.9	1.9	1.9	1.3	6.9	3.7	16.7	
2 TWO		106	118	75	54	20	14	6	2	4		399
		26.6	29.6	18.8	13.5	5.0	3.5	1.5	.5	1.0		1.4
		1.0	1.5	1.6	2.3	1.8	2.7	2.6	2.0	3.7		
3 THREE		141	151	95	60	33	11	8	6	4		509
		27.7	29.7	18.7	11.8	6.5	2.2	1.6	1.2	.8		1.8
		1.4	1.9	2.0	2.6	3.0	2.1	3.4	5.9	3.7		
4 FOUR		244	220	146	74	34	20	8	5	5		756
		32.3	29.1	19.3	9.8	4.5	2.6	1.1	.7	.7		2.7
		2.4	2.7	3.1	3.2	3.1	3.9	3.4	4.9	4.7		
5 FIVE		335	287	199	100	51	23	10	6	5		1016
		33.0	28.2	19.6	9.8	5.0	2.3	1.0	.6	.5		3.7
		3.2	3.5	4.2	4.3	4.6	4.4	4.3	5.9	4.7		
6 SIX		476	350	239	107	56	24	14	4	5		1275
		37.3	27.5	18.7	8.4	4.4	1.9	1.1	.3	.4		4.6
		4.6	4.3	5.0	4.6	5.1	4.6	6.0	3.9	4.7		
7 SEVEN		469	386	194	98	53	24	13	3	3		1243
		37.7	31.1	15.6	7.9	4.3	1.9	1.0	.2	.2		4.5
		4.5	4.8	4.1	4.2	4.8	4.6	5.5	2.9	2.8		
8 EIGHT		800	543	347	188	89	38	23	2	6		2036
		39.3	26.7	17.0	9.2	4.4	1.9	1.1	.1	.3		7.4
		7.7	6.7	7.3	8.1	8.0	7.3	9.8	2.0	5.6		
COLUMN TOTAL		10359	8099	4766	2325	1107	519	235	102	107	6	27625
		37.5	29.3	17.3	8.4	4.0	1.9	.9	.4	.4	.0	100.0

(CONTINUED)

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
9 NINE		649	477	264	132	62	29	13	9	9		1644
		39.5	29.0	16.1	8.0	3.8	1.8	.8	.5	.5		6.0
		6.3	5.9	5.5	5.7	5.6	5.6	5.5	8.8	8.4		
10 TEN		1212	886	522	268	116	58	23	10	11		3106
		39.0	28.5	16.8	8.6	3.7	1.9	.7	.3	.4		11.2
		11.7	10.9	11.0	11.5	10.5	11.2	9.8	9.8	10.3		
11 ELEVEN		901	627	343	171	68	40	10	6	4	1	2171
		41.5	28.9	15.8	7.9	3.1	1.8	.5	.3	.2	.0	7.9
		8.7	7.7	7.2	7.4	6.1	7.7	4.3	5.9	3.7	16.7	
12 TWELVE		1791	1449	829	347	174	72	28	9	13		4712
		38.0	30.8	17.6	7.4	3.7	1.5	.6	.2	.3		17.1
		17.3	17.9	17.4	14.9	15.7	13.9	11.9	8.8	12.1		
13 THIRTEEN		700	499	264	101	56	15	11	5	3		1654
		42.3	30.2	16.0	6.1	3.4	.9	.7	.3	.2		6.0
		6.8	6.2	5.5	4.3	5.1	2.9	4.7	4.9	2.8		
14 FOURTEEN		782	639	339	174	66	34	12	11	4	1	2062
		37.9	31.0	16.4	8.4	3.2	1.6	.6	.5	.2	.0	7.5
		7.5	7.9	7.1	7.5	6.0	6.6	5.1	10.8	3.7	16.7	
15 FIFTEEN		699	535	296	135	57	28	11	4	8		1773
		39.4	30.2	16.7	7.6	3.2	1.6	.6	.2	.5		6.4
		6.7	6.6	6.2	5.8	5.1	5.4	4.7	3.9	7.5		
16 SIXTEEN OR MORE		773	648	430	217	106	59	20	11	11		2275
		34.0	28.5	18.9	9.5	4.7	2.6	.9	.5	.5		8.2
		7.5	8.0	9.0	9.3	9.6	11.4	8.5	10.8	10.3		
17 NOT STATED		18	10	2	2	4	1				3	40
		45.0	25.0	5.0	5.0	10.0	2.5				7.5	.1
		.2	.1	.0	.1	.4	.2				50.0	
COLUMN TOTAL		10359	8099	4766	2325	1107	519	235	102	107	6	27625
		37.5	29.3	17.3	8.4	4.0	1.9	.9	.4	.4	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
0		22	56	42	63	141	256	322	142	34		1078
NONE		2.0	5.2	3.9	5.8	13.1	23.7	29.9	13.2	3.2		1.2
		13.7	9.9	6.6	4.7	3.2	1.7	1.0	.6	.4		
1		5	34	16	17	39	111	132	69	18		441
ONE		1.1	7.7	3.6	3.9	8.8	25.2	29.9	15.6	4.1		.5
		3.1	6.0	2.5	1.3	.9	.7	.4	.3	.2		
2		10	31	21	36	53	156	197	89	28		621
TWO		1.6	5.0	3.4	5.8	8.5	25.1	31.7	14.3	4.5		.7
		6.2	5.5	3.3	2.7	1.2	1.1	.6	.4	.3		
3		22	31	27	47	87	176	299	149	40	1	879
THREE		2.5	3.5	3.1	5.3	9.9	20.0	34.0	17.0	4.6	.1	1.0
		13.7	5.5	4.3	3.5	2.0	1.2	.9	.6	.4	2.6	
4		21	57	32	83	106	278	404	198	55	3	1237
FOUR		1.7	4.6	2.6	6.7	8.6	22.5	32.7	16.0	4.4	.2	1.4
		13.0	10.0	5.1	6.2	2.4	1.9	1.2	.8	.6	7.9	
5		18	62	56	89	163	386	579	320	90		1763
FIVE		1.0	3.5	3.2	5.0	9.2	21.9	32.8	18.2	5.1		2.0
		11.2	10.9	8.9	6.6	3.8	2.6	1.8	1.3	1.0		
6		22	69	67	88	219	536	864	457	111	2	2435
SIX		.9	2.8	2.8	3.6	9.0	22.0	35.5	18.8	4.6	.1	2.7
		13.7	12.1	10.6	6.5	5.0	3.6	2.6	1.8	1.2	5.3	
7		5	44	45	93	216	566	908	573	133	1	2584
SEVEN		.2	1.7	1.7	3.6	8.4	21.9	35.1	22.2	5.1	.0	2.9
		3.1	7.7	7.1	6.9	5.0	3.8	2.8	2.3	1.4	2.6	
8		11	38	64	136	376	967	1613	987	279	1	4472
EIGHT		.2	.8	1.4	3.0	8.4	21.6	36.1	22.1	6.2	.0	5.0
		6.8	6.7	10.1	10.1	8.7	6.5	4.9	3.9	3.0	2.6	
COLUMN TOTAL		161	568	632	1348	4339	14803	32771	25427	9304	38	89391
		.2	.6	.7	1.5	4.9	16.6	36.7	28.4	10.4	.0	100.0

(CONTINUED)

TABLE 14

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
9 NINE	COUNT	3	13	28	77	287	856	1610	1105	307	2	4288
	ROW PCT	.1	.3	.7	1.8	6.7	20.0	37.5	25.8	7.2	.0	4.8
	COL PCT	1.9	2.3	4.4	5.7	6.6	5.8	4.9	4.3	3.3	5.3	
10 TEN	COUNT	9	33	51	131	487	1708	3494	2380	737	2	9032
	ROW PCT	.1	.4	.6	1.5	5.4	18.9	38.7	26.4	8.2	.0	10.1
	COL PCT	5.6	5.8	8.1	9.7	11.2	11.5	10.7	9.4	7.9	5.3	
11 ELEVEN	COUNT	3	9	20	50	270	1208	2592	1840	623	3	6618
	ROW PCT	.0	.1	.3	.8	4.1	18.3	39.2	27.8	9.4	.0	7.4
	COL PCT	1.9	1.6	3.2	3.7	6.2	8.2	7.9	7.2	6.7	7.9	
12 TWELVE	COUNT	4	30	57	136	657	2694	6748	5358	1905	2	17591
	ROW PCT	.0	.2	.3	.8	3.7	15.3	38.4	30.5	10.8	.0	19.7
	COL PCT	2.5	5.3	9.0	10.1	15.1	18.2	20.6	21.1	20.5	5.3	
13 THIRTEEN	COUNT		12	19	42	220	976	2539	2211	792		6811
	ROW PCT		.2	.3	.6	3.2	14.3	37.3	32.5	11.6		7.6
	COL PCT		2.1	3.0	3.1	5.1	6.6	7.7	8.7	8.5		
14 FOURTEEN	COUNT	1	11	19	58	271	1243	3781	3367	1453	2	10206
	ROW PCT	.0	.1	.2	.6	2.7	12.2	37.0	33.0	14.2	.0	11.4
	COL PCT	.6	1.9	3.0	4.3	6.2	8.4	11.5	13.2	15.6	5.3	
15 FIFTEEN	COUNT	3	8	15	65	277	1107	3018	2868	1194	2	8557
	ROW PCT	.0	.1	.2	.8	3.2	12.9	35.3	33.5	14.0	.0	9.6
	COL PCT	1.9	1.4	2.4	4.8	6.4	7.5	9.2	11.3	12.8	5.3	
16 SIXTEEN OR MORE	COUNT	1	26	52	133	456	1554	3627	3295	1492	4	10640
	ROW PCT	.0	.2	.5	1.3	4.3	14.6	34.1	31.0	14.0	.0	11.9
	COL PCT	.6	4.6	8.2	9.9	10.5	10.5	11.1	13.0	16.0	10.5	
17 NOT STATED	COUNT	1	4	1	4	14	25	44	19	13	13	138
	ROW PCT	.7	2.9	.7	2.9	10.1	18.1	31.9	13.8	9.4	9.4	.2
	COL PCT	.6	.7	.2	.3	.3	.2	.1	.1	.1	34.2	
COLUMN TOTAL		161	568	632	1348	4339	14803	32771	25427	9304	38	89391
		.2	.6	.7	1.5	4.9	16.6	36.7	28.4	10.4	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
0		6	19	9	23	43	88	132	75	20		415
NONE		1.4	4.6	2.2	5.5	10.4	21.2	31.8	18.1	4.8		.7
		8.6	7.4	2.8	3.2	1.9	1.0	.6	.4	.3		
1		2	9	7	6	8	36	41	31	10		150
ONE		1.3	6.0	4.7	4.0	5.3	24.0	27.3	20.7	6.7		.2
		2.9	3.5	2.2	.8	.3	.4	.2	.2	.1		
2			5	10	15	16	48	73	44	11		222
TWO			2.3	4.5	6.8	7.2	21.6	32.9	19.8	5.0		.4
			1.9	3.1	2.1	.7	.6	.3	.2	.1		
3		14	8	12	19	27	62	126	77	25		370
THREE		3.8	2.2	3.2	5.1	7.3	16.8	34.1	20.8	6.8		.6
		20.0	3.1	3.7	2.6	1.2	.7	.6	.4	.3		
4		9	25	17	29	34	92	153	89	33		481
FOUR		1.9	5.2	3.5	6.0	7.1	19.1	31.8	18.5	6.9		.8
		12.9	9.7	5.2	4.0	1.5	1.1	.7	.5	.4		
5		7	34	29	41	57	141	240	144	54		747
FIVE		.9	4.6	3.9	5.5	7.6	18.9	32.1	19.3	7.2		1.2
		10.0	13.2	9.0	5.6	2.5	1.6	1.1	.7	.7		
6		11	34	32	41	81	204	423	262	72		1160
SIX		.9	2.9	2.8	3.5	7.0	17.6	36.5	22.6	6.2		1.9
		15.7	13.2	9.9	5.6	3.5	2.4	1.9	1.3	.9		
7		3	25	24	58	107	244	447	342	91		1341
SEVEN		.2	1.9	1.8	4.3	8.0	18.2	33.3	25.5	6.8		2.2
		4.3	9.7	7.4	7.9	4.7	2.8	2.0	1.7	1.2		
8		3	22	37	76	187	454	832	625	199	1	2436
EIGHT		.1	.9	1.5	3.1	7.7	18.6	34.2	25.7	8.2	.0	3.9
		4.3	8.5	11.4	10.4	8.1	5.3	3.8	3.2	2.6	4.2	
COLUMN TOTAL		70	258	324	730	2297	8626	21972	19679	7786	24	61766
		.1	.4	.5	1.2	3.7	14.0	35.6	31.9	12.6	.0	100.0

(CONTINUED)

TABLE 14

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	WT / COUNT / ROW PCT / COL PCT	0 UNDER 500 GMS	1 500 TO 999 GMS	2 1000 TO 1499 GMS	3 1500 TO 1999 GMS	4 2000 TO 2499 GMS	5 2500 TO 2999 GMS	6 3000 TO 3499 GMS	7 3500 TO 3999 GMS	8 4000 GMS AND OVER	9 NOT STATED	ROW TOTAL
9 NINE		1	8	17	51	150	476	940	767	233	1	2644
		.0	.3	.6	1.9	5.7	18.0	35.6	29.0	8.8	.0	4.3
		1.4	3.1	5.2	7.0	6.5	5.5	4.3	3.9	3.0	4.2	
10 TEN		8	19	28	77	267	1006	2233	1726	560	2	5926
		.1	.3	.5	1.3	4.5	17.0	37.7	29.1	9.4	.0	9.6
		11.4	7.4	8.6	10.5	11.6	11.7	10.2	8.8	7.2	8.3	
11 ELEVEN		2	2	9	20	153	716	1685	1347	512	1	4447
		.0	.0	.2	.4	3.4	16.1	37.9	30.3	11.5	.0	7.2
		2.9	.8	2.8	2.7	6.7	8.3	7.7	6.8	6.6	4.2	
12 TWELVE		1	12	29	84	379	1669	4764	4328	1611	2	12879
		.0	.1	.2	.7	2.9	13.0	37.0	33.6	12.5	.0	20.9
		1.4	4.7	9.0	11.5	16.5	19.3	21.7	22.0	20.7	8.3	
13 THIRTEEN			7	9	29	129	637	1838	1820	688		5157
			.1	.2	.6	2.5	12.4	35.6	35.3	13.3		8.3
			2.7	2.8	4.0	5.6	7.4	8.4	9.2	8.8		
14 FOURTEEN		1	10	7	32	177	859	2944	2812	1300	2	8144
		.0	.1	.1	.4	2.2	10.5	36.1	34.5	16.0	.0	13.2
		1.4	3.9	2.2	4.4	7.7	10.0	13.4	14.3	16.7	8.3	
15 FIFTEEN		2	5	13	41	175	768	2295	2432	1051	2	6784
		.0	.1	.2	.6	2.6	11.3	33.8	35.8	15.5	.0	11.0
		2.9	1.9	4.0	5.6	7.6	8.9	10.4	12.4	13.5	8.3	
16 SIXTEEN OR MORE			11	34	85	301	1110	2776	2741	1304	3	8365
			.1	.4	1.0	3.6	13.3	33.2	32.8	15.6	.0	13.5
			4.3	10.5	11.6	13.1	12.9	12.6	13.9	16.7	12.5	
17 NOT STATED			3	1	3	6	16	30	17	12	10	98
			3.1	1.0	3.1	6.1	16.3	30.6	17.3	12.2	10.2	.2
			1.2	.3	.4	.3	.2	.1	.1	.2	41.7	
COLUMN TOTAL		70	258	324	730	2297	8626	21972	19679	7786	24	61766
		.1	.4	.5	1.2	3.7	14.0	35.6	31.9	12.6	.0	100.0

TABLE 14

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
0		16	37	33	40	98	168	190	67	14		663
NONE		2.4	5.6	5.0	6.0	14.8	25.3	28.7	10.1	2.1		2.4
		17.6	11.9	10.7	6.5	4.8	2.7	1.8	1.2	.9		
1		3	25	9	11	31	75	91	38	8		291
ONE		1.0	8.6	3.1	3.8	10.7	25.8	31.3	13.1	2.7		1.1
		3.3	8.1	2.9	1.8	1.5	1.2	.8	.7	.5		
2		10	26	11	21	37	108	124	45	17		399
TWO		2.5	6.5	2.8	5.3	9.3	27.1	31.1	11.3	4.3		1.4
		11.0	8.4	3.6	3.4	1.8	1.7	1.1	.8	1.1		
3		8	23	15	28	60	114	173	72	15	1	509
THREE		1.6	4.5	2.9	5.5	11.8	22.4	34.0	14.1	2.9	.2	1.8
		8.8	7.4	4.9	4.5	2.9	1.8	1.6	1.3	1.0	7.1	
4		12	32	15	54	72	186	251	109	22	3	756
FOUR		1.6	4.2	2.0	7.1	9.5	24.6	33.2	14.4	2.9	.4	2.7
		13.2	10.3	4.9	8.7	3.5	3.0	2.3	1.9	1.4	21.4	
5		11	28	27	48	106	245	339	176	36		1016
FIVE		1.1	2.8	2.7	4.7	10.4	24.1	33.4	17.3	3.5		3.7
		12.1	9.0	8.8	7.8	5.2	4.0	3.1	3.1	2.4		
6		11	35	35	47	138	332	441	195	39	2	1275
SIX		.9	2.7	2.7	3.7	10.8	26.0	34.6	15.3	3.1	.2	4.6
		12.1	11.3	11.4	7.6	6.8	5.4	4.1	3.4	2.6	14.3	
7		2	19	21	35	109	322	461	231	42	1	1243
SEVEN		.2	1.5	1.7	2.8	8.8	25.9	37.1	18.6	3.4	.1	4.5
		2.2	6.1	6.8	5.7	5.3	5.2	4.3	4.0	2.8	7.1	
8		8	16	27	60	189	513	781	362	80		2036
EIGHT		.4	.8	1.3	2.9	9.3	25.2	38.4	17.8	3.9		7.4
		8.8	5.2	8.8	9.7	9.3	8.3	7.2	6.3	5.3		
COLUMN TOTAL		91	310	308	618	2042	6177	10799	5748	1518	14	27625
		.3	1.1	1.1	2.2	7.4	22.4	39.1	20.8	5.5	.1	100.0

(CONTINUED)

TABLE 14

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE
VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
9		2	5	11	26	137	380	670	338	74	1	1644
NINE		.1	.3	.7	1.6	8.3	23.1	40.8	20.6	4.5	.1	6.0
		2.2	1.6	3.6	4.2	6.7	6.2	6.2	5.9	4.9	7.1	
10		1	14	23	54	220	702	1261	654	177		3106
TEN		.0	.5	.7	1.7	7.1	22.6	40.6	21.1	5.7		11.2
		1.1	4.5	7.5	8.7	10.8	11.4	11.7	11.4	11.7		
11		1	7	11	30	117	492	907	493	111	2	2171
ELEVEN		.0	.3	.5	1.4	5.4	22.7	41.8	22.7	5.1	.1	7.9
		1.1	2.3	3.6	4.9	5.7	8.0	8.4	8.6	7.3	14.3	
12		3	18	28	52	278	1025	1984	1030	294		4712
TWELVE		.1	.4	.6	1.1	5.9	21.8	42.1	21.9	6.2		17.1
		3.3	5.8	9.1	8.4	13.6	16.6	18.4	17.9	19.4		
13			5	10	13	91	339	701	391	104		1654
THIRTEEN			.3	.6	.8	5.5	20.5	42.4	23.6	6.3		6.0
			1.6	3.2	2.1	4.5	5.5	6.5	6.8	6.9		
14			1	12	26	94	384	837	555	153		2062
FOURTEEN			.0	.6	1.3	4.6	18.6	40.6	26.9	7.4		7.5
			.3	3.9	4.2	4.6	6.2	7.8	9.7	10.1		
15		1	3	2	24	102	339	723	436	143		1773
FIFTEEN		.1	.2	.1	1.4	5.8	19.1	40.8	24.6	8.1		6.4
		1.1	1.0	.6	3.9	5.0	5.5	6.7	7.6	9.4		
16		1	15	18	48	155	444	851	554	188	1	2275
SIXTEEN OR MORE		.0	.7	.8	2.1	6.8	19.5	37.4	24.4	8.3	.0	8.2
		1.1	4.8	5.8	7.8	7.6	7.2	7.9	9.6	12.4	7.1	
17		1	1		1	8	9	14	2	1	3	40
NOT STATED		2.5	2.5		2.5	20.0	22.5	35.0	5.0	2.5	7.5	.1
		1.1	.3		.2	.4	.1	.1	.0	.1	21.4	
COLUMN TOTAL		91	310	308	618	2042	6177	10799	5748	1518	14	27625
		.3	1.1	1.1	2.2	7.4	22.4	39.1	20.8	5.5	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 15

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT 0 NONE	1 ONE	2 TWO	3 THREE	4 FOUR	5 FIVE	6 SIX	7 SEVEN	8 EIGHT	9 NINE	ROW TOTAL
0 NONE		1078										1078
		100.0										1.2
		100.0										
1 FIRST MONTH			11	15	21	32	53	114	118	209	278	11828
			.1	.1	.2	.3	.4	1.0	1.0	1.8	2.4	13.2
			2.5	2.4	2.4	2.6	3.0	4.7	4.6	4.7	6.5	
2 SECOND MONTH			30	70	72	132	247	403	530	1180	1202	37988
			.1	.2	.2	.3	.7	1.1	1.4	3.1	3.2	42.5
			6.8	11.3	8.2	10.7	14.0	16.6	20.5	26.4	28.0	
3 THIRD MONTH			33	57	104	185	256	435	571	1036	1173	19777
			.2	.3	.5	.9	1.3	2.2	2.9	5.2	5.9	22.1
			7.5	9.2	11.8	15.0	14.5	17.9	22.1	23.2	27.4	
4 FOURTH MONTH			33	55	108	167	301	407	424	761	755	8459
			.4	.7	1.3	2.0	3.6	4.8	5.0	9.0	8.9	9.5
			7.5	8.9	12.3	13.5	17.1	16.7	16.4	17.0	17.6	
5 FIFTH MONTH			54	78	113	188	263	423	411	651	536	4792
			1.1	1.6	2.4	3.9	5.5	8.8	8.6	13.6	11.2	5.4
			12.2	12.6	12.9	15.2	14.9	17.4	15.9	14.6	12.5	
6 SIXTH MONTH			46	73	126	179	269	340	295	415	232	2684
			1.7	2.7	4.7	6.7	10.0	12.7	11.0	15.5	8.6	3.0
			10.4	11.8	14.3	14.5	15.3	14.0	11.4	9.3	5.4	
7 SEVENTH MONTH			56	101	166	196	238	221	187	182	90	1633
			3.4	6.2	10.2	12.0	14.6	13.5	11.5	11.1	5.5	1.8
			12.7	16.3	18.9	15.8	13.5	9.1	7.2	4.1	2.1	
8 EIGHTH MONTH			98	109	130	134	117	83	43	31	15	789
			12.4	13.8	16.5	17.0	14.8	10.5	5.4	3.9	1.9	.9
			22.2	17.6	14.8	10.8	6.6	3.4	1.7	.7	.3	
COLUMN TOTAL		1078	441	621	879	1237	1763	2435	2584	4472	4288	89391
		1.2	.5	.7	1.0	1.4	2.0	2.7	2.9	5.0	4.8	100.0

(CONTINUED)

TABLE 15

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	TEN 10	ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	ROW TOTAL
0 NONE										1078
										1.2
1 FIRST MONTH		742	491	2414	1078	1523	2288	2426	15	11828
		6.3	4.2	20.4	9.1	12.9	19.3	20.5	.1	13.2
		8.2	7.4	13.7	15.8	14.9	26.7	22.8	10.9	
2 SECOND MONTH		3054	2714	8504	3488	6293	4304	5739	26	37988
		8.0	7.1	22.4	9.2	16.6	11.3	15.1	.1	42.5
		33.8	41.0	48.3	51.2	61.7	50.3	53.9	18.8	
3 THIRD MONTH		2499	2042	4634	1615	1842	1484	1798	13	19777
		12.6	10.3	23.4	8.2	9.3	7.5	9.1	.1	22.1
		27.7	30.9	26.3	23.7	18.0	17.3	16.9	9.4	
4 FOURTH MONTH		1546	832	1396	454	416	326	472	6	8459
		18.3	9.8	16.5	5.4	4.9	3.9	5.6	.1	9.5
		17.1	12.6	7.9	6.7	4.1	3.8	4.4	4.3	
5 FIFTH MONTH		782	346	453	130	94	115	151	4	4792
		16.3	7.2	9.5	2.7	2.0	2.4	3.2	.1	5.4
		8.7	5.2	2.6	1.9	.9	1.3	1.4	2.9	
6 SIXTH MONTH		293	148	136	29	24	28	44	7	2684
		10.9	5.5	5.1	1.1	.9	1.0	1.6	.3	3.0
		3.2	2.2	.8	.4	.2	.3	.4	5.1	
7 SEVENTH MONTH		94	38	37	10	4	6	5	2	1633
		5.8	2.3	2.3	.6	.2	.4	.3	.1	1.8
		1.0	.6	.2	.1	.0	.1	.0	1.4	
8 EIGHTH MONTH		13	1	4	3	3	2	1	2	789
		1.6	.1	.5	.4	.4	.3	.1	.3	.9
		.1	.0	.0	.0	.0	.0	.0	1.4	
COLUMN TOTAL		9032	6618	17591	6811	10206	8557	10640	138	89391
		10.1	7.4	19.7	7.6	11.4	9.6	11.9	.2	100.0

(CONTINUED)

TABLE 15

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	ROW TOTAL
9 NINTH MONTH			79	62	37	21	16	7	1	2	5	252
			31.3	24.6	14.7	8.3	6.3	2.8	.4	.8	2.0	.3
			17.9	10.0	4.2	1.7	.9	.3	.0	.0	.1	
10 NOT STATED			1	1	2	3	3	2	4	5	2	111
			.9	.9	1.8	2.7	2.7	1.8	3.6	4.5	1.8	.1
			.2	.2	.2	.2	.2	.1	.2	.1	.0	
(CONTINUED)	COLUMN TOTAL	1078	441	621	879	1237	1763	2435	2584	4472	4288	89391
		1.2	.5	.7	1.0	1.4	2.0	2.7	2.9	5.0	4.8	100.0

TABLE 15

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT 10 TEN	11 ELEVEN	12 TWELVE	13 THIRTEEN	14 FOURTEEN	15 FIFTEEN	16 SIXTEEN OR MORE	17 NOT STATED	ROW TOTAL
9 NINTH MONTH	COUNT	3	2	6	2	1		1	7	252
	ROW PCT	1.2	.8	2.4	.8	.4		.4	2.8	.3
	COL PCT	.0	.0	.0	.0	.0		.0	5.1	
10 NOT STATED	COUNT	6	4	7	2	6	4	3	56	111
	ROW PCT	5.4	3.6	6.3	1.8	5.4	3.6	2.7	50.5	.1
	COL PCT	.1	.1	.0	.0	.1	.0	.0	40.6	
COLUMN TOTAL		9032	6618	17591	6811	10206	8557	10640	138	89391
		10.1	7.4	19.7	7.6	11.4	9.6	11.9	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 15

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT NONE (0)	ONE (1)	TWO (2)	THREE (3)	FOUR (4)	FIVE (5)	SIX (6)	SEVEN (7)	EIGHT (8)	NINE (9)	ROW TOTAL
0 NONE		415										415
		100.0										.7
		100.0										
1 FIRST MONTH			4	6	7	11	25	60	60	112	180	9227
			.0	.1	.1	.1	.3	.7	.7	1.2	2.0	14.9
			2.7	2.7	1.9	2.3	3.3	5.2	4.5	4.6	6.8	
2 SECOND MONTH			9	31	36	53	123	214	315	723	861	29245
			.0	.1	.1	.2	.4	.7	1.1	2.5	2.9	47.3
			6.0	14.0	9.7	11.0	16.5	18.4	23.5	29.7	32.6	
3 THIRD MONTH			11	16	41	76	100	205	293	583	727	13117
			.1	.1	.3	.6	.8	1.6	2.2	4.4	5.5	21.2
			7.3	7.2	11.1	15.8	13.4	17.7	21.8	23.9	27.5	
4 FOURTH MONTH			10	13	44	71	122	188	210	383	413	4747
			.2	.3	.9	1.5	2.6	4.0	4.4	8.1	8.7	7.7
			6.7	5.9	11.9	14.8	16.3	16.2	15.7	15.7	15.6	
5 FIFTH MONTH			19	21	41	68	96	182	190	311	282	2391
			.8	.9	1.7	2.8	4.0	7.6	7.9	13.0	11.8	3.9
			12.7	9.5	11.1	14.1	12.9	15.7	14.2	12.8	10.7	
6 SIXTH MONTH			17	28	51	66	109	145	147	202	122	1284
			1.3	2.2	4.0	5.1	8.5	11.3	11.4	15.7	9.5	2.1
			11.3	12.6	13.8	13.7	14.6	12.5	11.0	8.3	4.6	
7 SEVENTH MONTH			15	43	72	60	99	106	102	100	49	767
			2.0	5.6	9.4	7.8	12.9	13.8	13.3	13.0	6.4	1.2
			10.0	19.4	19.5	12.5	13.3	9.1	7.6	4.1	1.9	
8 EIGHTH MONTH			35	39	57	64	64	53	21	18	5	378
			9.3	10.3	15.1	16.9	16.9	14.0	5.6	4.8	1.3	.6
			23.3	17.6	15.4	13.3	8.6	4.6	1.6	.7	.2	
COLUMN TOTAL		415	150	222	370	481	747	1160	1341	2436	2644	61766
		.7	.2	.4	.6	.8	1.2	1.9	2.2	3.9	4.3	100.0

(CONTINUED)

TABLE 15

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE
VALUE.. 1 WHITE

MPCB	PCVISIT	TEN	ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN OR MORE	NOT STATED	ROW TOTAL
		10	11	12	13	14	15	16	17	
NONE	0									415
										.7
FIRST MONTH	1	533	388	1688	874	1273	1806	1987	13	9227
		5.8	4.2	20.5	9.5	13.8	19.6	21.5	.1	14.9
		9.0	8.7	14.7	16.9	15.6	26.6	23.8	13.3	
SECOND MONTH	2	2220	1980	6647	2692	5109	3554	4659	19	29245
		7.6	6.8	22.7	9.2	17.5	12.2	15.9	.1	47.3
		37.5	44.5	51.6	52.2	62.7	52.4	55.7	19.4	
THIRD MONTH	3	1636	1341	3085	1164	1396	1113	1320	10	13117
		12.5	10.2	23.5	8.9	10.6	8.5	10.1	.1	21.2
		27.6	30.2	24.0	22.6	17.1	16.4	15.8	10.2	
FOURTH MONTH	4	848	467	881	323	278	218	277	1	4747
		17.9	9.8	18.6	6.8	5.9	4.6	5.8	.0	7.7
		14.3	10.5	6.8	6.3	3.4	3.2	3.3	1.0	
FIFTH MONTH	5	430	182	269	78	56	72	92	2	2391
		18.0	7.6	11.3	3.3	2.3	3.0	3.8	.1	3.9
		7.3	4.1	2.1	1.5	.7	1.1	1.1	2.0	
SIXTH MONTH	6	180	63	78	14	19	15	23	5	1284
		14.0	4.9	6.1	1.1	1.5	1.2	1.8	.4	2.1
		3.0	1.4	.6	.3	.2	.2	.3	5.1	
SEVENTH MONTH	7	63	22	20	6	4	2	4		767
		8.2	2.9	2.6	.8	.5	.3	.5		1.2
		1.1	.5	.2	.1	.0	.0	.0		
EIGHTH MONTH	8	9	1	3	3	2	2		2	378
		2.4	.3	.8	.8	.5	.5		.5	.6
		.2	.0	.0	.1	.0	.0		2.0	
(CONTINUED)	COLUMN TOTAL	5926	4447	12879	5157	8144	6784	8365	98	61766
		9.6	7.2	20.9	8.3	13.2	11.0	13.5	.2	100.0

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT NONE (0)	ONE (1)	TWO (2)	THREE (3)	FOUR (4)	FIVE (5)	SIX (6)	SEVEN (7)	EIGHT (8)	NINE (9)	ROW TOTAL
9 NINTH MONTH			30	24	21	9	7	6		2	3	119
			25.2	20.2	17.6	7.6	5.9	5.0		1.7	2.5	.2
			20.0	10.8	5.7	1.9	.9	.5		.1	.1	
10 NOT STATED				1		3	2	1	3	2	2	76
				1.3		3.9	2.6	1.3	3.9	2.6	2.6	.1
				.5		.6	.3	.1	.2	.1	.1	
(CONTINUED)	COLUMN TOTAL	415	150	222	370	481	747	1160	1341	2436	2644	61766
		.7	.2	.4	.6	.8	1.2	1.9	2.2	3.9	4.3	100.0

TABLE 15

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	PCVISIT	TEN	ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN OR MORE	NOT STATED	ROW TOTAL
	COUNT	10	11	12	13	14	15	16	17	
9 NINTH MONTH	ROW PCT	2.5	1.7	3.4	1.7	.8		.8	3.4	.2
	COL PCT	.1	.0	.0	.0	.0		.0	4.1	
	COUNT	4	1	4	1	6	2	2	42	76
10 NOT STATED	ROW PCT	5.3	1.3	5.3	1.3	7.9	2.6	2.6	55.3	.1
	COL PCT	.1	.0	.0	.0	.1	.0	.0	42.9	
COLUMN TOTAL		5926	4447	12879	5157	8144	6784	8365	98	61766
		9.6	7.2	20.9	8.3	13.2	11.0	13.5	.2	100.0

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	PCVISIT	0 NONE	1 ONE	2 TWO	3 THREE	4 FOUR	5 FIVE	6 SIX	7 SEVEN	8 EIGHT	9 NINE	ROW TOTAL
0 NONE	COUNT	663										663
	ROW PCT	100.0										2.4
	COL PCT	100.0										
1 FIRST MONTH	COUNT		7	9	14	21	28	54	58	97	98	2601
	ROW PCT		.3	.3	.5	.8	1.1	2.1	2.2	3.7	3.8	9.4
	COL PCT		2.4	2.3	2.8	2.8	2.8	4.2	4.7	4.8	6.0	
2 SECOND MONTH	COUNT		21	39	36	79	124	189	215	457	341	8743
	ROW PCT		.2	.4	.4	.9	1.4	2.2	2.5	5.2	3.9	31.6
	COL PCT		7.2	9.8	7.1	10.4	12.2	14.8	17.3	22.4	20.7	
3 THIRD MONTH	COUNT		22	41	63	109	156	230	278	453	446	6660
	ROW PCT		.3	.6	.9	1.6	2.3	3.5	4.2	6.8	6.7	24.1
	COL PCT		7.6	10.3	12.4	14.4	15.4	18.0	22.4	22.2	27.1	
4 FOURTH MONTH	COUNT		23	42	64	96	179	219	214	378	342	3712
	ROW PCT		.6	1.1	1.7	2.6	4.8	5.9	5.8	10.2	9.2	13.4
	COL PCT		7.9	10.5	12.6	12.7	17.6	17.2	17.2	18.6	20.8	
5 FIFTH MONTH	COUNT		35	57	72	120	167	241	221	340	254	2401
	ROW PCT		1.5	2.4	3.0	5.0	7.0	10.0	9.2	14.2	10.6	8.7
	COL PCT		12.0	14.3	14.1	15.9	16.4	18.9	17.8	16.7	15.5	
6 SIXTH MONTH	COUNT		29	45	75	113	160	195	148	213	110	1400
	ROW PCT		2.1	3.2	5.4	8.1	11.4	13.9	10.6	15.2	7.9	5.1
	COL PCT		10.0	11.3	14.7	14.9	15.7	15.3	11.9	10.5	6.7	
7 SEVENTH MONTH	COUNT		41	58	94	136	139	115	85	82	41	866
	ROW PCT		4.7	6.7	10.9	15.7	16.1	13.3	9.8	9.5	4.7	3.1
	COL PCT		14.1	14.5	18.5	18.0	13.7	9.0	6.8	4.0	2.5	
8 EIGHTH MONTH	COUNT		63	70	73	70	53	30	22	13	10	411
	ROW PCT		15.3	17.0	17.8	17.0	12.9	7.3	5.4	3.2	2.4	1.5
	COL PCT		21.6	17.5	14.3	9.3	5.2	2.4	1.8	.6	.6	
(CONTINUED) COLUMN TOTAL		663 2.4	291 1.1	399 1.4	509 1.8	756 2.7	1016 3.7	1275 4.6	1243 4.5	2036 7.4	1644 6.0	27625 100.0

TABLE 15

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	PCVISIT	TEN	ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN OR MORE	NOT STATED	ROW TOTAL
		10	11	12	13	14	15	16	17	
NONE	0									663
										2.4
FIRST MONTH	1	209	103	526	204	250	482	439	2	2601
		8.0	4.0	20.2	7.8	9.6	18.5	16.9	.1	9.4
		6.7	4.7	11.2	12.3	12.1	27.2	19.3	5.0	
SECOND MONTH	2	834	734	1857	796	1184	750	1080	7	8743
		9.5	8.4	21.2	9.1	13.5	8.6	12.4	.1	31.6
		26.9	33.8	39.4	48.1	57.4	42.3	47.5	17.5	
THIRD MONTH	3	863	701	1549	451	446	371	478	3	6660
		13.0	10.5	23.3	6.8	6.7	5.6	7.2	.0	24.1
		27.8	32.3	32.9	27.3	21.6	20.9	21.0	7.5	
FOURTH MONTH	4	698	365	515	131	138	108	195	5	3712
		18.8	9.8	13.9	3.5	3.7	2.9	5.3	.1	13.4
		22.5	16.8	10.9	7.9	6.7	6.1	8.6	12.5	
FIFTH MONTH	5	352	164	184	52	38	43	59	2	2401
		14.7	6.8	7.7	2.2	1.6	1.8	2.5	.1	8.7
		11.3	7.6	3.9	3.1	1.8	2.4	2.6	5.0	
SIXTH MONTH	6	113	85	58	15	5	13	21	2	1400
		8.1	6.1	4.1	1.1	.4	.9	1.5	.1	5.1
		3.6	3.9	1.2	.9	.2	.7	.9	5.0	
SEVENTH MONTH	7	31	16	17	4		4	1	2	866
		3.6	1.8	2.0	.5		.5	.1	.2	3.1
		1.0	.7	.4	.2		.2	.0	5.0	
EIGHTH MONTH	8	4		1		1		1		411
		1.0		.2		.2		.2		1.5
		.1		.0		.0		.0		
(CONTINUED)	COLUMN TOTAL	3106	2171	4712	1654	2062	1773	2275	40	27625
		11.2	7.9	17.1	6.0	7.5	6.4	8.2	.1	100.0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT 0 NONE	1 ONE	2 TWO	3 THREE	4 FOUR	5 FIVE	6 SIX	7 SEVEN	8 EIGHT	9 NINE	ROW TOTAL
9 NINTH MONTH			49	38	16	12	9	1	1		2	133
			36.8	28.6	12.0	9.0	6.8	.8	.8		1.5	.5
			16.8	9.5	3.1	1.6	.9	.1	.1		.1	
10 NOT STATED			1		2		1	1	1	3		35
			2.9		5.7		2.9	2.9	2.9	8.6		.1
			.3		.4		.1	.1	.1	.1		
(CONTINUED)	COLUMN TOTAL	663	291	399	509	756	1016	1275	1243	2036	1644	27625
		2.4	1.1	1.4	1.8	2.7	3.7	4.6	4.5	7.4	6.0	100.0

TABLE 15

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	PCVISIT	TEN	ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN OR MORE	NOT STATED	ROW TOTAL
	COUNT	10	11	12	13	14	15	16	17	
9 NINTH MONTH				2					3	133
	ROW PCT			1.5					2.3	.5
	COL PCT			.0					7.5	
10 NOT STATED		2	3	3	1		2	1	14	35
		5.7	8.6	8.6	2.9		5.7	2.9	40.0	.1
		.1	.1	.1	.1		.1	.0	35.0	
COLUMN TOTAL		3106	2171	4712	1654	2062	1773	2275	40	27625
		11.2	7.9	17.1	6.0	7.5	6.4	8.2	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF LBND PREVIOUS LIVE BORN NOW DEAD BY RACE

LBND		RACE 1 WHITE	RACE 2 NONWHITE	ROW TOTAL
NONE	0	60795	26870	87665
		69.3	30.7	98.1
		98.4	97.3	
ONE	1	880	659	1539
		57.2	42.8	1.7
		1.4	2.4	
TWO	2	69	79	148
		46.6	53.4	.2
		.1	.3	
THREE	3	2	10	12
		16.7	83.3	.0
		.0	.0	
FOUR	4	2	3	5
		40.0	60.0	.0
		.0	.0	
NOT STATED	10	18	4	22
		81.8	18.2	.0
		.0	.0	
COLUMN TOTAL		61766	27625	89391
		69.1	30.9	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF FETD PREVIOUS FETAL DEATHS BY RACE

FETD	COUNT / ROW PCT / COL PCT	RACE 1 WHITE	RACE 2 NONWHITE	ROW TOTAL
0 NONE		51555	23194	74749
		69.0	31.0	83.6
		83.5	84.0	
1 ONE		7848	3431	11279
		69.6	30.4	12.6
		12.7	12.4	
2 TWO		1725	726	2451
		70.4	29.6	2.7
		2.8	2.6	
3 THREE		443	193	636
		69.7	30.3	.7
		.7	.7	
4 FOUR		122	46	168
		72.6	27.4	.2
		.2	.2	
5 FIVE		32	22	54
		59.3	40.7	.1
		.1	.1	
6 SIX		15	5	20
		75.0	25.0	.0
		.0	.0	
7 SEVEN		5		5
		100.0		.0
		.0		
8 EIGHT		4	2	6
		66.7	33.3	.0
		.0	.0	
9 NINE OR MORE		3		3
		100.0		.0
		.0		
COLUMN TOTAL		61766	27625	89391
		69.1	30.9	100.0

(CONTINUED)

CROSSTABULATION OF
FETD PREVIOUS FETAL DEATHS BY RACE

FETD	RACE	1 WHITE	2 NONWHITE	ROW TOTAL
NOT STATED	10	14	6	20
	ROW PCT	70.0	30.0	.0
	COL PCT	.0	.0	
	COLUMN TOTAL	61766	27625	89391
		69.1	30.9	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE.
VALUE = TOTAL

APGAR5	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
0						1	3	5	3	3	2	72
ZERO						1.4	4.2	6.9	4.2	4.2	2.8	.1
						.1	.2	.2	.1	.1	.0	
1					1	4	7	10	8	20	14	251
ONE					.4	1.6	2.8	4.0	3.2	8.0	5.6	.3
					.4	.5	.4	.4	.2	.4	.2	
2					1	4	1	8	4	8	7	139
TWO					.7	2.9	.7	5.8	2.9	5.8	5.0	.2
					.4	.5	.1	.3	.1	.2	.1	
3			1	2	3	3	6	3	9	8	127	
THREE			.8	1.6	2.4	2.4	4.7	2.4	7.1	6.3	.1	
			1.6	.8	.4	.2	.2	.1	.2	.1		
4					1	4	4	11	12	8	8	183
FOUR					.5	2.2	2.2	6.0	6.6	4.4	4.4	.2
					.4	.5	.3	.4	.3	.2	.1	
5						3	5	12	17	27	35	332
FIVE						.9	1.5	3.6	5.1	8.1	10.5	.4
						.4	.3	.4	.4	.5	.6	
6	1		1	3	10	21	22	28	46	43	648	
SIX	.2		.2	.5	1.5	3.2	3.4	4.3	7.1	6.6	.7	
	50.0		1.6	1.1	1.3	1.3	.8	.7	.9	.7		
7	1		1	7	28	41	54	81	105	110	1588	
SEVEN	.1		.1	.4	1.8	2.6	3.4	5.1	6.6	6.9	1.8	
	50.0		1.6	2.7	3.6	2.6	1.9	2.1	2.1	1.9		
8			7	28	77	145	247	339	426	477	7300	
EIGHT			.1	.4	1.1	2.0	3.4	4.6	5.8	6.5	8.2	
			10.9	10.6	9.9	9.1	8.9	8.8	8.5	8.2		
COLUMN TOTAL	2	3	64	264	776	1589	2786	3834	5001	5786	89391	
	.0	.0	.1	.3	.9	1.8	3.1	4.3	5.6	6.5	100.0	

(CONTINUED)

TABLE 18

CROSSTABULATION OF
APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE. VALUE = TOTAL

APGAR5	COUNT / ROW PCT / COL PCT	AGE 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0		11	7	3	3	17	13	1				72
ZERO		15.3	9.7	4.2	4.2	23.6	18.1	1.4				.1
		.2	.1	.0	.1	.1	.1	.0				
1		26	18	15	21	61	37	6	3			251
ONE		10.4	7.2	6.0	8.4	24.3	14.7	2.4	1.2			.3
		.4	.3	.2	.4	.2	.3	.2	.7			
2		10	13	8	11	37	21	5	1			139
TWO		7.2	9.4	5.8	7.9	26.6	15.1	3.6	.7			.2
		.2	.2	.1	.2	.1	.1	.1	.2			
3		13	9	10	7	27	21	5				127
THREE		10.2	7.1	7.9	5.5	21.3	16.5	3.9				.1
		.2	.1	.2	.1	.1	.1	.1				
4		10	12	4	23	52	23	9	1		1	183
FOUR		5.5	6.6	2.2	12.6	28.4	12.6	4.9	.5		.5	.2
		.2	.2	.1	.4	.2	.2	.2	.2		33.3	
5		31	22	18	15	87	45	13	2			332
FIVE		9.3	6.6	5.4	4.5	26.2	13.6	3.9	.6			.4
		.5	.4	.3	.3	.3	.3	.3	.5			
6		51	43	43	32	165	106	30	2	1		648
SIX		7.9	6.6	6.6	4.9	25.5	16.4	4.6	.3	.2		.7
		.8	.7	.7	.5	.6	.7	.8	.5	6.3		
7		118	100	118	101	391	258	62	11	1		1588
SEVEN		7.4	6.3	7.4	6.4	24.6	16.2	3.9	.7	.1		1.8
		1.9	1.6	2.0	1.7	1.5	1.8	1.6	2.5	6.3		
8		507	524	483	481	2092	1094	338	35			7300
EIGHT		6.9	7.2	6.6	6.6	28.7	15.0	4.6	.5			8.2
		8.2	8.6	8.0	8.2	7.9	7.7	8.8	7.9			
COLUMN TOTAL		6209	6071	6026	5847	26537	14292	3844	441	16	3	89391
		6.9	6.8	6.7	6.5	29.7	16.0	4.3	.5	.0	.0	100.0

(CONTINUED)

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5	AGE	11	12	13	14	15	16	17	18	19	20	ROW TOTAL
9 NINE	COUNT		3	47	166	468	990	1724	2425	3171	3800	58649
	ROW PCT		.0	.1	.3	.8	1.7	2.9	4.1	5.4	6.5	65.6
	COL PCT		100.0	73.4	62.9	60.3	62.3	61.9	63.2	63.4	65.7	
10 TEN	COUNT			5	48	158	350	650	858	1115	1211	19035
	ROW PCT			.0	.3	.8	1.8	3.4	4.5	5.9	6.4	21.3
	COL PCT			7.8	18.2	20.4	22.0	23.3	22.4	22.3	20.9	
11 NOT STATED	COUNT			2	7	16	19	37	56	63	71	1067
	ROW PCT			.2	.7	1.5	1.8	3.5	5.2	5.9	6.7	1.2
	COL PCT			3.1	2.7	2.1	1.2	1.3	1.5	1.3	1.2	
(CONTINUED)	COLUMN TOTAL	2 .0	3 .0	64 .1	264 .3	776 .9	1589 1.8	2786 3.1	3834 4.3	5001 5.6	5786 6.5	89391 100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5	AGE / COUNT / ROW PCT / COL PCT	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
9	4001	3941	3933	3823	17635	9677	2548	289	7	1	58649
NINE	6.8	6.7	6.7	6.5	30.1	16.5	4.3	.5	.0	.0	65.6
	64.4	64.9	65.3	65.4	66.5	67.7	66.3	65.5	43.8	33.3	
10	1361	1302	1314	1264	5687	2844	773	88	7		19035
TEN	7.1	6.8	6.9	6.6	29.9	14.9	4.1	.5	.0		21.3
	21.9	21.4	21.8	21.6	21.4	19.9	20.1	20.0	43.8		
11	70	80	77	66	286	153	54	9		1	1067
NOT STATED	6.6	7.5	7.2	6.2	26.8	14.3	5.1	.8		.1	1.2
	1.1	1.3	1.3	1.1	1.1	1.1	1.4	2.0		33.3	
COLUMN TOTAL	6209	6071	6026	5847	26537	14292	3844	441	16	3	89391
	6.9	6.8	6.7	6.5	29.7	16.0	4.3	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 18

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0						3	4	1		2	7	41
ZERO						7.3	9.8	2.4		4.9	17.1	.1
						.4	.3	.0		.1	.2	
1					2	1	4	5	9	9	8	117
ONE					1.7	.9	3.4	4.3	7.7	7.7	6.8	.2
					.7	.1	.3	.2	.3	.3	.2	
2				1	1		2		3	3	5	56
TWO				1.8	1.8		3.6		5.4	5.4	8.9	.1
				1.3	.3		.1		.1	.1	.1	
3				1	1	2	3	1	5	2	6	65
THREE				1.5	1.5	3.1	4.6	1.5	7.7	3.1	9.2	.1
				1.3	.3	.3	.2	.0	.2	.1	.1	
4					2	1	3	7	4	1	6	88
FOUR					2.3	1.1	3.4	8.0	4.5	1.1	6.8	.1
					.7	.1	.2	.3	.1	.0	.1	
5					1		9	8	12	18	15	178
FIVE					.6		5.1	4.5	6.7	10.1	8.4	.3
					.3		.6	.4	.4	.5	.4	
6				1	3	11	13	13	21	20	23	337
SIX				.3	.9	3.3	3.9	3.9	6.2	5.9	6.8	.5
				1.3	1.0	1.4	.8	.6	.7	.6	.6	
7			1	1	11	16	23	46	52	58	71	952
SEVEN			.1	.1	1.2	1.7	2.4	4.8	5.5	6.1	7.5	1.5
			8.3	1.3	3.6	2.1	1.5	2.1	1.7	1.6	1.8	
8			11	32	76	130	187	253	291	328	4927	
EIGHT			.2	.6	1.5	2.6	3.8	5.1	5.9	6.7	8.0	
			13.8	10.6	10.0	8.5	8.4	8.4	8.2	8.2		
COLUMN TOTAL		1	12	80	302	762	1530	2226	3024	3536	4001	61766
		.0	.0	.1	.5	1.2	2.5	3.6	4.9	5.7	6.5	100.0

(CONTINUED)

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 22	23	24	25	26	27	28	29	30	ROW TOTAL
					25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	
0		1	3	2	10	8					41
ZERO		2.4	7.3	4.9	24.4	19.5					.1
		.0	.1	.0	.1	.1					
1		7	5	11	31	21	4				117
ONE		6.0	4.3	9.4	26.5	17.9	3.4				.2
		.2	.1	.3	.2	.2	.1				
2		5	4	3	15	11	3				56
TWO		8.9	7.1	5.4	26.8	19.6	5.4				.1
		.1	.1	.1	.1	.1	.1				
3		3	5	5	16	12	3				65
THREE		4.6	7.7	7.7	24.6	18.5	4.6				.1
		.1	.1	.1	.1	.1	.1				
4		7	3	9	27	11	6			1	88
FOUR		8.0	3.4	10.2	30.7	12.5	6.8			1.1	.1
		.2	.1	.2	.1	.1	.2			100.0	
5		11	12	7	47	28	9	1			178
FIVE		6.2	6.7	3.9	26.4	15.7	5.1	.6			.3
		.3	.3	.2	.2	.3	.3	.3			
6		24	25	17	94	57	12	2	1		337
SIX		7.1	7.4	5.0	27.9	16.9	3.6	.6	.3		.5
		.6	.6	.4	.5	.5	.4	.7	9.1		
7		58	76	66	252	182	35	4			952
SEVEN		6.1	8.0	6.9	26.5	19.1	3.7	.4			1.5
		1.4	1.8	1.6	1.3	1.7	1.2	1.4			
8		336	325	337	1557	803	238	23			4927
EIGHT		6.8	6.6	6.8	31.6	16.3	4.8	.5			8.0
		8.4	7.8	8.1	7.9	7.3	8.3	7.9			
COLUMN TOTAL		4017	4183	4157	19785	10970	2878	290	11	1	61766
		6.5	6.8	6.7	32.0	17.8	4.7	.5	.0	.0	100.0

(CONTINUED)

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

APGAR5		AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9	COUNT	1	8	45	169	458	913	1357	1915	2293	2565	40459
NINE	ROW PCT	.0	.0	.1	.4	1.1	2.3	3.4	4.7	5.7	6.3	65.5
	COL PCT	100.0	66.7	56.3	56.0	60.1	59.7	61.0	63.3	64.8	64.1	
10	COUNT		3	18	78	188	410	572	716	801	928	13925
TEN	ROW PCT		.0	.1	.6	1.4	2.9	4.1	5.1	5.8	6.7	22.5
	COL PCT		25.0	22.5	25.8	24.7	26.8	25.7	23.7	22.7	23.2	
11	COUNT			2	2	6	16	29	34	38	39	621
NOT STATED	ROW PCT			.3	.3	1.0	2.6	4.7	5.5	6.1	6.3	1.0
	COL PCT			2.5	.7	.8	1.0	1.3	1.1	1.1	1.0	
(CONTINUED)	COLUMN TOTAL	1 .0	12 .0	80 .1	302 .5	762 1.2	1530 2.5	2226 3.6	3024 4.9	3536 5.7	4001 6.5	61766 100.0

TABLE 18

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
9		2586	2718	2695	13137	7469	1935	190	5		40459
NINE		6.4	6.7	6.7	32.5	18.5	4.8	.5	.0		65.5
		64.4	65.0	64.8	66.4	68.1	67.2	65.5	45.5		
10		930	960	962	4431	2260	597	66	5		13925
TEN		6.7	6.9	6.9	31.8	16.2	4.3	.5	.0		22.5
		23.2	23.0	23.1	22.4	20.6	20.7	22.8	45.5		
11		49	47	43	168	108	36	4			621
NOT STATED		7.9	7.6	6.9	27.1	17.4	5.8	.6			1.0
		1.2	1.1	1.0	.8	1.0	1.3	1.4			
COLUMN TOTAL		4017	4183	4157	19785	10970	2878	290	11	1	61766
		6.5	6.8	6.7	32.0	17.8	4.7	.5	.0	.0	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
0						1		1	2	3		31
ZERO						3.2		3.2	6.5	9.7		.1
						.2		.1	.1	.2		
1					1	2	6	6	3	11	5	134
ONE					.7	1.5	4.5	4.5	2.2	8.2	3.7	.5
					.5	.4	.7	.5	.2	.6	.2	
2						3	1	6	4	5	4	83
TWO						3.6	1.2	7.2	4.8	6.0	4.8	.3
						.6	.1	.5	.2	.3	.2	
3			1	1	2	1	3	2	4	6		62
THREE			1.6	1.6	3.2	1.6	4.8	3.2	6.5	9.7		.2
			1.9	.5	.4	.1	.2	.1	.2	.3		
4				1	2	3	8	5	4	7		95
FOUR				1.1	2.1	3.2	8.4	5.3	4.2	7.4		.3
				.5	.4	.4	.6	.3	.2	.3		
5					2	5	3	9	15	17		154
FIVE					1.3	3.2	1.9	5.8	9.7	11.0		.6
					.4	.6	.2	.6	.8	.8		
6	1		1	2	7	10	9	15	25	23		311
SIX	.3		.3	.6	2.3	3.2	2.9	4.8	8.0	7.4		1.1
	50.0		1.9	1.1	1.5	1.2	.7	.9	1.3	1.0		
7	1			6	17	25	31	35	53	52		636
SEVEN	.2			.9	2.7	3.9	4.9	5.5	8.3	8.2		2.3
	50.0			3.3	3.6	3.0	2.5	2.2	2.7	2.3		
8			7	17	45	69	117	152	173	186		2373
EIGHT			.3	.7	1.9	2.9	4.9	6.4	7.3	7.8		8.6
			13.5	9.2	9.5	8.3	9.3	9.5	8.8	8.3		
COLUMN TOTAL		2	2	52	184	474	827	1256	1608	1977	2250	27625
(CONTINUED)		.0	.0	.2	.7	1.7	3.0	4.5	5.8	7.2	8.1	100.0

CROSSTABULATION OF
APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5	AGE: COUNT / ROW PCT / COL PCT	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0		4	6		1	7	5	1				31
ZERO		12.9	19.4		3.2	22.6	16.1	3.2				.1
		.2	.3		.1	.1	.2	.1				
1		18	11	10	10	30	16	2	3			134
ONE		13.4	8.2	7.5	7.5	22.4	11.9	1.5	2.2			.5
		.8	.5	.5	.6	.4	.5	.2	2.0			
2		5	8	4	8	22	10	2	1			83
TWO		6.0	9.6	4.8	9.6	26.5	12.0	2.4	1.2			.3
		.2	.4	.2	.5	.3	.3	.2	.7			
3		7	6	5	2	11	9	2				62
THREE		11.3	9.7	8.1	3.2	17.7	14.5	3.2				.2
		.3	.3	.3	.1	.2	.3	.2				
4		4	5	1	14	25	12	3	1			95
FOUR		4.2	5.3	1.1	14.7	26.3	12.6	3.2	1.1			.3
		.2	.2	.1	.8	.4	.4	.3	.7			
5		16	11	6	8	40	17	4	1			154
FIVE		10.4	7.1	3.9	5.2	26.0	11.0	2.6	.6			.6
		.7	.5	.3	.5	.6	.5	.4	.7			
6		28	19	18	15	71	49	18				311
SIX		9.0	6.1	5.8	4.8	22.8	15.8	5.8				1.1
		1.3	.9	1.0	.9	1.1	1.5	1.9				
7		47	42	42	35	139	76	27	7	1		636
SEVEN		7.4	6.6	6.6	5.5	21.9	11.9	4.2	1.1	.2		2.3
		2.1	2.0	2.3	2.1	2.1	2.3	2.8	4.6	20.0		
8		179	188	158	144	535	291	100	12			2373
EIGHT		7.5	7.9	6.7	6.1	22.5	12.3	4.2	.5			8.6
		8.1	9.2	8.6	8.5	7.9	8.8	10.4	7.9			
(CONTINUED)	COLUMN TOTAL	2208	2054	1843	1690	6752	3322	966	151	5	2	27625
		8.0	7.4	6.7	6.1	24.4	12.0	3.5	.5	.0	.0	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5	AGE	11	12	13	14	15	16	17	18	19	20	ROW TOTAL
NINE	9		2	39	121	299	532	811	1068	1256	1507	18190
	ROW PCT		.0	.2	.7	1.6	2.9	4.5	5.9	6.9	8.3	65.8
	COL PCT		100.0	75.0	65.8	63.1	64.3	64.6	66.4	63.5	67.0	
TEN	10			2	30	80	162	240	286	399	410	5110
	ROW PCT			.0	.6	1.6	3.2	4.7	5.6	7.8	8.0	18.5
	COL PCT			3.8	16.3	16.9	19.6	19.1	17.8	20.2	18.2	
NOT STATED	11			2	5	14	13	21	27	29	33	446
	ROW PCT			.4	1.1	3.1	2.9	4.7	6.1	6.5	7.4	1.6
	COL PCT			3.8	2.7	3.0	1.6	1.7	1.7	1.5	1.5	
(CONTINUED)	COLUMN TOTAL	2	2	52	184	474	827	1256	1608	1977	2250	27625
		.0	.0	.2	.7	1.7	3.0	4.5	5.8	7.2	8.1	100.0

CROSSTABULATION OF
APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
9		1436	1355	1215	1128	4498	2208	613	99	2	1	18190
NINE		7.9	7.4	6.7	6.2	24.7	12.1	3.4	.5	.0	.0	65.8
		65.0	66.0	65.9	66.7	66.6	66.5	63.5	65.6	40.0	50.0	
10		433	372	354	302	1256	584	176	22	2		5110
TEN		8.5	7.3	6.9	5.9	24.6	11.4	3.4	.4	.0		18.5
		19.6	18.1	19.2	17.9	18.6	17.6	18.2	14.6	40.0		
11		31	31	30	23	118	45	18	5		1	446
NOT STATED		7.0	7.0	6.7	5.2	26.5	10.1	4.0	1.1		.2	1.6
		1.4	1.5	1.6	1.4	1.7	1.4	1.9	3.3		50.0	
COLUMN TOTAL		2208	2054	1843	1690	6752	3322	966	151	5	2	27625
		8.0	7.4	6.7	6.1	24.4	12.0	3.5	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0		4	20	30	9	8	1	72
ZERO		5.6	27.8	41.7	12.5	11.1	1.4	.1
		.1	.1	.1	.1	.1	.9	
1		8	54	98	58	30	3	251
ONE		3.2	21.5	39.0	23.1	12.0	1.2	.3
		.3	.3	.3	.3	.2	2.8	
2		4	33	64	18	18	2	139
TWO		2.9	23.7	46.0	12.9	12.9	1.4	.2
		.1	.2	.2	.1	.1	1.9	
3		11	26	53	23	14		127
THREE		8.7	20.5	41.7	18.1	11.0		.1
		.4	.1	.1	.1	.1		
4		8	45	77	34	18	1	183
FOUR		4.4	24.6	42.1	18.6	9.8	.5	.2
		.3	.2	.2	.2	.1	.9	
5		3	82	159	54	34		332
FIVE		.9	24.7	47.9	16.3	10.2		.4
		.1	.4	.4	.3	.3		
6		31	163	283	100	71		648
SIX		4.8	25.2	43.7	15.4	11.0		.7
		1.1	.9	.8	.6	.5		
7		62	397	665	265	198	1	1588
SEVEN		3.9	25.0	41.9	16.7	12.5	.1	1.8
		2.2	2.2	1.8	1.6	1.5	.9	
8		243	1531	3091	1364	1056	15	7300
EIGHT		3.3	21.0	42.3	18.7	14.5	.2	8.2
		8.5	8.3	8.3	8.0	7.8	13.9	
(CONTINUED)	COLUMN TOTAL	2872 3.2	18378 20.6	37437 41.9	17028 19.0	13568 15.2	108 .1	89391 100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE. VALUE = TOTAL

APGAR5	EDUC	1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9	COUNT	1744	11460	24403	11521	9474	47	58649
NINE	ROW PCT	3.0	19.5	41.6	19.6	16.2	.1	65.6
	COL PCT	60.7	62.4	65.2	67.7	69.8	43.5	
10	COUNT	704	4340	8036	3392	2551	12	19035
TEN	ROW PCT	3.7	22.8	42.2	17.8	13.4	.1	21.3
	COL PCT	24.5	23.6	21.5	19.9	18.8	11.1	
11	COUNT	50	227	478	190	96	26	1067
NOT STATED	ROW PCT	4.7	21.3	44.8	17.8	9.0	2.4	1.2
	COL PCT	1.7	1.2	1.3	1.1	.7	24.1	
COLUMN TOTAL		2872	18378	37437	17028	13568	108	89391
		3.2	20.6	41.9	19.0	15.2	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0		2	8	18	5	8		41
ZERO		4.9	19.5	43.9	12.2	19.5		.1
		.1	.1	.1	.0	.1		
1		5	24	40	31	17		117
ONE		4.3	20.5	34.2	26.5	14.5		.2
		.3	.2	.2	.2	.1		
2		2	12	26	6	8	2	56
TWO		3.6	21.4	46.4	10.7	14.3	3.6	.1
		.1	.1	.1	.0	.1	4.1	
3		2	13	22	18	10		65
THREE		3.1	20.0	33.8	27.7	15.4		.1
		.1	.1	.1	.1	.1		
4		4	15	35	21	12	1	88
FOUR		4.5	17.0	39.8	23.9	13.6	1.1	.1
		.2	.1	.1	.2	.1	2.0	
5		1	40	84	26	27		178
FIVE		.6	22.5	47.2	14.6	15.2		.3
		.1	.4	.3	.2	.2		
6		18	81	133	51	54		337
SIX		5.3	24.0	39.5	15.1	16.0		.5
		1.0	.7	.5	.4	.5		
7		37	224	372	156	162	1	952
SEVEN		3.9	23.5	39.1	16.4	17.0	.1	1.5
		2.0	2.0	1.5	1.2	1.4	2.0	
8		155	898	2010	970	889	5	4927
EIGHT		3.1	18.2	40.8	19.7	18.0	.1	8.0
		8.4	8.1	8.1	7.7	7.7	10.2	
(CONTINUED)	COLUMN TOTAL	1837	11037	24736	12587	11520	49	61766
		3.0	17.9	40.0	20.4	18.7	.1	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

APGAR5	EDUC COUNT / ROW PCT / COL PCT	1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9		1086	6731	16097	8496	8033	16	40459
NINE		2.7	16.6	39.8	21.0	19.9	.0	65.5
		59.1	61.0	65.1	67.5	69.7	32.7	
10		507	2879	5631	2678	2227	3	13925
TEN		3.6	20.7	40.4	19.2	16.0	.0	22.5
		27.6	26.1	22.8	21.3	19.3	6.1	
11		18	112	268	129	73	21	621
NOT STATED		2.9	18.0	43.2	20.8	11.8	3.4	1.0
		1.0	1.0	1.1	1.0	.6	42.9	
COLUMN TOTAL		1837	11037	24736	12587	11520	49	61766
		3.0	17.9	40.0	20.4	18.7	.1	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0		2	12	12	4		1	31
ZERO		6.5	38.7	38.7	12.9		3.2	.1
		.2	.2	.1	.1		1.7	
1		3	30	58	27	13	3	134
ONE		2.2	22.4	43.3	20.1	9.7	2.2	.5
		.3	.4	.5	.6	.6	5.1	
2		2	21	38	12	10		83
TWO		2.4	25.3	45.8	14.5	12.0		.3
		.2	.3	.3	.3	.5		
3		9	13	31	5	4		62
THREE		14.5	21.0	50.0	8.1	6.5		.2
		.9	.2	.2	.1	.2		
4		4	30	42	13	6		95
FOUR		4.2	31.6	44.2	13.7	6.3		.3
		.4	.4	.3	.3	.3		
5		2	42	75	28	7		154
FIVE		1.3	27.3	48.7	18.2	4.5		.6
		.2	.6	.6	.6	.3		
6		13	82	150	49	17		311
SIX		4.2	26.4	48.2	15.8	5.5		1.1
		1.3	1.1	1.2	1.1	.8		
7		25	173	293	109	36		636
SEVEN		3.9	27.2	46.1	17.1	5.7		2.3
		2.4	2.4	2.3	2.5	1.8		
8		88	633	1081	394	167	10	2373
EIGHT		3.7	26.7	45.6	16.6	7.0	.4	8.6
		8.5	8.6	8.5	8.9	8.2	16.9	
(CONTINUED)	COLUMN TOTAL	1035	7341	12701	4441	2048	59	27625
		3.7	26.6	46.0	16.1	7.4	.2	100.0

CROSSTABULATION OF APGARS APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGARS	EDUC	1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINE	COUNT	658	4729	8306	3025	1441	31	18190
	ROW PCT	3.6	26.0	45.7	16.6	7.9	.2	65.8
	COL PCT	63.6	64.4	65.4	68.1	70.4	52.5	
10 TEN	COUNT	197	1461	2405	714	324	9	5110
	ROW PCT	3.9	28.6	47.1	14.0	6.3	.2	18.5
	COL PCT	19.0	19.9	18.9	16.1	15.8	15.3	
11 NOT STATED	COUNT	32	115	210	61	23	5	446
	ROW PCT	7.2	25.8	47.1	13.7	5.2	1.1	1.6
	COL PCT	3.1	1.6	1.7	1.4	1.1	8.5	
COLUMN TOTAL		1035	7341	12701	4441	2048	59	27625
		3.7	26.6	46.0	16.1	7.4	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

MAL	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
NONE	0	2	3	64	264	769	1578	2766	3795	4956	5740	88689
		.0	.0	.1	.3	.9	1.8	3.1	4.3	5.6	6.5	99.2
		100.0	100.0	100.0	100.0	99.1	99.3	99.3	99.0	99.1	99.2	
741	1							1	5	1	3	33
								3.0	15.2	3.0	9.1	.0
								.0	.1	.0	.1	
745,746	2					1		1	1	1	4	28
						3.6		3.6	3.6	3.6	14.3	.0
						.1		.0	.0	.0	.1	
749	3					1	1	2	3	3	4	76
						1.3	1.3	2.6	3.9	3.9	5.3	.1
						.1	.1	.1	.1	.1	.1	
752,6	4					1		2	2	3	1	52
						1.9		3.8	3.8	5.8	1.9	.1
						.1		.1	.1	.1	.0	
754.5 - 754.7	5						1	3	2	4	1	36
							2.8	8.3	5.6	11.1	2.8	.0
							.1	.1	.1	.1	.0	
755.0	6					1	6	5	5	13	4	107
						.9	5.6	4.7	4.7	12.1	3.7	.1
						.1	.4	.2	.1	.3	.1	
758.0	7					1			2	3	2	26
						3.8			7.7	11.5	7.7	.0
						.1			.1	.1	.0	
ALL OTHER	8					2	3	6	19	17	27	344
						.6	.9	1.7	5.5	4.9	7.8	.4
						.3	.2	.2	.5	.3	.5	
(CONTINUED)	COLUMN TOTAL	2	3	64	264	776	1589	2786	3834	5001	5786	89391
		.0	.0	.1	.3	.9	1.8	3.1	4.3	5.6	6.5	100.0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

MAL	COUNT / ROW PCT / COL PCT	21	22	23	24	25	26	27	28	29	30	ROW TOTAL
	0	6165	6020	5984	5794	26329	14196	3808	438	15	3	88689
NONE		7.0	6.8	6.7	6.5	29.7	16.0	4.3	.5	.0	.0	99.2
		99.3	99.2	99.3	99.1	99.2	99.3	99.1	99.3	93.8	100.0	
	1	2	1	3		12	4	1				33
741		6.1	3.0	9.1		36.4	12.1	3.0				.0
		.0	.0	.0		.0	.0	.0				
	2		1	2	1	10	5	1				28
745,746			3.6	7.1	3.6	35.7	17.9	3.6				.0
			.0	.0	.0	.0	.0	.0				
	3	7	3	4	7	18	15	8				76
749		9.2	3.9	5.3	9.2	23.7	19.7	10.5				.1
		.1	.0	.1	.1	.1	.1	.2				
	4	5	3	3	6	23	1	2				52
752,6		9.6	5.8	5.8	11.5	44.2	1.9	3.8				.1
		.1	.0	.0	.1	.1	.0	.1				
	5	3	1	1	5	11	1	3				36
754.5 - 754.7		8.3	2.8	2.8	13.9	30.6	2.8	8.3				.0
		.0	.0	.0	.1	.0	.0	.1				
	6	6	14	3	8	32	8	1	1			107
755.0		5.6	13.1	2.8	7.5	29.9	7.5	.9	.9			.1
		.1	.2	.0	.1	.1	.1	.0	.2			
	7		2			5	3	7	1			26
758.0			7.7			19.2	11.5	26.9	3.8			.0
			.0			.0	.0	.2	.2			
	8	21	26	26	26	97	59	13	1	1		344
ALL OTHER		6.1	7.6	7.6	7.6	28.2	17.2	3.8	.3	.3		.4
		.3	.4	.4	.4	.4	.4	.3	.2	6.3		
	COLUMN TOTAL	6209	6071	6026	5847	26537	14292	3844	441	16	3	89391
		6.9	6.8	6.7	6.5	29.7	16.0	4.3	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MAL	AGE	12	13	14	15	16	17	18	19	20	21	ROW TOTAL
NONE	0	1	12	80	299	757	1519	2204	2998	3510	3972	61297
		.0	.0	.1	.5	1.2	2.5	3.6	4.9	5.7	6.5	99.2
		100.0	100.0	100.0	99.0	99.3	99.3	99.0	99.1	99.3	99.3	
741	1							5	1	3	2	28
								17.9	3.6	10.7	7.1	.0
								.2	.0	.1	.0	
745,746	2						1			4		22
							4.5			18.2		.0
							.1			.1		
749	3				1	1	2	1	2	2	5	59
					1.7	1.7	3.4	1.7	3.4	3.4	8.5	.1
					.3	.1	.1	.0	.1	.1	.1	
752,6	4				1		2	2	3		3	39
					2.6		5.1	5.1	7.7		7.7	.1
					.3		.1	.1	.1		.1	
754.5 - 754.7	5					1	2	1	2	1	3	28
						3.6	7.1	3.6	7.1	3.6	10.7	.0
						.1	.1	.0	.1	.0	.1	
755.0	6					1			1	1	1	21
						4.8			4.8	4.8	4.8	.0
						.1			.0	.0	.0	
758.0	7				1			2	3	1		23
					4.3			8.7	13.0	4.3		.0
					.3			.1	.1	.0		
ALL OTHER	8					2	4	11	14	14	15	249
						.8	1.6	4.4	5.6	5.6	6.0	.4
						.3	.3	.5	.5	.4	.4	
(CONTINUED)	COLUMN TOTAL	1	12	80	302	762	1530	2226	3024	3536	4001	61766
		.0	.0	.1	.5	1.2	2.5	3.6	4.9	5.7	6.5	100.0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MAL	COUNT / ROW PCT / COL PCT	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
NONE	0	3984	4157	4122	19644	10887	2851	289	10	1	61297
		6.5	6.8	6.7	32.0	17.8	4.7	.5	.0	.0	99.2
		99.2	99.4	99.2	99.3	99.2	99.1	99.7	90.9	100.0	
741	1	1	2		9	4	1				28
		3.6	7.1		32.1	14.3	3.6				.0
		.0	.0		.0	.0	.0				
745,746	2	1	2	1	8	5					22
		4.5	9.1	4.5	36.4	22.7					.0
		.0	.0	.0	.0	.0					
749	3	3	3	6	13	14	6				59
		5.1	5.1	10.2	22.0	23.7	10.2				.1
		.1	.1	.1	.1	.1	.2				
752,6	4	2	2	4	17	1	2				39
		5.1	5.1	10.3	43.6	2.6	5.1				.1
		.0	.0	.1	.1	.0	.1				
754,5 - 754,7	5	1	1	4	9	1	2				28
		3.6	3.6	14.3	32.1	3.6	7.1				.0
		.0	.0	.1	.0	.0	.1				
755.0	6	3	1	2	7	3	1				21
		14.3	4.8	9.5	33.3	14.3	4.8				.0
		.1	.0	.0	.0	.0	.0				
758.0	7	2			4	3	6	1			23
		8.7			17.4	13.0	26.1	4.3			.0
		.0			.0	.0	.2	.3			
ALL OTHER	8	20	15	18	74	52	9		1		249
		8.0	6.0	7.2	29.7	20.9	3.6		.4		.4
		.5	.4	.4	.4	.5	.3		9.1		
	COLUMN TOTAL	4017	4183	4157	19785	10970	2878	290	11	1	61766
		6.5	6.8	6.7	32.0	17.8	4.7	.5	.0	.0	100.0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MAL		AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
NONE	0	2	2	52	184	470	821	1247	1591	1958	2230	27392
		.0	.0	.2	.7	1.7	3.0	4.6	5.8	7.1	8.1	99.2
		100.0	100.0	100.0	100.0	99.2	99.3	99.3	98.9	99.0	99.1	
741	1							1				5
								20.0				.0
								.1				
745,746	2					1			1	1		6
						16.7			16.7	16.7		.0
						.2			.1	.1		
749	3								2	1	2	17
									11.8	5.9	11.8	.1
									.1	.1	.1	
752,6	4										1	13
											7.7	.0
											.0	
754.5 - 754.7	5							1	1	2		8
								12.5	12.5	25.0		.0
								.1	.1	.1		
755,0	6					1	5	5	5	12	3	86
						1.2	5.8	5.8	5.8	14.0	3.5	.3
						.2	.6	.4	.3	.6	.1	
758,0	7										1	3
											33.3	.0
											.0	
ALL OTHER	8					2	1	2	8	3	13	95
						2.1	1.1	2.1	8.4	3.2	13.7	.3
						.4	.1	.2	.5	.2	.6	
(CONTINUED)	COLUMN TOTAL	2	2	52	184	474	827	1256	1608	1977	2250	27625
		.0	.0	.2	.7	1.7	3.0	4.5	5.8	7.2	8.1	100.0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MAL	AGE: COUNT / ROW PCT / COL PCT	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0 NONE		2193	2036	1827	1672	6685	3309	957	149	5	2	27392
		8.0	7.4	6.7	6.1	24.4	12.1	3.5	.5	.0	.0	99.2
		99.3	99.1	99.1	98.9	99.0	99.6	99.1	98.7	100.0	100.0	
1 741				1		3						5
				20.0		60.0						.0
				.1		.0						
2 745,746						2		1				6
						33.3		16.7				.0
						.0		.1				
3 749		2		1	1	5	1	2				17
		11.8		5.9	5.9	29.4	5.9	11.8				.1
		.1		.1	.1	.1	.0	.2				
4 752,6		2	1	1	2	6						13
		15.4	7.7	7.7	15.4	46.2						.0
		.1	.0	.1	.1	.1						
5 754.5 - 754.7					1	2		1				8
					12.5	25.0		12.5				.0
					.1	.0		.1				
6 755.0		5	11	2	6	25	5		1			86
		5.8	12.8	2.3	7.0	29.1	5.8		1.2			.3
		.2	.5	.1	.4	.4	.2		.7			
7 758.0						1		1				3
						33.3		33.3				.0
						.0		.1				
8 ALL OTHER		6	6	11	8	23	7	4	1			95
		6.3	6.3	11.6	8.4	24.2	7.4	4.2	1.1			.3
		.3	.3	.6	.5	.3	.2	.4	.7			
COLUMN TOTAL		2208	2054	1843	1690	6752	3322	966	151	5	2	27625
		8.0	7.4	6.7	6.1	24.4	12.0	3.5	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF MAL CONGENITAL MALFORMATION BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACE. VALUE = TOTAL

MAL		EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE	COUNT	2850	18209	37131	16902	13491	106	88689
	ROW PCT	3.2	20.5	41.9	19.1	15.2	.1	99.2
	COL PCT	99.2	99.1	99.2	99.3	99.4	98.1	
1 741	COUNT		9	19	3	2		33
	ROW PCT		27.3	57.6	9.1	6.1		.0
	COL PCT		.0	.1	.0	.0		
2 745,746	COUNT	2	6	10	8	2		28
	ROW PCT	7.1	21.4	35.7	28.6	7.1		.0
	COL PCT	.1	.0	.0	.0	.0		
3 749	COUNT	5	11	34	18	8		76
	ROW PCT	6.6	14.5	44.7	23.7	10.5		.1
	COL PCT	.2	.1	.1	.1	.1		
4 752,6	COUNT	2	15	17	13	5		52
	ROW PCT	3.8	28.8	32.7	25.0	9.6		.1
	COL PCT	.1	.1	.0	.1	.0		
5 754.5 - 754.7	COUNT	1	11	15	7	2		36
	ROW PCT	2.8	30.6	41.7	19.4	5.6		.0
	COL PCT	.0	.1	.0	.0	.0		
6 755.0	COUNT	1	36	49	13	8		107
	ROW PCT	.9	33.6	45.8	12.1	7.5		.1
	COL PCT	.0	.2	.1	.1	.1		
7 758.0	COUNT	1	6	10	4	5		26
	ROW PCT	3.8	23.1	38.5	15.4	19.2		.0
	COL PCT	.0	.0	.0	.0	.0		
8 ALL OTHER	COUNT	10	75	152	60	45	2	344
	ROW PCT	2.9	21.8	44.2	17.4	13.1	.6	.4
	COL PCT	.3	.4	.4	.4	.3	1.9	
COLUMN TOTAL		2872	18378	37437	17028	13568	108	89391
		3.2	20.6	41.9	19.0	15.2	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MAL	EDUC	1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE	COUNT	1818	10935	24546	12493	11457	48	61297
	ROW PCT	3.0	17.8	40.0	20.4	18.7	.1	99.2
	COL PCT	99.0	99.1	99.2	99.3	99.5	98.0	
1 741	COUNT		7	17	2	2		28
	ROW PCT		25.0	60.7	7.1	7.1		.0
	COL PCT		.1	.1	.0	.0		
2 745,746	COUNT	1	4	9	7	1		22
	ROW PCT	4.5	18.2	40.9	31.8	4.5		.0
	COL PCT	.1	.0	.0	.1	.0		
3 749	COUNT	5	6	25	16	7		59
	ROW PCT	8.5	10.2	42.4	27.1	11.9		.1
	COL PCT	.3	.1	.1	.1	.1		
4 752.6	COUNT	2	11	14	9	3		39
	ROW PCT	5.1	28.2	35.9	23.1	7.7		.1
	COL PCT	.1	.1	.1	.1	.0		
5 754.5 - 754.7	COUNT	1	9	9	7	2		28
	ROW PCT	3.6	32.1	32.1	25.0	7.1		.0
	COL PCT	.1	.1	.0	.1	.0		
6 755.0	COUNT	1	5	10	2	3		21
	ROW PCT	4.8	23.8	47.6	9.5	14.3		.0
	COL PCT	.1	.0	.0	.0	.0		
7 758.0	COUNT	1	5	9	3	5		23
	ROW PCT	4.3	21.7	39.1	13.0	21.7		.0
	COL PCT	.1	.0	.0	.0	.0		
8 ALL OTHER	COUNT	8	55	97	48	40	1	249
	ROW PCT	3.2	22.1	39.0	19.3	16.1	.4	.4
	COL PCT	.4	.5	.4	.4	.3	2.0	
COLUMN TOTAL		1837	11037	24736	12587	11520	49	61766
		3.0	17.9	40.0	20.4	18.7	.1	100.0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

MAL		EDUC 1	2	3	4	5	6	ROW TOTAL
	0	1032	7274	12585	4409	2034	58	27392
NONE		3.8	26.6	45.9	16.1	7.4	.2	99.2
		99.7	99.1	99.1	99.3	99.3	98.3	
	1		2	2	1			5
741			40.0	40.0	20.0			.0
			.0	.0	.0			
	2	1	2	1	1	1		6
745,746		16.7	33.3	16.7	16.7	16.7		.0
		.1	.0	.0	.0	.0		
	3		5	9	2	1		17
749			29.4	52.9	11.8	5.9		.1
			.1	.1	.0	.0		
	4		4	3	4	2		13
752,6			30.8	23.1	30.8	15.4		.0
			.1	.0	.1	.1		
	5		2	6				8
754.5 - 754.7			25.0	75.0				.0
			.0	.0				
	6		31	39	11	5		86
755.0			36.0	45.3	12.8	5.8		.3
			.4	.3	.2	.2		
	7		1	1	1			3
758.0			33.3	33.3	33.3			.0
			.0	.0	.0			
	8	2	20	55	12	5	1	95
ALL OTHER		2.1	21.1	57.9	12.6	5.3	1.1	.3
		.2	.3	.4	.3	.2	1.7	
COLUMN TOTAL		1035	7341	12701	4441	2048	59	27625
		3.7	26.6	46.0	16.1	7.4	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

STATE LIBRARY OF NORTH CAROLINA
3 3091 00795 5149

Department of Human Resources
Division of Health Services
State Center for Health Statistics
P.O. Box 2091
Raleigh, N.C. 27602-2091
919/733-4728

BULK RATE
U.S. Postage PAID
Raleigh, N.C. 27602-2091
Permit No. 1862

500 copies of this public document were printed at a cost of $470 or 94¢ per copy.